H-64Z

MF

MILLERS FALLS TOOLS

SINCE 1868 ®

HAND TOOLS

PRECISION TOOLS



The Millers Falls Lifetime Guarantee

Many of the tools described and illustrated in this catalog are covered by a LIFETIME GUARANTEE. They are so designated. If any one of these tools fails for reasons other than abuse, or normal wear, or is defective in material or workmanship, it will be repaired or replaced free of charge. This is a 100% repair or replacement guarantee. (Extended only to the original user and void if the tool is serviced or repaired by other than personnel authorized by Millers Falls Company, or is damaged due to users negligence.)

Because of the nature of their use, or because they lack the capability and many of the features of those bearing such a commitment, several of the enclosed product selection do not carry a LIFETIME GUARANTEE. Nevertheless, these tools are efficient, dependable, of high quality, and are warranted free from imperfections and defects in material or workmanship for a period of one year from the date of purchase.

"CHOOSE 'MILLERS FALLS' AND BE CONFIDENT OF SUPERIOR QUALITY IN DESIGN, MATERIAL AND WORKMANSHIP."

SPECIFICATIONS — Important information concerning the capacity and construction of each tool will be found in the descriptive material pertinent to each product. Specification information will deviate from that printed herein only when difficulty is met in procuring certain materials or when improvements in engineering, construction and/or finishes are made.

PARTS AND REPAIRS — Whenever possible, it is recommended that the customer make his own repairs on hand and precision tools in order to avoid the expense of round trip tool transportation. Parts for repair of every tool within this catalog are available. When ordering, please give the number and description of the part and indicate the type and number of the tool for which the part is needed. When a major repair is necessary by our Factory Service Station in Greenfield, please pack the tool carefully, including a tag with your name and address, prepay the shipping charges and write a covering letter describing the operating difficulty. Please indicate if you want a repair quotation made before work is started. If you send your tool for repair under guarantee and if you prepay incoming shipping charges, it will be returned to you with return shipping charges prepaid.

Copyright 1964

MILLERS FALLS COMPANY
Greenfield, Mass., U. S. A.

ALPHABETICAL INDEX

Name	Page
ACCESSORIES, Workshop	37, 38, 39, 40
ADAPTERS:	
Drill	3
Shank	3
Shaper Cutter	40
Socket Wrench	35
ARBORS, Wheel and Work	39, 40
ATTACHMENTS for Electric Drills:	
Buffing and Sanding	12
Circular Saw	13
Hedge Trimmer	13
Jig Saw	13
Orbital Sander	13
Right-Angle Drive	12
Rubber Backing Pad & Adapter	13
ATTACHMENTS for Spiral Ratchet Screwdrivers	34, 35
AUGER HANDLE	17
AWLS	2
AXE, Camper's	2
BEARING SCRAPERS	30
BENCH HOOK	18
BEVELS	2
Protractors	47
BIT EXTENSIONS	14
BITS:	
Expansive	2, 3
Power	3
Screwdriver	35
BLADES:	
Butcher Saw	27
Coping Saw	27
Dry Wall Saw	30
Hacksaw	28
Keyhole Saw	30
Kitchen Saw	29
Sabre Saw	28
Scraper	30
Square Protractor	46
Tape Rule	26
Utility Knife	18
BOBS, Plumb	24
BONNETS, Wool Polishing	12
BOXES, Mitre	4
BRACES:	
Deluxe	5
Ratchet	5
Corner	6
Right Angle	6
Whimble	5
BUFFING AND SANDING ATTACHMENT	12
CALIPERS:	
Hermaphrodite	42
Inside	42
Outside	42
CARVING TOOLS	6
CENTERS:	
Cup	38
Point	38
Spur	38
Crotch	38
CHISEL AND PUNCH SETS	7
CHISEL SHARPENER	8
CHISELS	6, 7, 8
Ripping	14
CHUCKS	8, 13, 39
CLAW, Tack	37
COILS, Butcher Saw	27
COMBINATION SETS	46
COMBINATION SQUARES	46
CUP CENTERS	38
COUNTERSINKS	8
CUTTERS:	
Expansive Bit	2
Gasket	9
Glass	9
DISCS, Sanding	27
DIVIDERS	43
DRILL POINTS	10
DRILLS:	
Automatic	10
Breast	11
Hand	11
Masonry	12
Star	12
Drill Pad	39
DRIVE, Right-Angle	12
EXPANSIVE BITS	2
EXTENSIONS:	
Bit Brace	14
Power Bit	14
FACE PLATE, Lathe	14, 38, 39
FIGURES, Steel Stamp	18
FRAMES:	
Butcher Saw	27
Coping Saw	27
Hacksaw	15
Kitchen Saw	29
Rail Saw	15
GASKET CUTTER	9
GAUGES:	
Center	43
Depth	46
Screw Pitch	43
Surface	43
Thickness	43, 44
GLASS CUTTERS	9
GRINDING HEADS	17, 18
GUIDES, Screw	35
HACKSAW BLADES	28
HACKSAW FRAMES	15
HAMMERS	16
HANDLE, Auger	17
HATCHETS	17
HEADS, Grinding	17, 18
HEDGE TRIMMER ATTACHMENT	13
HOLE SAWS	29
HOOK, Bench	18
INDICATOR, Speed	48
IRONS, Plane	23
JIG SAW ATTACHMENT	13
KEYHOLE SAWS	30
KITS, Hand Tool	41, 42
KNIVES:	
Putty	18
Saw-Knife Set	36
Spackling	18
Utility	18, 19
LANGDON ACME MITRE BOXES	4
LATHE, Woodworking	14
LETTERS, Steel Stamp	19
LEVELS	20
MANDRELS for Hole Saws	29
MICROMETER DEPTH GAUGE	44
MICROMETER HEAD	44
MICROMETERS	44, 45, 46
MICROMETER CASES	44, 45, 46
MICROMETER SET	45
MICROMETER STANDARDS	46
MITRE BOXES	4
MORSE TAPER ADAPTER SLEEVE	39
MOTOR MOUNT, Lathe	14
NAIL PULLER	14
NAIL SETS	20
NESTS OF SAWS	30
ORBITAL SANDER ATTACHMENT	13
PLANE IRON SHARPENER	21
PLANE IRONS	23
PLANES	21, 22, 23
PLIERS	23
PLUMB BOBS	24
POINTS, Drill	10
PRECISION TOOLS	42
PROTRACTORS, Bevel	46
PUNCHES	24, 25
PUTTY KNIFE	18
REAMERS, Pipe	25
RIGHT-ANGLE DRIVE	12
RUBBER BACKING PAD and Adapter	13
RULES:	
Depth Gauge	46
Extension	26
Flexible	47
Folding	26
Hook	46, 47
Narrow Tempered	47
Quick-Coil Power Tape	26
Satin Chrome Finish	46, 47
Slide Caliper	47
Steel	26, 47
White Tape	26
SANDERS, Hand — T.C.	25
SAW HORSE BRACKETS	30
SAW PUNCH	25
SAW SET	35
SAW-KNIFE SET	36
SAWS:	
Back	29
Butcher	27
Circular (Attachment)	13
Compass	27
Coping	27
Dry Wall	30
Hacksaws	15
Hand	29
Hole	29
Jig (Attachment)	13
Keyhole	30
Kitchen	29
Nests of Saws	30
Rail	15
Tool Box	30
SCRAPERS:	
Bearing	30
Floor	31
Single Blade	31
Wall	18
Wood	31
SCREW GUIDES	35
SCREWDRIVER ACCESSORIES (For Spiral Ratchet Screwdrivers)	34, 35
SCREWDRIVER BITS	35
SCREWDRIVERS	31, 32, 33, 34
SCRIBERS	47
SETS:	
Bearing Scraper	30
Carving Tool	6
Chisel	7
Drill Point	10
Jig Saw Blade	13
Nail Set	20
Power Bit	3
Punch	24
Saw Set	35
Saw-Knife Set	36
Screwdriver	33
Steel Figures	19
Steel Letters	19
Tap Wrench	40
SHARPENER, Chisel and Plane Iron	8, 21
SHAPER COLLARS	40
SHEARS	36
SNIPS	36
SPEED INDICATOR	47
SQUARES:	
Carpenter	36
Combination	36, 37
Double Square Set	46
Double Steel Square Set	46
Framing	37
Pocket	37
Rafter	37
Try	37
STAMPS, Letters and Figures	19
STAR DRILLS	12
STEEL LETTERS AND FIGURES	
Hand Cut	19
Machine-Made	19
STEEL RULES	26, 48
TACK CLAW	37
TAP, 3-Step	40
TAP WRENCHES	40, 41
TAPES	26
THICKNESS GAUGES	43
THICKNESS STOCK STRIPS	44
TOOL REST, Lathe	14
TUNGSTEN CARBIDE SHEETS	25
TUNGSTEN CARBIDE DISCS	27
VISES:	
Bench	41
Carpenter	41
Drill Press	41
Hand	41
WHEELS, Glass Cutter	9
WORKSHOP ACCESSORIES	37, 38, 39, 40
WRECKING BAR	14
WRENCHES	40, 41

NO. 10 AWL



Similar to No. 1405, but shorter. Length of point — 2¾ inches. Overall length — 4⅞ inches.

Packed 12 in a box. Shipping weight: 12 oz.

NO. 270 AWL



Blade length 3½ inches long; Blade polished, ferrule plated; Birch handle painted black, tumble polished head; Rugged bolster. Overall length — 6¼″.

Packed 6 per box. Shipping weight: ¾ lb.

NO. 365 AWL



Forged alloy steel blade is tempered and polished. Pointed blade runs through handle and locks into steel head. Lacquer birch handle is protected by nickel plated ferrule. Length of point — 3¾ inches. Overall length — 7 inches.

Packed 6 in a box. Shipping weight: 1⅛ lbs.

NO. 1405 AWL



Alloy steel blade is nicely pointed and firmly set in black hardwood handle. Nickel plated ferrule protects handle. Length of point — 4 inches. Overall length — 7 inches.

Packed 6 in a box. Shipping weight: 12 oz.

NO. 599 CAMPER'S AXE

LIFETIME GUARANTEE

Sturdy, one-piece Heat Treated steel forging contoured for smooth swinging and easy handling. Perfectly balanced and razor-sharp, with a sure-grip rubber handle. Leather sheath included.

Packed 2 in a box. Shipping weight: 3⅞ lbs.

NO. 1319 CAMPER'S AXE



A versatile, durable axe ideally suited to the camper. Full polished heads are scientifically tempered and feature a razor sharp, full bevel cutting edge. Handle is top grade, second growth hickory, sanded and shaped for non-slip grip and wedged securely to the head. Nail slot offers added capabilities. Sturdy leather sheath enables axe to be belt carried and protects cutting edge when not in use. Dimensions: cutting edge 3¼″, overall length 14″.

Packed 4 per corrugated box. Shipping Weight: 8½ lbs.

NO. 1320 HUNTER'S AXE

Here is a rugged steel head, mirror polished and coated with a lustre black enamel. Extra long 19 inch hickory handle enables smooth swing with either one or two hand grip. Double steel wedging insures secure junction of head and handle. Dimensions: cutting edge 3½″, overall length 18″.

Packed 4 per corrugated box. Shipping Weight: 11 lbs.

NO. 98 BEVEL



Eight inch blade; Black, rust-resistant finish; Solid knurled brass locking nut; Lacquered Goncalo handle.

Packed 4 in a box. Shipping weight: 1 lb.

NO. 1408 BEVEL

LIFETIME GUARANTEE



Eight-inch blade is highly finished. Handle is one-piece cast iron frame. Plated and highly polished. Locking device operated by turning knob at the end of handle.

Packed 3 in a box. Shipping weight: 1¾ lbs.

NO. 47 AND 48 EXPANSIVE BITS

Finely made, beautifully finished bits of the Clark pattern type. Finest quality bit steel. Two cutters for each bit.

No.	*Capacity*	*Shipping Weight*
47	½″ — 1½″	¼ lb.
48	⅞″ — 3″	½ lb.

Packed 1 in a box.

Extra Cutters

No.	*Fitting No.*	*Capacity*	*No.*	*Fitting No.*	*Capacity*
1	47	½″ — ⅞″	4	48	1¾″ — 3″
2	47	⅞″ — 1½″	5	48	3″ — 4″
3	48	⅞″ — 1¾″	6	48	4″ — 5″

Packed singly.

NO. 151 AND 152 EXPANSIVE BITS



Positive screw adjustment of cutter absolutely prevents shifting. One complete turn of screw increases or decreases diameter of hole 1/8 inch. Two cutters for each bit.

No.	*Capacity*	*Shipping Weight*
151	5/8" — 1 3/4"	6 oz.
152	7/8" — 3"	9 oz.

Packed 1 in a box.

Extra Cutters

No.	*Fitting No.*	*Capacity*	*No.*	*Fitting No.*	*Capacity*
1	151	5/8" — 1 1/8"	4	152	1 3/4" — 3"
2	151	1 1/8" — 1 3/4"	5	152	3" — 4"
3	152	7/8" — 1 3/4"	6	152	4" — 5"

Packed singly.

NO. 800 POWER BITS

High speed steel bits. Cut fast and clean in hard and soft woods, plastics, plywood, and similar materials — even cut through ordinary nails or screws encountered in floors and partitions. Recommended for drills with high R.P.M. Depth of cut — 5 inches. Chuck end of all sizes is 1/4 inch with flats milled for 3-jawed chuck. Overall length — 6 1/2 inches.

No.	*Hole Diameter*	*Shank Diameter*	*Shipping Weight*
800-3/8"	3/8"	1/4"	5/8 lb.
800-1/2"	1/2"	1/4"	5/8 lb.
800-9/16"	9/16"	5/16"	3/4 lb.
800-5/8"	5/8"	5/16"	3/4 lb.
800-11/16"	11/16"	5/16"	7/8 lb.
800-3/4"	3/4"	5/16"	7/8 lb.
800-13/16"	13/16"	3/8"	1 lb.
800-7/8"	7/8"	3/8"	1 lb.
800-1"	1"	3/8"	1 1/8 lbs.

Packed 6 in a box.

NO. 8004 AND 8006 POWER BIT SETS





Available in two sizes — one with 4 Bits and one with 6 Bits — both in handsome, plastic carrying rolls.

No. 8004 Plastic Roll with set of 4 (1/2", 5/8", 3/4", 1").
Packed 1 in a box. Shipping weight: 5/8 lb.

No. 8006 Plastic Roll with set of 6 (3/8", 1/2", 5/8", 3/4", 7/8", 1").
Packed 1 in a box. Shipping weight: 7/8 lb.

NO. 8002 POWER BIT MERCHANDISER

A free display for counter or wall use — measuring only 20" x 14 1/4" x 7 1/2". Bit assortment is as follows:

4 ea. Nos. 800 — 3/8", 1/2", 5/8", 3/4", 7/8", 1"
2 ea. Nos. 800 — 9/16", 11/16", 13/16"
2 ea. Nos. 835 — 12" Power Bit Extensions

Each bit packed in a plastic sleeve.
Extensions on display cards.
Entire unit packed 1 in a box. Shipping weight: 8 lbs.

NO. 838 HEAVY DUTY POWER BITS

Bore big holes easily with high speed steel blades that cut through ordinary nails, obstructions, etc., found in floors and partitions. Milled flats for firm chuck grip. Fit any 3/8" or larger drill. May also be used in 1/4" drills with Shank Adapter or Quick-Change Chuck. Depth of cut, 7". Length overall, 8 3/8".

No.	*Hole Diameter*	*Shank Diameter*	*Pkg.*	*Shipping Weight*
838 - 5/8"	5/8"	3/8"	6	1 1/2 lbs.
838 - 3/4"	3/4"	3/8"	6	1 5/8 lbs.
838 - 7/8"	7/8"	3/8"	6	1 5/8 lbs.
838 - 1"	1"	3/8"	6	1 3/4 lbs.
838 - 1 1/8"	1 1/8"	1/2"	4	1 3/4 lbs.
838 - 1 1/4"	1 1/4"	1/2"	4	1 7/8 lbs.
838 - 1 3/8"	1 3/8"	1/2"	4	1 7/8 lbs.
838 - 1 1/2"	1 1/2"	1/2"	4	2 lbs.

NO. 8381 SHANK ADAPTER

Specially designed to permit use of No. 838 Power Bits and No. 8383 Extension in 1/4" electric drills. 3/8" socket fits bits — 1/4" shank fits drill chuck.

Carded and packed 6 in a box.
Shipping weight: 3/4 lb.

NO. 8382 QUICK-CHANGE CHUCK

Pull back spring-loaded sleeve and slip No. 838 Bit or No. 8383 Extension into socket. Release sleeve and ball locks tool in position. Chuck screws directly onto 3/8" — 24 spindles of 1/4" and 3/8" drills. No. 8384 Adapter available for use on 1/2" — 20 spindles of 1/2" drills.

Carded and packed 4 in a box.
Shipping weight: 1 1/8 lbs.

NO. 8384 1/2" DRILL ADAPTER

Enables any chuck with 3/8" — 24 thread to be used on any 1/2" electric drill with 1/2" — 20 thread spindle.

Packed 1 per envelope. Shipping weight: 1/8 lbs.

LANGDON ACME MITRE BOXES

LIFETIME GUARANTEE



"Langdon Acme" mitre boxes, world famous for quality, offer years of rugged, accurate performance. One-piece cast iron bed and back for strength. "Oilite" bearing saw guides. Steel, swinging lever and posts. Graduated arc and index plate. High grade saw accurately fitted to box. Extendable swinging lever travels freely from 45° to 90°, right or left, and locks at any desired angle (automatically locks at 0°, 9°, 22½°, 30° and 45°, right or left). Automatic catch holds saw elevated when desired. Length gauge and acute angle adjustment. Capacity all sizes — 10½″ at right angles — 7¼″ at mitre.

Complete with Saw

No.	*Size Saw*	*Shipping Weight*
72	24″ x 4″	32 lbs.
73	26″ x 4″	34 lbs.
74	28″ x 5″	36 lbs.
75	30″ x 5″	38 lbs.

Packed 1 in a carton.

ALL STEEL MITRE BOXES

LIFETIME GUARANTEE



Same as Langdon Acme boxes except that these boxes are all steel construction.

Complete with Saw

No.	*Size Saw*	*Shipping Weight*
1285	28″ x 5″	32 lbs.
1305	30″ x 5″	34 lbs.
1306	30″ x 6″	34 lbs.

Packed 1 in a carton.

ECONOMY MITRE BOX

LIFETIME GUARANTEE



Patterned after the Langdon Acme but smaller. Most accurate mitre box of its size on the market. One-piece cast iron bed and back. Swinging lever (45° to 90°, right or left) automatically locks in most used angles. All exposed parts except saw are nickel plated or painted. Automatic catch holds saw elevated when desired. Capacity — 8¾″ at right angles — 6″ at mitre.

No.		*Shipping Weight*
1124	With 24″ x 4″ Saw	30 lbs.
1120	Supplied without Saw	25 lbs.

Packed 1 in a carton.

NO. 200 WOOD FRAME MITRE BOX



Laminated wood frame. Saw guide mounted on steel post and designed for use with a back saw or hand saw. Has steel index plate. Guide may be swung and locked at any desired angle. Dimensions: 16″ x 4¾″ x 4″.

Packed 1 in a carton. Shipping weight: 6⅞ lbs.

ADJUSTABLE MITRE BOX



Sturdy steel and wood construction. Heavy pressed steel back. Die cast saw guide post. Positive depth lock, adjustable 0″ to 3″. Accurate angle cuts 0° to 50° with graduated index plate and quick-acting lock. Lacquered hardwood bed. Holes in steel legs for bench fastening. Front legs "lipped" for bench stops when sawing. Accommodates standard hand or back saw.

Complete with Saw

No.	*Size Saw*	*Shipping Weight*
1816	4″ x 16″	6⅝ lbs.

Without Saw

No.		*Shipping Weight*
816	For 4″ Saw	5 lbs.

HARD MAPLE MITRE BOX



Made of selected kiln dried rock maple. Extra-broad 5″ width. Entire length of front is "lipped" at bottom to hold box firmly against bench edge. Precision cut edges are jointed and rabbeted to prevent misalignment. One 45° face mitre, two regular 45° mitres, and one 90° square cut.

No.	*Length*	*Shipping Weight*	*Packed*
612	12″	27 lbs.	12 per box
616	16″	18 lbs.	6 per box

Saws for all mitre boxes available. Order by saw size.









NO. 5010 DELUXE BRACE

A beautifully designed bit brace with all exposed metal parts chrome plated. New Style full ball bearing chuck with self-centering jaws gives greater accuracy resulting in straighter boring. Holds square and round (1/8" to 1/2" dia.) shanks. Transparent red "Tenite" handle and head on "Oilite" bearings. Sweep — 10".

Packed 1 in a box. Shipping weight: 4 1/8 lbs.

NO. 1950 RATCHET BRACE

A high quality brace with appealing style and medium price. Glossy red "Tenite" unbreakable plastic head and handle. Semi-boxed steel ratchet. Exposed metal parts nickel plated. Barber pattern chuck with forged steel jaws. Sweep — 10".

Packed 2 in a box. Shipping weight: 5 3/4 lbs.

NO. 1410 RATCHET BRACE

A serviceable brace at a popular price. Equipped with a Barber chuck with alligator jaws and a semi-boxed ratchet mechanism operated by a knurled ring shift. Handles are rich black stained hardwood. Exposed metal parts polished. Sweep — 10".

Packed 4 in a box. Shipping weight: 9 1/4 lbs.

NO. 770-772 RATCHET BRACES

Fine quality brace equipped with "Lion" ball bearing, self-centering chuck holding round (1/8" to 1/2" dia.) and square shanks. Boxed ratchet with ring shift. Tropical hardwood head and handle. Exposed metal parts nickel plated and buffed.

No.	*Sweep*	*Shipping Weight*
770	14"	8 3/4 lbs.
771	12"	7 3/4 lbs.
772	10"	7 3/8 lbs.

Packed 2 in a box.

NO. 730-733 RATCHET BRACES

Our fastest selling brace. Boxed ratchet mechanism. Has new self-centering chuck. Holds square and round shanks 1/8" to 1/2" dia. Tropical hardwood head and handle. Exposed parts nickel plated.

No.	*Sweep*	*Shipping Weight*
730	14"	8 5/8 lbs.
731	12"	7 3/4 lbs.
732	10"	7 lbs.
733	8"	6 3/8 lbs.

Packed 2 in a box.

NO. 1710-1712 RATCHET BRACES

Equipped with a Barber chuck with alligator jaws and semi-boxed steel ratchet. Knurled shifter ring controls ratchet mechanism. Steel clad, ball bearing head and sweep handles made from top-grade hardwood with natural cherry finish. Exposed parts nickel plated.

No.	*Sweep*	*No. Packed in Box*	*Shipping Weight*
1710	10"	4	10 1/2 lbs.
1712	12"	2	5 3/4 lbs.

NO. 7312 WHIMBLE BRACE

A double leverage brace for extra heavy work as encountered in dock, railroad and other heavy construction work. New style full ball bearing chuck with self-centering jaws. Heavy 9/16" dia. sweep rod. Boxed ratchet with ring shift. Tropical hardwood handle and ball bearing head. Exposed metal parts nickel plated. Sweep — 12".

Packed 2 in a box. Shipping weight: 8 3/4 lbs.







NO. 502 CORNER BRACE



Ideal for boring in corners, against walls and beams. Master chuck holds round and square shanks. Ball thrust bearing at chuck. Machine cut steel gears. Frame black enameled. Exposed parts nickel plated and buffed. Head and handle hardwood mahogany finished. Sweep — 10″.

Packed 2 in a box. Shipping weight: 10⅜ lbs.

NO. 737 RIGHT ANGLE BRACE



Bores holes in close quarters. Knurled ring between head and boxed ratchet mechanism can be turned by hand to start and hold bit in wood until ratchet is operated. Self-centering chuck holds square and round shank bits. Exposed metal parts nickel plated. Attractively finished hardwood handles.

Packed 2 in a box. Shipping weight: 5½ lbs.

NO. 106 CARVING TOOL SET



Six tools selected to give a wide range of applications in wood, soap and linoleum. High quality forged steel blades heat treated, polished and edged. Hardwood mahogany lacquered handles protected with nickeled ferrules. Overall length — 6¼″. Sharpening stone included.

Individual Tools for Set No. 106

A — 5/16″ Straight Chisel
B — 5/16″ Bent Chisel
C — 5/16″ Skew Bevel Chisel
D — 5/16″ Bent Gouge
E — 7/32″ "U" Tool
F — 3/16″ Veining Tool

Packed 1 in a box. Shipping weight: 10 oz.
Individual tools available separately.

NO. 107 CARVING TOOL SET



Designed for individuals who enjoy wood, soap and linoleum block carving. Forged, heat treated blades edged and polished. Lacquered maple handles so designed to fit snugly in palm of hand. Overall length — 5″. Furnished with sharpening stone.

Individual Tools for Set No. 107

B–5/16″ Bent Chisel
C–5/16″ Skew Bevel Chisel
D–5/16″ Bent Gouge
E–7/32″ "U" Tool
F–3/16″ Veining Tool
S–Carborundum Sharpening Stone

Packed 1 in a box. Shipping weight: 10 oz.
Individual tools available separately.

NO. 1140 CAPE CHISELS

Hammer-forged from fine quality octagon alloy steel. Careful heat treating gives uniform high grade tool. Ground and nicely polished blades and heads. Gray lacquer finish.

No.	*Width of Point*	*Stock*	*Overall Length*	*Pkg.*	*Shipping Weight*
1140	1/8″	3/8″	5″	12	1⅝ lbs.
1140	3/16″	3/8″	5″	12	1¾ lbs.
1140	1/4″	3/8″	5″	12	1⅞ lbs.
1140	5/16″	1/2″	6″	6	1⅞ lbs.
1140	3/8″	5/16″	7″	6	3¼ lbs.
1140	1/2″	3/4″	7½″	6	5⅛ lbs.

NO. 1150 COLD CHISELS

Made from same octagon alloy steel as No. 1140 and No. 1190. Gray Lacquer finish.

No.	*Width of Blade*	*Stock*	*Overall Length*	*Pkg.*	*Shipping Weight*
1150	1/4″	1/4″	5″	12	⅞ lb.
1150	3/8″	5/16″	5″	12	1⅜ lbs.
1150	1/2″	3/8″	5″	12	1⅞ lbs.
1150	5/8″	1/2″	6½″	6	2⅛ lbs.
1150	3/4″	5/8″	7″	6	3½ lbs.
1150	1″	7/8″	8″	3	3⅞ lbs.

NO. 1178 DIAMOND POINT CHISELS

Hammer-forged octagon alloy steel chisels, heat treated, ground and polished. Finished with gray lacquer.

No.	*Width of Blade*	*Stock*	*Overall Length*	*Pkg.*	*Shipping Weight*
1178	5/32″	3/8″	5″	12	1¾ lbs.
1178	1/4″	1/2″	6″	6	1⅞ lbs.
1178	3/8″	5/8″	7″	6	3½ lbs.

NO. 1190 ROUND NOSE CAPE CHISELS

Same as No. 1140 except with round nose.

No.	Width of Point	Stock	Overall Length	Pkg.	Shipping Weight
1190	1/8"	3/8"	5"	12	1 5/8 lbs.
1190	1/4"	1/2"	6"	6	1 3/4 lbs.
1190	3/8"	5/8"	7"	6	3 1/4 lbs.

NO. 470 CHISEL AND PUNCH SET



Selected assortment of twelve fine quality forged chisels and punches. Set consists of following:

1	No. 1190	1/8" Round Nose Cape Chisel
1	No. 1199	3/8" Prick Punch
1	No. 1202	3/8" Center Punch
1	No. 1195	5/32" Solid Punch
1	No. 573	3/32" Pin Punch
1	No. 573	1/8" Pin Punch
1	No. 1150	1/4" Cold Chisel
1	No. 1150	3/8" Cold Chisel
1	No. 1150	1/2" Cold Chisel
1	No. 1140	1/8" Cape Chisel
1	No. 1140	1/4" Cape Chisel
1	No. 1178	5/32" Diamond Point Chisel

Packed 1 set in round hardwood box. Shipping weight: 2 lbs.

NO. 30 3" BUTT CHISELS

LIFETIME GUARANTEE



Perfectly balanced butt chisels for heavy duty use. Tapered 3" polished blade in widths from 1/4" to 2". Blade and tang forged from single piece of alloy steel for superior strength. Tang extends into steel-capped transparent red "Tenite" handle for protection against repeated hammering. Steel cap.

Sizes	Shipping Weight	Sizes	Shipping Weight
1/4"	3/4 lb.	1"	1 1/8 lbs.
3/8"	3/4 lb.	1 1/4"	1 1/4 lbs.
1/2"	7/8 lb.	1 1/2"	1 5/8 lbs.
5/8"	7/8 lb.	2"	1 3/4 lbs.
3/4"	1 1/8 lbs.		

Packed 2 in a box.

NO. 3034 CHISEL SET



Four perfectly balanced No. 30 butt chisels, engineered for heavy duty use and packaged in a handy plastic carrying case. Blade and tang forged from a single piece of alloy steel set securely in a steel-capped transparent red "Tenite" handle.

Chisel sizes: 1/4", 1/2", 3/4" and 1".

Packed 4 per box.
Shipping Weight: 6 1/2 lbs.

LIFETIME GUARANTEE

3066 BUTT CHISEL MERCHANDISER

LIFETIME GUARANTEE



Displays premium quality No. 30 Butt Chisels. Compact metal unit: 9" x 9 3/4" x 4 1/2". White enamel finish. Assortment: 2 each 1/4", 1/2", 3/4", 1", 1 1/4", and 1 1/2" chisels. Merchandiser free when ordered with the chisel assortment.

Shipping weight: 7 3/8 lbs.

NO. 1430 WOOD CHISELS

Have long tapering tangs and thin blades which make sharpening easier and facilitate deep cuts. Heavy bolsters protect blade from hammer shock. Blades and bolsters are forged in one piece of high-carbon chisel steel. Transparent plastic handles have deep covers for firm grip. Length of blade 2 1/2".

Sizes	Shipping Weight
1/4"	1 1/8 lbs.
3/8"	1 1/4 lbs.
1/2"	1 3/8 lbs.
5/8"	1 1/2 lbs.
3/4"	1 5/8 lbs.
1"	1 3/4 lbs.
1 1/4"	2 lbs.
1 1/2"	2 1/4 lbs.

Packed 6 in a box.

NO. 1434 WOOD CHISEL SET



Set of four: 1/4", 1/2", 3/4" and 1" Wood Chisels, in plastic carrying case.

Packed 4 in a box. Shipping weight: 4 lbs.

1466 WOOD CHISEL MERCHANDISER

Similar to the No. 3066 in size and construction. Hammertone gray enamel. Assortment: 3 each No. 1430 1/4", 1/2", 3/4", 1", 1 1/4", and 1 1/2" wood chisels.

Merchandiser free when ordered with the above chisel assortment.

Shipping weight: 6 3/8 lbs.

NO. 240 CHISEL SHARPENER



LIFETIME GUARANTEE

A simple positive device for honing plane irons and chisels at any desired angle. More accurate than free hand honing and lengthens life of blade. Capacity — 2⅝ inches.

Packed 1 in a box.
Shipping weight: ⅝ lb.

NO. 15 - 15½ - 16 DRILL CHUCKS

Made of steel throughout with three hardened jaws actuated by springs. Supplied with or without ½″ round shanks as desired. Shells polished and knurled and easily tightened and loosened by hand.

With Shanks

No.	*Capacity*	*Shell Diameter*	*Shipping Weight*
15	¼″	1″	⅜ lb.
15½	⅜″	1–5/16″	⅝ lb.
16	½″	1½″	1 lb.

Packed 1 in a box.

Without Shanks

No.	*Capacity*	*Shell Diameter*	*Backs Threaded*	*Shipping Weight*
15	¼″	1″	7/16″ (.443) 26NS	¼ lb.
15½	⅜″	1–15/16″	15/32″ (.467) 24NS	½ lb.
16	½″	1½″	9/16″ (.560) 24NS	⅝ lb.

Packed 1 in a box.

NO. 394 FORGED COUNTERSINK



Two-lipped cutter with square shank for bit braces and two-jawed chucks. Forged steel, hardened, tempered and polished. Cutter ¾″ diameter — 82° angle.

Packed 6 in a box. Shipping weight: 12 oz.

NO. 410 COUNTERSINK



Countersinks holes for standard screws in mild steel, iron, soft metals, wood, etc. High quality steel with five milled flutes and ground edges. Has ¼″ round shank for use in hand or power drills. Angle 82°, ½″ diameter.

Packed 12 in a box. Shipping weight: ½ lb.

NO. 710 HIGH SPEED COUNTERSINKS

For use in any machinable material. Five flutes with 82° angle. High Speed Steel with ground edges for fast, clean cut. Overall length — 2⅝″. ¼″ shank. Blister packed.

No.	*Diameter*	*Shipping Weight*
710	½″	¼ lb.
710	⅝″	⅜ lb.
710	¾″	½ lb.

Packed 4 in a box.

NO. 810 COUNTERSINKS

Cut fast and clean in mild steel, non-ferrous metals, wood and similar materials. Made of fine grade tool steel with five carefully hardened, tempered and ground flutes. Square bit brace shanks — 82° angle.

No.	*Diameter*	*Length*	*Shipping Wt.*
810	½″	4¼″	⅝ lb.
810	⅝″	4¼″	¾ lb.
810	¾″	4¼″	⅞ lb.

Packed 6 in a box.

NO. 4100 COUNTERSINK AND SCREWDRIVER BIT MERCHANDISER

ATTRACTIVE MERCHANDISER FREE WITH FOLLOWING ASSORTMENT. BASE SIZE 5 x 6¾″.

6 No. 410 Countersinks
4 No. 394 Countersinks
2 No. 810 ¾″ Countersinks
3 No. 810 ⅝″ Countersinks
3 No. 810 1/2″ Countersinks
2 No. 351 4/16″ Screwdriver Bits
2 No. 351 5/16″ Screwdriver Bits
2 No. 351 6/16″ Screwdriver Bits

Packed 1 in a carton. Shipping weight: 3½ lbs.

NO. 82 GASKET CUTTER



Made entirely of steel with hardened, tempered tool steel cutters and point. Heavy graduated steel beam. Hardened square bit brace shank. Point and cutters are easily replaceable. Capacity — 5/8" to 6".

Packed 1 in a box.
Shipping weight: 9 oz.

NO. 1 GLASS CUTTER



Original turret head cutter, famous for high grade performance at low cost. Turret turned from solid bar steel, heat treated and rust-proofed by Udelyte process. Six tested wheels mounted on numbered turret axle can be used successively. Hardwood mahogany lacquered handle. Nickeled frame and ferrule. Overall length — 5 3/8".

Packed 1 per plastic sleeve: 12 sleeves in a box.
Shipping weight: 3/4 lb.

Extra Wheels, Type C. (Also fits No. 478.)
Packed 12 in an envelope. Shipping weight: 1/4 oz.

NO. 66 CARBIDE WHEEL GLASS CUTTER

Designed especially for glass factories and large users of glass. Cast iron frame with three standard breaker notches. Carbide wheel for cleaner cuts and long lasting service. Length — 5 1/4".

Packed 1 in a plastic sleeve: 4 sleeves in a box.
Shipping weight: 3/8 lb.

Extra Wheels for No. 66
Packed singly.

NO. 129 GLASS CUTTER



Die cast frame. Well balanced. Comfortable handle. Breaker ball on end. Type "C" wheel; 3 widths of breaker notches 5 1/4" long.

Packed 1 per plastic sleeve — 20 in box. Shipping weight: 3/4 lb.

NO. 337 GLASS CUTTER

Well balanced cutter with comfortable handle. Has breaker ball in end. Polished frame with type "D" wheel and three widths of breaker notches. Length — 5".

Packed 1 in a plastic sleeve: 12 sleeves in a box.
Shipping weight: 1/8 lb.

Extra Wheels, Type D. (Also fit No. 444.)
Packed 12 in an envelope. Shipping weight: 1/4 oz.

NO. 444 GLASS CUTTER

Handle drops into natural position between first two fingers and can be used for hours without discomfort. Equipped with type "D" wheel set in a well-polished frame with three standard widths of breaker notches. Length — 5 1/4".

Packed 1 in a plastic sleeve: 12 sleeves in a box.
Shipping weight: 1/8 lb.

Extra Wheels, Type D. (Also fit No. 337.)
Packed 12 in an envelope. Shipping weight: 1/4 oz.

NO. 218 GAUGE GLASS CUTTER With Carbide Wheel



Improved glass tube cutter with carbide wheel. Graduated steel beam. 6 1/2 inches long, nickel plated, with gauge stop. Easily cuts the heavy glass used on boiler and other liquid gauges. Overall length — 12 1/2".

Packed 1 in a box. Shipping weight: 3/4 lb.

Extra Wheels for No. 218.
Packed singly.

NO. 478 CIRCULAR GLASS CUTTER



Equipped with a honed and tested wheel in head at end of graduated beam. Will cut circles of any diameter from 2 to 12 inches. Red enameled standard has rubber base to prevent slipping.

Packed 1 in a box. Shipping weight: 1/2 lb.

Extra Wheels, Type C. (Also fit No. 1.)
Packed 12 in an envelope. Shipping weight: 1/4 oz.

EXTRA GLASS CUTTER WHEELS

Type C and F for Glass Cutters No. 1 and No. 478.
Packed 12 in an envelope. Shipping weight: 1/4 oz.

Type D for Glass Cutters No. 337 and No. 444.
Packed 12 in an envelope. Shipping weight: 1/4 oz.

Carbide Wheels for Glass Cutter No. 66.

Carbide Wheels for Glass Cutter No. 218.
Packed singly.

NO. 100 AUTOMATIC DRILL

This drill has bright red plastic barrel and all exposed metal parts are buffed aluminum or nickeled and buffed. Time tested operating mechanism. A magazine in handle holds eight new style drill points, 1/16″ to 11/64″ in diameter. Selection by size or number is made through hole in cap. Points are 1/16″, 5/64″, 3/32″, 7/64″, 1/8″, 9/64″, 5/32″ and 11/64″ in diameter. Length — 9⅛″.

Packed 1 in a box. Shipping weight: 10 oz.

Extra Drill Points — No. 401 Set of Points (8 sizes).

Packed 1 set in a vial. Shipping weight: 1 oz.

NO. 170 AUTOMATIC DRILL



Equipped with new design, quick action chuck that locks or releases drill points instantly by a slight thumb pressure. Handle is made of red unbreakable Tenite II plastic, serrated to give a good comfortable grip. Four interior compartments for holding up to 12 drill points are securely closed by the polished aluminum end cap. No. 401 Drill Points, 5/64″, 7/64″, 9/64″ and 11/64″ are regular equipment, packed inside the handle.

Packed 1 in a box. Shipping weight: ½ lb.

NO. 185 AUTOMATIC DRILL

LIFETIME GUARANTEE



A sturdy, automatic drill with smooth action and long lived working mechanism constructed of hollow brass tubes with machined spiral running through a hard bronze center nut. Knurled magazine type handle with individual compartments for eight drill points indexed for size. Quick action chuck opened by slight forward pressure of thumb and closed by releasing it. Entire tool nickel plated, polished and buffed. Furnished with eight new style drill points (No. 401) 1/16″ to 11/64″ in diameter. Length — 10 inches.

Packed 1 in a box. Shipping weight: ⅝ lb.

Extra Drill Points — No. 401 — Set of Points (8 sizes).

Packed 1 set in a vial. Shipping weight: 1 oz.

NO. 401 NEW STYLE DRILL POINTS

For Nos. 185 and 170 and some other makes Automatic Drills

Shanks have a milled base that seats positively in the bottom of the chuck, and a notch for locking in place. Made of fine grade tool steel, carefully hardened and tempered and well sharpened. They drill clean holes in hard and soft woods, soft metals, plaster, bone, wallboard and similar materials. Packed in screw-capped transparent plastic vials.

No. 401 Individual Drill Points — 8 sizes: 1/16″, 5/64″, 3/32″, 7/64″, ⅛″, 9/64″, 5/32″, 11/64″.

Packed 12 in a screw-capped vial.

No. 401 Drill Point Set — 1 each of 8 sizes.

Packed 1 set in a screw-capped vial.

Shipping weight: 1 oz.

NO. 402 FLUTED SHANK DRILL POINTS

Made from tool steel, hardened and oil tempered. Ideal for drilling wood or soft metals. Length — 2 inches.

No. 402 Individual Drill Points — 8 sizes: 1/16″, 5/64″, 3/32″, 7/64″, ⅛″, 9/64″, 5/32″, 11/64″.

Packed 12 in a screw-capped vial.

No. 402 Drill Point Set — 1 each of 8 sizes.

Packed 1 set in a screw-capped vial.

Shipping weight: 1 oz.

NO. 403 ROUND SHANK DRILL POINTS (For Hand Drills)

Round shank drills in eight sizes from 1/16″ to 11/64″. Made of fine grade tool steel, carefully hardened and tempered and well sharpened. They drill clean holes in hard and soft woods, soft metals, plaster, bone, wallboard and similar materials. Packed in screw-capped transparent plastic vials. Length: 2 inches.

No. 403 Individual Drill Points — 8 sizes: 1/16″, 5/64″, 3/32″, 7/64″, ⅛″, 9/64″, 5/32″, 11/64″.

Packed 12 in a screw-capped vial.

No. 403 Drill Point Set — 1 each of 8 sizes.

Packed 1 set in a screw-capped vial.

Shipping weight: 1 oz.

NO. 123 POINTS AND BITS MERCHANDISER

Attractive steel cabinet organizes and displays complete assortment of Millers Falls drill points, screwdriver bits and countersinks (all fit tools of standard design other than Millers Falls). 12½″ x 6″ x 5½″ cabinet ($5.00 value) free with tool assortment. Stands on counter or hangs on wall. Plastic drawers divided into compartments to hold merchandise. Labels identify items contained in each drawer. Full length sign measures 4½″ high.

Contains:

12	401	#1 Points (1/16)	6	402	#2 Points (5/64)
12	401	#2 Points (5/64)	6	402	#3 Points (3/32)
12	401	#3 Points (3/32)	6	402	#4 Points (7/64)
12	401	#4 Points (7/64)	6	402	#5 Points (⅛)
12	401	#5 Points (⅛)	6	402	#6 Points (9/64)
12	401	#6 Points (9/64)	6	402	#7 Points (5/32)
6	401	#7 Points (5/32)	6	402	#8 Points (11/64)
6	401	#8 Points (11/64)	2	401	Set (1 of each size)
6	402	#1 Points (1/16)	1	402	Set (1 of each size)

3 1201 Screwdriver Bit (7/32)
3 1202 Screwdriver Bit (¼)
3 1203 Screwdriver Bit (9/32)
3 1166 Screwdriver Bit (¼)
3 1167 Screwdriver Bit (9/32)
3 1168 Screwdriver Bit (5/16)
3 1514 Screwdriver Bit (5/32)
3 1515 Screwdriver Bit (3/16)
3 1516 Screwdriver Bit (7/32)
3 P11 Screwdriver Bit (Phillips #1)
3 P12 Screwdriver Bit (Phillips #2)
2 P13 Screwdriver Bit (Phillips #3)
2 P22 Screwdriver Bit (Phillips #2)
2 P23 Screwdriver Bit (Phillips #3)
2 P17 Screwdriver Bit (Phillips #1)
2 P27 Screwdriver Bit (Phillips #2)
3 297 Screwdriver Bit (5/32)
2 298 Countersink (⅜)
3 299 Screwdriver Bit (¼)
1 329 Set of Points

Packed 1 in a box. Shipping weight: 8 lbs.

MILLERS FALLS
MF
QUALITY TOOLS


2500


77


5

LIFETIME GUARANTEE


2A and 2B

LIFETIME GUARANTEE

NO. 120 BREAST DRILL

Low in price — high in value. Steel shank connects black enameled frame and breast plate. Two speeds with ratios 3:1 and 1:1. Steel pinions. No. 120 has three-jawed 0 to ½" capacity chuck.

Capacity	*Length*	*Shipping Wt.*
½"	16½"	5⅜ lbs.

Packed 1 in a box.

NO. 2A and 2B HAND DRILLS

A sturdy iron frame drill with three-jawed chuck with protected springs holding 0 to ⅜" round shanks. Gear ration 4½ to 1. Ball thrust bearing spindle. Two steel pinions, one drive and one idling equalizer. Black enameled frame, large gear red enameled with nickeled rim. Exposed metal parts nickel plated and buffed. Tropical hardwood end handle. No. 2A furnished with eight No. 403 drill points 1/16" to 11/64" in diameter. No. 2B has solid handle.

No.	*Capacity*	*Length*	*Shipping Wt.*
2A (Hollow Handle)	⅜"	14½"	2¾ lbs.
2B (Solid Handle)	⅜"	15"	2⅝ lbs.

Packed 1 in a box.

NO. 1425 HAND DRILL

Has many quality features usually found only in drills priced considerably higher. Equipped with two pinion gears for smooth operation. The frame, chuck and the ferrules for all three handles are brightly nickel plated. Drill points may be stored in the handle which is hollow and has a removable head. Pinions are of steel and the large drive gear is cast gray iron; all have machine-cut teeth. Handles are of clear-grained hardwood with a rich black finish. Chuck is of three-jaw design and holds 0 to ¼" round shank drills.

Packed 1 in a box. Shipping weight: 1 lb., 9 oz.

NO. 2500 HAND DRILL

A popularly priced tool with a lot of dependable service built into it. Solid steel frame. Large gear is cast iron and finished in red enamel; the pinion is steel. Both gears have machine-cut teeth. The three-jawed chuck holds 0 to ¼" round shank drills. Handles are selected hardwood in a rich black finish.

Packed 1 in a box. Shipping weight: 1⅜ lbs.

NO. 1420 HAND DRILL

Has solid steel frame. Large gray iron gear and steel pinion have accurate machine-cut teeth. Nickel plated ferrules on handle and knob, which have rich black finish. The three-jawed chuck holds 0 to ¼" round shank drills.

Packed 1 in a box. Shipping weight: 1½ lbs.

NO. 77 HAND DRILL

Zinc die-cast frame. Three-jawed chuck with protected springs holding round drills 0 to ¼" diameter. Crank and end handle mahogany finished hardwood. Two steel pinions. Large gear red enameled. Metal parts nickeled. Capacity 0 to ¼", length — 12½".

Packed 1 in a box. Shipping weight: 1¾ lbs.

NO. 5 HAND DRILL

Equipped with wide nickel rim on large gear for starting small drills in delicate work. Large gear red enameled. Steel pinions. Metal parts nickeled. Hollow tropical hardwood end handle with eight No. 403 drill points 1/16" to 11/64" diameter. Capacity 0 to ¼ inch. Length 12⅞ inches.

Packed 1 in a box. Shipping weight: 1⅞ lbs.


1420


120

LIFETIME GUARANTEE


1425

LIFETIME GUARANTEE

CARBIDE TIPPED MASONRY DRILLS



Special grade of hard, shock resistant tungsten carbide cutting edges brazed to drill steel shank.
Precision ground for fast, clean cutting in concrete, brick, cinder block, etc.
Speed spiral flutes remove dust efficiently, keep holes clean for more effective cutting.
For use in portable electric drills and drill presses.

All drills individually packed in plastic sleeves — packed 3 sleeves in a box.

EXCLUSIVE! New, smaller shanks on 5/8" and 3/4" sizes fit 3/8" drills.

No.	*Size*	*Length*	*Shipping Wt.*
2191	3/16"	3"	1/8 lb.
2192	1/4"	4"	1/4 lb.
2193	5/16"	4"	1/4 lb.
2194	3/8"	4"	3/8 lb.
2195	1/2"	6"	5/8 lb.
2196	5/8"	6"	1 lb.
2197	3/4"	6"	1 1/2 lb.

NO. 1585 MASONRY DRILL BIT MERCHANDISER

A compact, sturdily constructed display-dispenser designed for wall use. Features 17 assorted carbide tipped masonry drill bits, with shock resistant tungsten carbide cutting edges, brazed to drill steel shank and precision ground for fast, clean cutting. Special speed spiral flutes remove dust efficiently to allow more effective cutting. Bits are individually packaged in clear plastic sleeves and are displayed on a strong wire rack. Display panel measures 14" long and is 5" wide.

Packed 1 per carton. Shipping weight: 3 1/4 lbs.

Merchandiser free with drill bit assortment.

CONTENTS

Quantity	*No.*	*Bit Size*
3	2191	3/16"
3	2192	1/4"
2	2193	5/16"
3	2194	3/8"
2	2195	1/2"
2	2196	5/8"
2	2197	3/4"

NO. 1216 STAR DRILLS

Forged from octagon manganese alloy steel. Points designed and relieved for fast free cutting in concrete, brick, stone, etc. Blades are long to permit resharpening. Length 12".

Diameter Cut	*Stock*	*Pkg.*	*Shipping Weight*
1/4"	3/16"	12	2 lbs.
5/16"	1/4"	12	2 1/8 lbs.
3/8"	5/16"	12	3 1/8 lbs.
7/16"	3/8"	12	4 5/8 lbs.
1/2"	3/8"	6	2 1/4 lbs.
9/16"	7/16"	6	3 1/8 lbs.
5/8"	1/2"	6	4 lbs.
3/4"	5/8"	6	6 lbs.
7/8"	5/8"	6	6 1/8 lbs.
1"	3/4"	2	3 lbs.
1 1/8"	7/8"	2	3 1/8 lbs.
1 1/4"	7/8"	2	4 3/4 lbs.
1 3/8"	1"	1	2 1/2 lbs.
1 1/2"	1 1/8"	1	3 lbs.

ELECTRIC DRILL ATTACHMENTS

NO. 2120 BUFFING AND SANDING EQUIPMENT



An efficient power buffer-sander attachment. Will fit any 1/4" electric drill. Two-speeds — 1 to 2 and 2 to 1 drill speed. Angle drive of 100° allows clearance for drill and cord on flat work. Grease sealed lubrication, machine-cut steel gears. Complete with 5" rubber pad, two 5" sanding discs and 5" lamb's wool bonnet.

Packed 1 in a counter display box. Shipping weight: 2 lbs.

Extra Supplies:
No. 2121 5" Lamb's Wool Bonnet.
Packed 4 in a box. Shipping weight: 5/8 lb.
No. 2122 5" Sanding Discs #1 or #00 Grits.
Packed 24 in a box. Shipping weight: 3/4 lb.

NO. 2130 RIGHT ANGLE DRIVE



This handy attachment for 1/4" and 3/8" electric drills permits operation in close quarters where the drill cannot be used direct . . . in corners, between studs and other awkward spots. No adapter is required. Attachment is screwed directly onto the spindle of the drill, and the drill's chuck is screwed onto the attachment.

Gear ratio is 1 to 1. Gears are solid steel. Bearings are self-lubricating bronze. The side handle is reversible for use by right- or left-handed operators.

No. 2130 fits all 1/4" and 3/8" drills with "geared key" or "hex key" chucks which have spindles 3/8" in diameter and with 24 thread.

Packed 1 in a counter display box. Shipping weight: 1 1/8 lbs.

NO. 2125 CHUCK

For use with No. 2120 Attachment, ¼-inch capacity. Permits drilling in corners and other places difficult to reach with drill alone.

Packed 1 in a box. Shipping weight: ¼ lb.

NO. 2140 JIG SAW ATTACHMENT



Will fit any ¼" drill. Furnished with 4 saw blades. Capacity 1¾" in wood, ⅛" in metal.
Capacity 1¾" in wood, ⅛" in metal.

Packed 1 in counter display box. Shipping weight: 2 lbs.

EXTRA BLADES (For No. 2140 Jig Saw Attachment)

A — 7-tooth Wood Cutting
B — 10-tooth Wood Cutting
C — 14-tooth High Speed Steel Metal Cutting
D — 32-tooth High Speed Steel Metal Cutting
P — Knife Blade
F — 18-tooth Metal Cutting
G — 24-tooth Metal Cutting

Packed 2 blades per sleeve. 20 blades per box. Shipping weight: ¼ lb.

No. 2141 Set of 4 blades (1 each A, B, C & D in plastic pocket).

Packed 10 sets in a box. Shipping weight: ½ lb.

NO. 2150 UNIVERSAL HEDGE TRIMMER ATTACHMENT



Fits Any ¼ Inch Electric Drill

A lightweight sturdy Hedge Trimmer Attachment of quality design at a competitive price. Features include: die cast aluminum housing, twelve-inch, 16 tooth cutting blade, universal joint drive for easy alignment, 10° offset angle for drill clearance and full ⅜" cutting capacity. Bronze oil impregnated bearings throughout with 2 to 1 reduction and steel bevel gear drive. Gray enamel finish with rust-resistant plated bracket and strap and sure-grip Bakelite plastic handle. Overall length — 21½ inches.

No.	*Net Weight*	*Shipping Weight*
2150	2¾ lbs.	3¾ lbs.

Packed 1 in counter display box.

NO. 2155 5" RUBBER BACKING PAD AND ADAPTER

Fits any ¼" drill.
For 5" polishing bonnets and sanding discs.

Packed 4 per box.
Shipping weight: 2 lbs.

NO. 2160 ORBITAL SANDER ATTACHMENT



This easy to install attachment, converts any ¼" electric drill into an efficient orbital, fine-finish sander.

Sanding shoe measures 3⅝" x 7¼" so that exactly 1/3 of standard abrasive sheets can be used. Quick-change, spring-clip paper holders permits changing sandpaper with the flip of a finger. Pad is impervious to water, making it possible to do both wet and dry sanding.

Housing is finished in handsome hammertone gray enamel — bracket, strap and sanding shoe are plated to resist rust. Furnished complete with 2 pieces of No. 3/0 (120) waterproof closecoat paper and 2 pieces of same, open-coat.

No.	*Net Weight*	*Shipping Weight*
2160	2¼ lbs.	2¾ lbs.

Packed 1 in a counter display box.

NO. 2170 UNIVERSAL CIRCULAR SAW ATTACHMENT



Fits any ¼" electric drill. Depth of cut and angle from 90° to 45° can be set accurately and easily. Has spring-loaded retractable guard for safety. Steel shoe, bracket and strap plated for rust resistance. Furnished with adjustable rip guide.

No.	*Net Weight*	*Shipping Weight*
2170	3⅛ lbs.	3¾ lbs.

Packed 1 in a counter display box.

NO. 2180 UNIVERSAL WOODWORKING LATHE



8″ Swing — 30″ Between Centers — 4-Step Pulley

The No. 2180 has many quality features. Ruggedly built to handle any kind of home workshop job. Turns work up to 8″ in diameter and 30″ long. Complete with 4-step pulley. Designed for use with Millers Falls famous No. 888 and SP880 Power Units, it can also be run with any suitable drill or induction motor with at least ¼ H.P.

Packed in 2 cartons. Shipping weight: 25 lbs.

NO. 2181 MOTOR MOUNT (For No. 2180 Lathe)



Versatile unit makes possible the mounting of No. 888 and SP880 Power Units or a variety of different type motors on No. 2180 Lathe and at the same time permits quick change of belt speeds. Pulley and V-belt included.

Packed 1 in a carton. Shipping weight: 4⅞ lbs.

NO. 2182 18″ TOOL REST (For No. 2180 Lathe)



Greatly facilitates turning of long pieces between centers. Keeps long turnings straight and eliminates necessity for repeatedly moving short tool rest. Complete with two tool support bases.

Packed 1 in a carton. Shipping weight: 4¼ lbs.

NO. 927 6″ FACE PLATE (For No. 2180 Lathe)



Has 6″ diameter for large face plate work up to maximum capacity of lathe. May also be used in conjunction with a lathe dog for turning metal between centers. Back threaded to fit ¾″ x 16-thread arbor.

Packed 1 in a carton. Shipping weight: 2 lbs.

NO. 11 BIT EXTENSION

Solid socket type. Heavy seamless chuck shell. Follows an 11/16″ diameter bit. Nickel plated and polished.

No.	*Length*	*Shipping Weight*
11	18″	1⅛ lbs.
11	21″	1¼ lbs.
11	24″	1⅜ lbs.

Packed 1 in a box.

NO. 35 BIT EXTENSION

Designed to follow an 11/16″ bit or larger. One piece socket and shank construction. Nickel plated and polished.

No.	*Length*	*Shipping Weight*
35	18″	13 oz.
35	21″	15 oz.
35	24″	17 oz.

Packed 1 in a box.

NO. 835 POWER BIT EXTENSION



12 inches long. Takes any size No. 800 Power Bit and follows through behind 11/16″ and larger bits. Can be used singly or in series. With hex key. Nickel plated and polished.

Carded and packed 4 in a box. Shipping weight: 2⅛ lbs.

NO. 8383 POWER BIT EXTENSION (14 inch)

Takes all sizes of 838 Power Bits and follows through behind ¾″ or larger bits. Chuck end. ⅜″ with 3 milled flats. Nickel plated and polished.

Carded and packed 4 in a box. Shipping weight: 2½ lbs.

NO. 212 NAIL PULLER

LIFETIME GUARANTEE



Cat's Paw® design, 10½″ long, ⅝″ hexagon stock. Black finish.

Packed 12 per carton. Shipping weight: 14 lbs.

NO. 118 OFFSET RIPPING CHISEL

LIFETIME GUARANTEE

18″ long, ¾″ hex shaft, 90° offset claw . . . permits pounding, 30° chisel blade for powerful prying effect. Triple nail slots; Drop-Forged alloy steel; Black enamel finish.

Packed 6 in a carton. Shipping weight: 14⅞ lbs.

NO. 418 RIPPING CHISEL

LIFETIME GUARANTEE



18″ long, ¾″ hex shaft. Drop-forged alloy steel; Heat-treated shank end; Full-polished chisel blade; Dual nail slots; Black enamel finish.

Packed 6 in a carton. Shipping weight: 13 lbs.

NO. 224 WRECKING BAR

LIFETIME GUARANTEE

24″ long, ¾″ hex shaft. Drop-forged, heat-treated alloy steel. Long, full-polished chisel point on pry end; Half polished, deep-bevel nail claw; Black enamel finish.

Packed 6 in a carton. Shipping weight; 21¾ lbs.



NO. 84 HACKSAW FRAME

Quality heavy steel frame 3/16″ thick by 13/16″ wide. Unbreakable and non-inflammable red transparent molded "Tenite" handle. Frame is adjustable and is polished, nickeled and buffed. Furnished with 10″ "Blu-Mol" High Speed blade. Depth of throat — 3¼″, capacity 8″ to 12″.

Packed 1 in a box. Shipping weight: 2½ lbs.

NO. 1919 HACKSAW FRAME

Nickel plated steel frame. Quickly adjusts to 8″, 10″ or 12″ blades. Depth of cut: 3⅛″. Durable pistol grip handle.

Packed 12 in a box. Shipping weight: 11 lbs.
6 boxes (72 frames) in a master carton.
Shipping weight: 70 lbs.

NO. 99 HACKSAW FRAME

Handle is black composition, reinforced its full length. Well-constructed steel frame permits ample tension on the blade. Frame is nickel plated and comes with one 10″ blade. Depth of cut, 2¾″. Quickly adjustable for 8″ to 12″ blades.

Packed 4 in a box. Shipping weight: 4⅞ lbs.

NO. 48 HACKSAW FRAME

Has unbreakable black "Tenite" pistol grip handle. Adjustable for 8″ to 12″ blades. Nickeled and buffed steel frame 3/16″ x 11/16″. Furnished with 10″ blade. Depth of throat — 3¼″, capacity 8″ to 12″.

Packed 1 in a box. Shipping weight: 2 lbs.

NO. 1414 HACKSAW FRAME (Tubular)

Frame is heavy gauge ⅝″ tubular steel, highly polished and plated. Overall length is 17″. Die-cast handle is finished in gray enamel, with comfortable grip and guard to protect knuckles. Frame has handy thumb hook adjustable to most comfortable position. Frame is adjustable for 10″ to 12″ blades. Depth of cut is 4″. 10″ blades furnished.

Packed 1 in a box. Shipping weight: 1¾ lbs.

NO. 1027 HACKSAW FRAME

A popular, fine quality frame. Molded rubber pistol grip handle — reinforced by heavy back extending down its entire length. Blades may face in four directions. Polished nickel plated. Furnished with 10″ blade. Depth throat — 3¼″, capacity — 8″ to 12″.

Packed 2 in a box. Shipping weight: 3⅜ lbs.

NO. 1237 HACKSAW FRAME

Frame has reinforced back and is fitted with tempered rubber pistol grip handle. Buffed nickle finish. Blades can be faced in four directions. Furnished with 10″ blade. Depth throat — 3¼″, capacity — 8″ to 12″, stock — 3/16″ x 11/16″.

Packed 2 in a box. Shipping weight: 3¼ lbs.

NO. 300 HACKSAW FRAME

A popular frame with lever tensioning device. Pull down lever under handle to relieve tension. Steel frame 3/16″ x ¾″. Unbreakable red "Tenite" molded handle. Blades may face in four directions. Furnished with 10″ "Tuf-Flex" blade. Metal parts nickeled and polished. Depth of throat — 3⅞″, capacity 10″ to 12″.

Packed 1 in a box. Shipping weight: 2⅜ lbs.

NO. 125 and 126 HACKSAW FRAMES

Solid non-adjustable hacksaw frame. Turn handle for blade tension. Blade may be faced in four directions. Nickel plated. Mahogany finish handle. Furnished with blade for each frame.

No.	*Capacity*	*Throat Depth*	*Shipping Weight*
125	10″	3⅛″	1⅞ lbs.
126	12″	3⅛″	2⅜ lbs.

Packed 2 in a box.

NO. 515 HACKSAW FRAME

Heavy duty solid steel frame. Blade tension is secured by turning wing nut. Blade faceable in four directions. Black enamel finish. Mahogany finished hardwood handle. Furnished with 12″ blade. Stock ¼″ x 1″, depth of throat — 5¼″, capacity — 12″.

Packed 1 in a box. Shipping weight: 2⅝ lbs.

NO. 213 MIDGET HACKSAW FRAME

This handy, compact, one-piece hacksaw frame is popular with mechanics, service men, plumbers, electricians and the "do-it-yourselfer." Especially well suited for close quarter work. Made of nickel plated steel and fitted with a 6″ blade. Overall length: 9″.

Packed 10 per box. Shipping weight: 1¾ lbs.

NO. 24 RAIL SAW

Deep throated, heavy frame for large work. Black enameled frame made of ¼″ x 1″ steel. Selected beech handle. Wing nut for blade tension. Furnished with 12″ blade faceable in four directions. Depth of throat — 10¼″, capacity — 12″.

Packed 1 in a box. Shipping weight: 4 lbs.










1016


1416


591

1444

1417

592

1445


713

691

692

695RL


1908

1724

696RC

NO. 1724 BRICK HAMMER

Forged steel head permanently bonded to tubular steel shaft. Head is deep hardened for maximum strength — finished in black with polished face and top. Steel shaft absorbs vibrations. Rubber cushion grip perforated for cool, safe handling. Perfect balance concentrates weight in striking out end.

Packed 4 in a box. Shipping weight: 9 lbs.

HICKORY-HANDLED HAMMERS

Deluxe — Polished Head

A premium-quality hammer with strong hickory handle shaped for firm grip and comfort (octagon on curved claw models) . . . all clear lacquered and securely wedged. Full-polished alloy steel head is precision hardened and tempered to minimize chipping. All models have proper balance plus "perfect-drive" crown and pitch. Claws bite even the smallest nails.

No.	*Style*	*Shipping Weight*
713	Curved Claw — 13 oz.	4⅞ lbs.
716	Curved Claw — 16 oz.	5¾ lbs.
720	Curved Claw — 20 oz.	6⅞ lbs.
1016	Ripping Claw — 16 oz.	6⅛ lbs.
1020	Ripping Claw — 22 oz.	7½ lbs.

Packed 4 in a carton.

HICKORY-HANDLED HAMMERS

Standard — Semi-Polished Head

Straight-grained hickory handle with natural grip and balance. Drop forged, specially heat treated steel head is securely anchored to handle. Grip of claw will withdraw headless nails, and the polished face, poll and curve of the head will not mar finished work.

No.	*Style*	*Shipping Weight*
1416	Ripping Claw — 16 oz.	6 lbs.
1417	Curved Claw — 16 oz.	6 lbs.
1418	Curved Claw — 7 oz.	2⅞ lbs.

Packed 6 in a box.

ALL-STEEL HAMMERS

Polished Head

Forged one-piece head and handle. Non-slip formed rubber grip and true-swinging balance for safe, sure nailing. Virtually indestructible in normal use.

No.	*Style*	*Shipping Weight*
591R	Ripping Claw — 16 oz.	6½ lbs.
592C	Curved Claw — 16 oz.	6¾ lbs.
593R	Ripping Claw — 20 oz.	7¼ lbs.
594C	Curved Claw — 20 oz.	7¼ lbs.

Packed 4 in a box.

BRASS HAMMERS

Heads are brass with polished steel shanks. Mahogany lacquered hardwood handles.

No.	*Head*	*Weight*	*Length*	*Shipping Weight*
92	9/16" x 1¾"	5 oz.	7¼"	⅜ lb.
93	¾" x 2¼"	7 oz.	8"	½ lb.

Packed 1 in a box.

TUBULAR STEEL HAMMERS

Polished Head

Tubular steel shaft absorbs vibration and perforated rubber grip cushions shock. High tensile alloy tubular steel shaft permanently bonded to hardened forged steel head.

No.	*Style*	*Shipping Weight*
691R	Ripping Claw — 16 oz.	6½ lbs.
692C	Curved Claw — 16 oz.	6½ lbs.
693R	Ripping Claw — 20 oz.	7⅜ lbs.
694C	Curved Claw — 20 oz.	7⅜ lbs.

Packed 4 in a box.

Semi-Polished Head

Forged steel head is deep-hardened for maximum strength. Head and alloy tubular steel shaft permanently joined. Black molded rubber cushion grip perforated for cool, safe handling.

No.	*Style*	*Shipping Weight*
1444R	Ripping Claw — 16 oz.	6¾ lbs.
1445C	Curved Claw — 16 oz.	6½ lbs.

Packed 4 in a box.

695RL FRAMING HAMMER

This 20 ounce framing hammer is designed for rugged use. The heavy semi-polished head is forged with a ripping claw. The extra long tubular handle is equipped with a black rubber cushioned grip, perforated for cool and safe handling.

Packed 4 per box. Shipping weight: 7⅞ lbs.

696RC CHECKED FACE FRAMING HAMMER

Heavy duty 20 oz. Framing Hammer has a non-slip checked face and ripping claw. The cushioned, perforated black rubber handle is designed for cool comfort through hours of use.

Packed 4 per box. Shipping weight: 7⅞ lbs.

BALL PEIN HAMMERS

Has "sure-grip" oval handle of top-quality hickory, precision hardened and tempered forged steel head, mirror polished face and pein, chamfered and beveled face, perfect balance and proper toe-in. Handle securely fastened to head with both metal and wood wedges.

No.	*Style*	*Shipping Weight*
1908	Ball Pein — 8 oz.	3 lbs.
1912	Ball Pein — 12 oz.	3⅞ lbs.
1916	Ball Pein — 16 oz.	5⅜ lbs.
1920	Ball Pein — 20 oz.	6⅝ lbs.
1924	Ball Pein — 24 oz.	7½ lbs.
1932	Ball Pein — 32 oz.	9¾ lbs.

Packed 4 in a carton.

NO. 2 AUGER HANDLE



Holds auger bits and all but the largest sizes of ship auger shanks. Two wing nuts control clamp. Length, 17″.

Packed 2 in a box. Shipping weight: 3 lbs.

NO. 1315 HALF HATCHET

Built for dependability. Full polished head with a bell face, round neck and convenient nail slot. Uniform hardness is insured with individually tempered cutting edge and face. Head is steel, wedged securely to top grade white lacquered second growth hickory handle. Octagonal handle affords a surer, more comfortable grip. Dimensions: cutting edge 3½″, overall length: 12¾″.

Packed 4 per corrugated box.
Shipping weight: 8 lbs.

NO. 1316 HALF HATCHET

Tempered steel head, smoothly ground and finished with a coat of baked-on lustre-black enamel. Straight grain hickory lends reliability to the hand fitted handle. Nail slot adds still another use to this versatile tool. Dimensions: cutting edge 3½″, overall length: 13″.

Packed 4 per corrugated box.
Shipping weight: 8 lbs.

NO. 1317 LATH HATCHET



Popular size full polished steel head. Face is scored for non-slip blows. Cutting edge and hammer face are individually tempered. Handle is from selected, second growth hickory stock . . . stained, sanded and shaped for comfortable grip. Head and handle are locked by double steel wedges for added security. Dimensions: cutting edge 2″, overall length: 12″.

Packed 4 per corrugated box.
Shipping weight: 6½ lbs.

NO. 1318 LATH HATCHETS



Smooth ground head constructed of forged steel and finished in mirror-smooth black enamel. Nail slot enhances usefulness, while long lasting hickory handle, securely wedged to the head gives dependable performance. Dimensions: cutting edge 2″, overall length 12¾″.

Packed 4 per corrugated box.
Shipping weight: 6½ lbs.

NO. 120 GRINDING HEAD



Rigid battleship gray enamel frame with highly buffed pulley and polished nickeled and buffed flanges. V-belt pulley can be driven from behind, above or below. Steel spindle — ½″ diameter, running in oil impregnated bearings 1¼″ long, threaded at both ends. Has two sets of flanges for ¾″ face wheels up to 4″ in diameter. Height to center of spindle, 6″.

Packed 1 in a carton. Shipping weight: 5 lbs.

NO. 125 GRINDING HEAD



Same frame as No. 120 but on one end it has taper thread for use of buffing wheels and a great variety of other wheels built with wood centers. On the other end, it has a set of flanges for ¾″ face wheels up to 4″ in diameter and an 0 to ⅜″ capacity 3-jawed chuck. Pulley buffed, flanges and chuck nickel plated and buffed.

Packed 1 in a carton. Shipping weight: 5⅜ lbs.

NO. 130 GRINDING HEAD



Same as No. 120 but has longer spindle on right side. This has a 0 to $\frac{3}{8}$" capacity three-jawed chuck. Both spindles are $\frac{1}{2}$" in diameter and threaded 20 to the inch. $1\frac{1}{4}$" oil impregnated bearings. Flanges and chuck nickeled and buffed. V-belt pulley can be driven from behind, above or below. Height to center of spindle — 6 inches.

Packed 1 in a carton. Shipping weight: $5\frac{5}{8}$ lbs.

NO. 150 GRINDING HEAD



Same as 120 except 150 uses wheels up to 6" in diameter with 1" face. Height to center of spindle — $7\frac{1}{2}$". $\frac{3}{4}$" spindle.

Packed 1 in a carton. Shipping weight: $11\frac{1}{4}$ lbs.

NO. 155 GRINDING HEAD



Same as 125 except that flanges are 2" in diameter and hold wheels 6" or larger in diameter with 1" face. Height to center of spindle — $7\frac{1}{2}$". $\frac{3}{4}$" spindle.

Packed 1 in a carton. Shipping weight: $11\frac{3}{4}$ lbs.

NO. 56 BENCH HOOK

LIFETIME GUARANTEE

Easily inserted in any bench. Four faces adjustable to any height up to $1\frac{1}{4}$".

Packed 6 in a box.

Shipping weight: $3\frac{3}{4}$ lbs.

NO. 1404 PUTTY KNIFE

LIFETIME GUARANTEE



Tempered spring steel blade is tapered for maximum flexibility and polished for smooth flow of putty. Handle is of natural finish tropical wood secured to the blade by two polished brass rivets. Hang hole in handle. Blade, $1\frac{1}{4}$" wide.

Packed 12 in a box. Shipping weight: $1\frac{5}{8}$ lbs.

NO. 1407 3" WALL SCRAPER



Mirror-finish blade is full tang and securely anchored to handle with 2 polished brass compression rivets. Made of finest spring tempered steel and tapered for maximum flexibility. Natural finish handle has extra wide neck and hang hole. Blade, 3" wide.

Packed 6 in a box. Shipping weight: $1\frac{5}{8}$ lbs.

NO. 1409 SPACKLING KNIFE

LIFETIME GUARANTEE



Full-tang, mirror-finish blade is broad, flexible and square-end and is securely anchored to fine-finish walnut handle with polished brass compression rivets. Blade, 5" wide. Hang hole in handle.

Packed 6 in a box. Shipping weight: $1\frac{3}{4}$ lbs.

NO. 333 UTILITY KNIFE



Two-part die-cast handle is held together with a strong screw, giving easy access to the four extra blades inside. Hole in end of handle makes it easy to hang knife. Polished finish.

Packed 6 in display carton. Shipping weight: $1\frac{1}{4}$ lbs.

Extra Blades for Utility Knife

No. 3318 (0.018" thick)
No. 3325 (0.025" thick)

Packed 5 blades in a package. 20 packages in a box.

Shipping weight: 14 oz.

NO. 111 UTILITY KNIFE (Retractable Blade)



Features an exclusive blade magazine enabling blades to be changed without disassembling handle. Retractable blade can be securely locked in any of three positions by simple fingertip control. Constructed of sturdy die-cast aluminum with convenient handle hole for hanging.

Blister packed 6 per box. Shipping weight: 2 lbs.

NO. 3318C STANDARD DUTY UTILITY KNIFE BLADE MERCHANDISER

Individual packages each containing five blades quickly slip off "hang-up" card with attractive "bulls-eye" design. Each card displays 10 packages of No. 3318 Standard Duty Blades (0.018″ thick).

Packed 2 cards of 50 blades each in a box.
Shipping weight: 1 lb.

NO. 3325C HEAVY DUTY UTILITY KNIFE BLADE MERCHANDISER

Same as No. 3318C above but displaying 10 packages of No. 3325 Heavy Duty Blades (0.025″ thick).

Packed 2 cards of 50 blades each in a box.
Shipping weight: 1¼ lbs.

MACHINE-MADE STEEL LETTERS and FIGURES

Gothic Face

The characters in these sets are formed on blanks of a good quality of tool steel by a specially developed machine process using superior master dies producing sharper, cleaner faces than usual. Ample relief is provided to produce clear, long-lived impressions. Carefully hardened and tempered faces. A fine, durable stamp for general all 'round use.

		Shipping Weights		
		No. 1500	*No. 1550*	
Height Character	*Size Stock*	*Sets of Letters*	*Sets of Figures*	*Single Characters*
1/16″	¼″ x 2⅜″	1⅜ lbs.	½ lb.	½ oz.
3/32″	¼″ x 2⅜″	1⅜ lbs.	½ lb.	½ oz.
⅛″	¼″ x 2⅜″	1⅜ lbs.	½ lb.	¾ oz.
3/16″	5/16″ x 2½″	2½ lbs.	⅞ lb.	1 oz.
¼″	⅜″ x 2½″	3⅜ lbs.	1⅛ lbs.	1½ oz.
⅜″	½″ x 2⅞″	6½ lbs.	2⅛ lbs.	3¼ oz.
½″	⅝″ x 3⅜″	11⅜ lbs.	3⅞ lbs.	5 oz.

Sets of letters 1/16″ through ¼″ include period, — from ⅜″ through ½″, no period.

Sets of figures consist of 9 characters: 0 to 8, the 6 being used also for 9.

All sets packed 1 in a stained wooden box.
Single characters individually wrapped.

HAND CUT STEEL LETTERS and FIGURES



Gothic Face

The finest quality of stamp procurable. Every character guaranteed hand cut from the finest grade of tool steel. Faces and heads hardened and tempered with the utmost care. Specially recommended for use on all hard surfaces.

		Shipping Weights		
		No. 1300	*No. 1350*	
Height Character	*Size Stock*	*Sets of Letters*	*Sets of Figures*	*Single Characters*
1/16″	¼″ x 2⅝″	1½ lbs.	⅝ lb.	¾ oz.
3/32″	5/16″ x 2¾″	2⅝ lbs.	⅞ lb.	1 oz.
⅛″	5/16″ x 2¾″	2½ lbs.	⅞ lb.	1 oz.
3/16″	⅜″ x 3″	3⅝ lbs.	1⅛ lbs.	2 oz.
¼″	7/16″ x 3″	4¾ lbs.	1⅝ lbs.	2½ oz.
⅜″	9/16″ x 3⅛″	8⅛ lbs.	2⅝ lbs.	4 oz.
½″	⅝″ x 3–7/16″	11¼ lbs.	3⅞ lbs.	5½ oz.

Sets of letters 5/16″ through ¼″ include period, — from ⅜″ through ½″, no period.

Sets of figures consist of 9 characters: 0 to 8, the 6 being used also for 9.

All sets packed 1 in a lacquered wooden box.
Single characters individually wrapped.

NO. 1540 STEEL LETTERS & FIGURES MERCHANDISER

MILLERS FALLS
STEEL FIGURES AND LETTERS
PREVENT LOSS
MARK YOUR SHOP TOOLS GARDEN TOOLS KEYS AND OTHER PERSONAL PROPERTY
PRICE EACH
PROTECT YOUR PROPERTY
with Millers Falls Steel Letter and Figure Stamps

An attractive countertop or shelf display offering all the letters of the alphabet and the numbers 1 through 9. A total of 140 stamps are displayed, each with ⅛″ characters, ¼″ square shank and 2⅜″ long.

Packed 1 per carton. Shipping weight: 6¾ lbs.

NO. 590 TORPEDO LEVEL

LIFETIME GUARANTEE

"Bakelite" body. One level, one 45° plumb, and one 90° plumb vial — all of cat's-eye design for better visibility. Top plate polished. Dimensions, 9″ x 1¼″ x ¾″.

Packed 4 in a box. Shipping weight: 1 lb.

NO. 290 MAGNESIUM TORPEDO LEVEL

LIFETIME GUARANTEE

Tapered design frame is one-piece die cast magnesium with polished top. Three proved cat's-eye vials — one plumb, one level and one 45° mitre. V-grooved bottom for fast, easy leveling on pipe, shafts, rods, wire, etc. Will not warp or rust. Weighs only 4 oz. Length, 9″.

Plastic Sleeve

Packed 1 in a plastic sleeve — 4 in a box. Shipping weight: ¼ lb.

NO. 190 MAGNETIC TORPEDO LEVEL

Similar in design to No. 290 but with a permanent ceramic magnet built into the bottom. LIFETIME GUARANTEE

NO. 1490 TORPEDO LEVEL

Same as No. 490 above except that it has level vial only — no plumb. Length 9″.

Packed 12 in a box. Shipping weight: 2¼ lbs.

NO. 618-630 ALUMINUM LEVELS



Die-cast aluminum frames for light weight with maximum strength. Surfaces accurately milled. Excellent visibility is provided by large, white vial wells. Vials are protected by glass on both sides. LIFETIME GUARANTEE

No.	*Dimensions*	*Shipping Weight*
618	18″ x 2¼″ x 1″	1⅞ lbs.
624	24″ x 2¼″ x 1″	2⅜ lbs.
628	28″ x 2¼″ x 1″	2⅝ lbs.
630	30″ x 2¼″ x 1″	2¾ lbs.

Packed 1 in a box.

NO. 1424 ALUMINUM LEVEL

Permanent mold aluminum casting 24″ x 2⅜″ x 1″ with two level and two plumb cat's-eye vials protected by heavy window glass. Precision parallel ground on faces and edges; ends machined square.

Packed 1 in a box. Shipping weight: 2¼ lbs.

NO. 948 MASONS' LEVEL

LIFETIME GUARANTEE

Two level and four plumb vials set in oval white, glass-protected openings. Full brass binding on all four edges and brass plates on ends. Made from seasoned mahogany with natural wood finish. Dimensions 48″ x 2½″ x 1¼″.

Packed 1 in a box. Shipping weight: 3¼ lbs.

NO. 648 48″ ALUMINUM MASONS' LEVEL



LIFETIME GUARANTEE

Strong, rigid cast aluminum level will not warp or rust. Six proved cat's-eye vials — two double plumbs and one double level. Vials are locked in holders specially designed to insure accuracy and protected by heavy glass. Top, bottom and ends are true and parallel. Dimensions 48″ x 2-5/16″ x 1″.

Packed 1 in a box. Shipping weight: 4⅛ lbs.

NO. 629 LINE LEVEL



Featherweight model with a cat's-eye vial set in a 3-inch hexagonal aluminum tube. Hooks and guards are so designed that it snaps on to a level line very easily but cannot be jumped off. Each level packed in a permanent container of celluloid with screw cap.

Packed 6 in a box. Shipping weight: ¼ lb.

NO. 233 OFFSET NAIL SET

Two-sizes-in-one — 2/32″ and 3/32″. 5¼″ long. Nickel-plated body. Hardened and tempered points.

Carded and packed 10 in a box.
Shipping weight: 2 lbs.

NO. 310 NAIL SETS

Fine grade steel nail sets with knurled body and carefully machined points. Points and heads hardened and tempered. Furnished with blued finish.

No.	*Diameter Point*	*Body*	*Length*
310-1/32″	1/32″	5/16″	4″
310-2/32″	2/32″	5/16″	4″
310-3/32″	3/32″	5/16″	4″
310-4/32″	4/32″	5/16″	4″
310-5/32″	5/32″	5/16″	4″

Packed 12 in a box. Shipping weight: ⅞ lb.

310 Assortment — 2 1/32 — 4 2/32 — 4 3/32 — 2 4/32

Packed 1 assortment in a box. Shipping weight: ⅞ lb.

NO. 312 SET OF NAIL SETS



Set consists of twelve assorted sizes, 2 1/32″, 4 2/32″, 4 3/32″, 2 4/32″ No. 310 Nail Sets put up in a round box of hardwood with cover finished in clear lacquer.

Packed 1 set in a box.
Shipping weight: 1 lb.

NO. 800 NAIL SETS

Point and body made of molybdenum alloy steel, heat treated for toughness. Carefully cupped points. New deep knurling. Square no-roll head. Polished points and heads.

No.	Diameter Point	Body	Length
801–1/32″	1/32″	5/16″	4″
802–2/32″	2/32″	5/16″	4″
803–3/32″	3/32″	5/16″	4″
804–4/32″	4/32″	5/16″	4″
805–5/32″	5/32″	5/16″	4″

Packed 12 in a box. Shipping weight: 1 lb.

815 Assortment—2 1/32—4 2/32—4 3/32—2 4/32

Packed 1 assortment in a box. Shipping weight: 1 lb.

NO. 825 NAIL SET MERCHANDISER

Display unit stands 9″ high. Base 3½″ x 6″. Display free with order for three No. 815 Assortments of Nail Sets. Complete assortment consists of six No. 801, twelve No. 802, twelve No. 803, and six No. 804 Nail Sets.

Packed 1 display in carton with 3 doz. nail sets.

Shipping weight: 4⅛ lbs.

NO. 600 NAIL SETS

Of fine quality molybdenum steel, hardened and tempered from head to point to stand up under hard usage. Carefully cupped points are formed to give a good bite. Deep knurling on the body provides a sure grip. Square heads (⅜″) offer a large striking surface and prevent rolling.

No.	Diameter Point	Body	Length
601–1/32″	1/32″	5/16″	4″
602–2/32″	2/32″	5/16″	4″
603–3/32″	3/32″	5/16″	4″
604–4/32″	4/32″	5/16″	4″
605–5/32″	5/32″	5/16″	4″

Packed 12 in a box. Shipping weight: 1⅛ lbs.

NO. 633 and 833 NAIL SET PAKS

Colorful "bull's-eye" cards each contain three nail sets (1/32″ — 2/32″ — 3/32″) in easy-view blister pak. Point and body of nail set made of molybdenum alloy steel and heat treated for extra toughness. Each set has carefully cupped point, deep knurling and square, no-roll head. Size stamped on head in large, clear figures.

No.	Finish	Shipping Weight
633	Blued throughout	1½ lbs.
833	Polished head and point	1½ lbs.

Packed 5 in a box.

NO. 240 PLANE IRON SHARPENER



A simple positive device for honing plane irons and chisels at any desired angle. More accurate than free hand honing and lengthens life of blade. Capacity, 2⅝″.

Packed 1 in a box. Shipping weight: ⅝ lb.

JACK PLANES



Gray iron bottoms and frogs. Handles and knobs of tropical hardwood. Three-point bearing lever cap nickel plated. End and side adjustment of cutters.

Smooth Bottoms

No.	Length	Cutter	Shipping Weight
11	11½″	1¾″	4⅛ lbs.
14	14″	2″	5½ lbs.

Corrugated Bottoms

No.	Length	Cutter	Shipping Weight
14C	14″	2″	5½ lbs.

Packed 1 in a box.

NO. 140 JACK PLANE

LIFETIME GUARANTEE

A medium priced Jack Plane similar to No. 14. Milled and polished bottom. Plated spring tension cap. Cherry stained hardwood handle and cap. 2″ wide solid tool steel cutter. Length, 14″.

Packed 1 in a box. Shipping weight: 5½ lbs.

NO. 814 JACK PLANE

Economy priced Jack Plane similar to No. 140. Easily adjustable for depth of cut and angle of blade. Solid tool steel 2″ cutter. Bottom and sides are polished. Inside of bottom, lever cap and frog in red and gray enamel. Knob and handle of choice hardwood with rich black finish. Length, 14″.

Packed 1 in a box. Shipping weight: 5⅜ lbs.

MILLERS FALLS TOOLS
SINCE 1868

LIFETIME GUARANTEE



16



07

LIFETIME GUARANTEE



206



707



1455

NO. 07 BLOCK and RABBET PLANE

Combination block and rabbet plane. Converts from block to rabbet by removing right side. Equipped with skew iron and has screw depth adjustment of cutter. Length, 7″. Cutter, 1⅝″.

Packed 1 in a box. Shipping weight: 1⅝ lbs.

NO. 16 BLOCK PLANE

Adjustable throat. Depth and side adjustments of cutters. Cast caps with lever cam lock.

Length	*Cutter*	*Shipping Weight*
6″	1⅝″	1½ lbs.

Packed 1 in a box.



33

NO. 33 BLOCK PLANE

Especially useful in pattern making, model building or where the work is in close quarters. Screw operating cap clamp is nickel plated. Solid tool steel cutter iron. Length, 3½″.

Packed 1 in a box. Shipping weight: ⅜ lb.



75

NO. 75 BLOCK PLANE

Polished sides. Black enameled cast cap with lever cam lock. Screw depth adjustment of cutter. Tropical hardwood knob handle.

Length	*Cutter*	*Shipping Weight*
7″	1⅝″	1⅜ lbs.

Packed 1 in a box.

NO. 56 BLOCK PLANE

Low angle with adjustable throat. Screw depth adjustment of cutter. Solid one piece cutter set at 12 degrees. Nickel trimming.

Length	*Cutter*	*Shipping Weight*
6″	1⅜″	1¼ lbs.

Packed 1 in a box.

LIFETIME GUARANTEE

56

NO. 206 BLOCK PLANE

All steel construction. Lightweight. Tool steel cutter expertly heat treated and tempered. Drop forged frog at 12° angle. Vertical screw for blade adjustment. Black enameled inside with polished bottom and sides. Length, 6¼″. Cutter, 1⅝″ wide.

Packed 1 in a box. Shipping weight: 1⅛ lbs.

NO. 707 BLOCK PLANE

A standard angle (20°) plane for general all-around work. Well designed cast iron construction with polished bottom. Solid tool steel cutter. Knob operating cap clamp is nickel plated. Length, 7″; width of iron, 1⅝″.

Packed 1 in a box. Shipping weight: 1½ lbs.

NO. 1455 BLOCK PLANE

Low angle (12°) is particularly good for working hardwoods and end grain. Depth of cut adjusted by nickel plated screw and locking lever. Bottom and sides are polished. Fine tool steel iron is 1⅜″ wide. Lever cap is red enamel; inside of bottom is gray. Length, 7″.

Packed 1 in a box. Shipping weight: 1¼ lbs.

BLOCK PLANE IRONS

No.	*For Plane No.*	*Width*	*Shipping Weight*
12093-1	707	1⅝″	1⅛ lbs.
12098	33	1″	⅜ lb.
12099	07	1⅝″	1 lb.
12100	56, 1455	1⅜″	¾ lb.
12101	16, 75, 206	1⅝″	1 lb.

Packed 6 per box.



"EASY-GRIP" HANDLES

Millers Falls jack and bench planes are equipped with scientifically shaped, palm-fitting handles. You get a roomier, surer, more comfortable grip that means easier handling, better control, less fatigue.

NO. 8 and 9 BENCH PLANES

LIFETIME GUARANTEE



Milled, polished bottoms and sides. High carbon, tool steel cutters, quick, easy depth and side adjustment. Bottoms enameled black inside — red enameled frogs. Tropical hardwood knobs and handles. Entire tool beautifully finished with nickeled and buffed lever cap.

Smooth Bottoms

No.	*Length*	*Cutter*	*Shipping Weight*
8	8″	1¾″	3½ lbs.
9	9″	2″	4¼ lbs.

Corrugated Bottoms

No.	*Length*	*Cutter*	*Shipping Weight*
8C	8″	1¾″	3½ lbs.
9C	9″	2″	4⅛ lbs.

Packed 1 in a box.

NO. 90 BENCH PLANE

LIFETIME GUARANTEE

Medium priced plane, similar to No. 9. Milled and polished bottoms assure accuracy and smoothness. End and side adjustment of cutter . . . tool steel cutter blade . . . cherry stained hardwood handle and knob. Length, 9″. Cutter, 2″.

Packed 1 in a box. Shipping weight: 4½ lbs.

NO. 900 BENCH PLANE

Economy priced plane similar to No. 90. Quick, easy depth and side adjustments. Cutter is one solid piece of tool steel, 2″ wide. Sides and bottoms are polished, inside of bottom, lever cap and frog are red and gray enameled. Knob and handle are clear-grained hardwood finished in rich black. Length, 9″.

Packed 1 in a box. Shipping weight: 4 lbs.

FORE and JOINTER PLANES

LIFETIME GUARANTEE

Bottoms and sides milled and polished. Red enameled frogs and black enameled bottoms. Tropical hardwood handles and knobs. Nickeled and buffed lever cap. Sensitive, easily operated depth and side adjustments. High carbon, tool steel cutters.

Smooth Bottoms

No.	*Length*	*Cutter*	*Shipping Weight*
18 Fore	18″	2⅜″	7½ lbs.
22 Jointer	22″	2⅜″	8⅝ lbs.

Corrugated Bottoms

18C Fore	18″	2⅜″	7⅝ lbs.
22C Jointer	22″	2⅜″	8⅛ lbs.

Packed 1 in a box.

NO. 4 BULL NOSED RABBET PLANE



Ideal for working in close quarters and in corners. Polished sides and bottoms. Black enamel trim. Solid steel cutter hardened and tempered. Length, 4 inches; cutter, 1 inch.

Packed 1 in a box. Shipping weight: ⅝ lb.

NO. 85 RABBET and FILLISTER PLANE



LIFETIME GUARANTEE

Two cutter seats — one for regular work with lever adjustment of cutter and a forward seat for bull-nosed work. Adjustable fence can be used on either side or removed. Three point spur and depth gauge. Nickel and black enamel finish. Length, 8½″; cutter, 1½″ wide.

Packed 1 in a box. Shipping weight: 3⅜ lbs.

BENCH PLANE IRONS



Made from solid tool steel, heat treated. Can be resharpened repeatedly. Millers Falls plane irons can be used in planes of several other makes.

(Double)

No.	*For Planes Number*	*Width*	*Shipping Wt.*
1168	8-8C-11	1¾″	1⅜ lbs.
2200	9-9C-14-14C	2″	1⅝ lbs.
2209	814-900-90-140	2″	1⅝ lbs.
2238	18C-22-22C	2⅜″	2 lbs.

Packed 3 in a box.

(Single)

2506	8-8C-11	1¾″	1⅝ lbs.
2507	9-9C-14-14C	2″	2 lbs.
2507-1	814-900-90-140	2″	2 lbs.
2508	18-18C-22-22C	2⅜″	2⅛ lbs.

Packed 6 in a box.

RABBET PLANE IRONS

No.	*For Plane No.*	*Width*	*Shipping Wt.*
12089	4	1″	½ lb.
14232	85	1½″	1 lb.

Packed 6 per box.

NO. 1470 SLIP-JOINT PLIERS



Drop-forged alloy steel, nickel plated, with thickness of jaws ground after assembly. Inner jaws are serrated to provide a sure grip with either adjustment. Handles are flared outward at the ends to insure a secure hold. Length, 6″.

Packed 6 in a box. Shipping weight: 2¼ lbs.

PLUMB BOBS



Accurately machine-turned from cold rolled steel with points carefully sharpened. They hang true and insure positive accuracy in plumbing and leveling. Polished and nickeled plated.

No.	*Length*	*Net Weight*	*Shipping Weight*
1	2¾″	2½ oz.	1⅛ lbs.
2	3½″	5 oz.	1⅞ lbs.
3	4¼″	8 oz.	3 lbs.
4	5″	12 oz.	4½ lbs.

Packed 6 in a box.

NO. 54 BRASS PLUMB BOBS



Precision machined brass body. Designed for perfect balance and accurate spotting. Removable screw cap for easy cord attachment. Hardened and ground steel point is replaceable. Available in 6, 8, 10 and 12 oz. sizes. Individually packed in colorful "window" boxes.

No.	*Length*	*Net Weight*	*Shipping Weight*
54	4– 5/64″	6 oz.	½ lb.
54	4–35/64″	8 oz.	⅝ lb.
54	4–55/64″	10 oz.	⅞ lb.
54	5–15/64″	12 oz.	1 lb.

Packed 1 in a box.

NO. 141 - 146 CENTER PUNCHES



Nicely knurled bodies. Shank and head have charcoal finish. Points carefully ground and polished.

No.	*Body*	*Length*	*Shipping Weight*
141	5/16″	4″	⅞ lb.
141	⅜″	4″	1¼ lbs.
141	½″	4″	2¼ lbs.
146	½″	5″	2¾ lbs.

Packed 12 in a box.

NO. 460 CENTER PUNCH

Large square head provides ample striking surface and prevents rolling. Hardened and tempered from head to point. Body is knurled; point is polished; head and body have charcoal finish. Length, 4″; body, 5/16″.

Packed 12 in a box. Shipping weight: 1 lb.

NO. 1202 CENTER PUNCH



Hammer forged from high grade, octagon alloy steel. Points and heads polished. Hardened entire length.

No.	*Stock*	*Length Overall*	*Shipping Weight*
1202	⅜″	5″	1¾ lbs.

Packed 12 in a box.

1202	½″	5½″	1⅝ lbs.

Packed 6 in a box.

NO. 1208 DRIFT PUNCHES



Fine mirror finish on tapers for easy driving. Hardened and tempered heads and tapers.

No.	*Diameter of Point*	*Stock*	*Overall Length*	*Shipping Weight*
1208	3/16″	½″	10″	1¼ lbs.
1208	¼″	⅝″	12″	2½ lbs.

Packed 3 in a box.

NO. 681 PIN PUNCHES

High grade round tool steel hardened and tempered entire length. Body knurled with charcoal finish. Charcoaled points and heads. Length, 4 inches.

No.	*Point*	*Stock*	*Shipping Weight*
681	1/16″	5/16″	¾ lb.
681	3/32″	5/16″	¾ lb.
681	⅛″	5/16″	¾ lb.
681	5/32″	5/16″	¾ lb.
681	3/16″	5/16″	⅞ lb.
681	7/32″	5/16″	⅞ lb.
681	¼″	⅜″	1⅛ lbs.
681	5/16″	⅜″	1⅜ lbs.

Packed 12 in a box.

NO. 573 TAPER PIN PUNCHES

Forged octagon steel, heat treated with polished points and heads. Grey lacquered bodies.

No.	*Size*	*Stock*	*Overall Length*	*Shipping Weight*
573	3/32″	¼″	5″	¾ lb.
573	⅛″	¼″	5″	¾ lb.
573	5/32″	⅜″	6″	1¼ lbs.
573	3/16″	⅜″	6″	1¾ lbs.
573	7/32″	⅜″	6″	1¾ lbs.
573	¼″	⅜″	6″	1⅞ lbs.
573	5/16″	⅜″	6″	2⅛ lbs.
573	⅜″	⅜″	6″	2¼ lbs.

Packed 12 in a box.

472	Set of 5 (No. 573 Punches — one each: ⅛″, 3/16″, ¼″, 5/16″, ⅜″).	

Packed 1 set in a box. Shipping weight: ⅞ lb.

NO. 572 PIN PUNCH SET

A complete set made up of eight sizes No. 573 Pin Punches: consist of 1 each 3/32″, ⅛″, 5/32″, 3/16″, 7/32″, ¼″, 5/16″ and ⅜″.

Packed 1 set in round hardwood box.

Shipping weight: 1¾ lbs.

NO. 167 PRICK PUNCH

High grade tool steel finely knurled body with polished point. Hardened and tempered. Charcoal finish.

No.	*Body Diameter*	*Length*	*Shipping Weight*
167	5/16″	4″	¾ lb.
167	⅜″	4″	1¼ lbs.

Packed 12 in a box.

NO. 465 PRICK PUNCH

Steel body nicely knurled with square head. Hardened, tempered and polished point. Body diameter 5/16″; length 4″. Charcoal finish.

Packed 12 in a box. Shipping weight: 1 lb.

NO. 1199 PRICK PUNCH



Hammer-forged octagon alloy steel. Ground and polished points. Grey lacquer finish and polished heads. Stock, ⅜″; length, 5″.

Packed 12 in a box. Shipping weight: 1⅝ lbs.

NO. 147 SELF-CENTERING PUNCH



Self-positioning tool centers screw holes quickly and accurately in all countersunk screw hardware. Just place tapered head in countersunk screw hole and tap plunger. Knurled body for sure grip. Sales features are printed on handy "hang-up" card, which contains ten punches that are displayed for fast self-service impulse sales.

Packed 10 on a card, 1 card in a box. Shipping weight: ⅝ lbs.

NO. 1195 SOLID or TINNERS' PUNCH

Heat treated ⅜″ octagon alloy steel. Polished and ground head. Finished in grey lacquer. Diameter point, 5/32″; length overall, 5″.

Packed 12 in a box. Shipping weight: 1¾ lbs.

NO. 200 SAW PUNCH

LIFETIME GUARANTEE

Butcher Saw Frames vary so much in size that many users buy unpunched or coiled blades. This inexpensive punch has black enameled, malleable iron frame . . . polished steel screw and crossbar . . . and fine tool steel punch and die carefully hardened and tempered to punch through spring steel easily. Length, 5¾″. Size of hole punched: 11/64″.

Packed 1 in a box. Shipping weight: 9 oz.

PIPE REAMERS



Time-saving tools quickly remove burrs from the ends of pipes and conduits . . . countersink or enlarge holes in sheet metal. Made of hardened and tempered steel for long life. Straight-fluted with bit brace shanks. Hundreds of uses for plumbers, electricians, tinsmiths, etc.

No.	*Fits Pipe*	*Shipping Weight*
171	⅛″ – 1″	¼ lb.
172	¼″ – 1¼″	½ lb.
173	¼″ – 2″	1⅜ lbs.

Packed 1 in a box.

TUNGSTEN CARBIDE HAND SANDERS



These remarkable Hand Sanders last a lifetime of normal use. They sand wood, plastics and composition materials. Twice as fast as sandpaper. Diamond-hard tungsten carbide particles are permanently bonded to a strong steel back, providing an abrasive that always stays sharp and won't wrinkle, shred or tear. Two models, "medium" and "fine", are each complete units — no need to change sheets for different jobs. 2¾″ x 5½″ wooden block with ⅛″ felt pad.

No.	*Grit*	*Shipping Weight*
555	Fine (150)	3 lbs.
556	Medium (80)	3 lbs.

Packed 10 in a box.

NO. 5556 HAND SANDER MERCHANDISER

This unit displays five each fine and medium grit Tungsten Carbide Hand Sanders. Uses minimum counter space . . . 9″ wide, 5½″ deep and 17″ high. Printed in red and black on white. Display unit free with following assortment:

5 No. 555 Tungsten Carbide Hand Sanders

5 No. 556 Tungsten Carbide Hand Sanders

Packed 1 in a box. Shipping weight: 3⅞ lbs.

TUNGSTEN CARBIDE SANDING SHEETS

Lifetime abrasive sheets for orbital-type sanders outlasts hundreds of sheets of sandpaper. Diamond-hard tungsten carbide particles are spaced to resist loading . . . stay sharp indefinitely. Twice as fast as sandpaper, tungsten carbide sheets are easily cleaned with wire brush or solvent. Available in medium, fine and extra-fine grits.

No.	*Grit*	*Shipping Weight*
9080	Medium (80)	⅝ lb.
9120	Fine (120)	⅝ lb.
9150	Extra-fine (150)	⅝ lb.

Packed 1 in a sleeve — 4 sleeves in a box.

1460 and 1461





160



1561



1560

1680

NEW QUIK-COIL POWER TAPES

Push button return with instant stop. No creeping. High polish chrome coated case. White enameled blade.

No. 3108 8 ft. Tape ½" width
No. 3110 10 ft. Tape ½" width
No. 3112 12 ft. Tape ½" width
No. 3114 12 ft. Tape ¾" width
No. 3116 10 ft. Tape ¾" width

LIFETIME GUARANTEE

Quality material and workmanship throughout. Sixteen inch stud markings clearly indicated. All tape rule springs are bonderized.

(All tapes have belt clips)

Packed 1 per display card — 6 per box
Shipping weight: ½" Tapes — 2¾ lbs.
¾" Tapes — 3½ lbs.



2050, 2100

WHITE TAPE RULES

LIFETIME GUARANTEE

Available in three widths — ¼", ½" and ¾". All models have chrome plated cases and perma-grip white enamel blades with jet black markings. Blades are concave — flexible enough for measuring angles or curves, yet rigid enough for straight vertical or horizontal measurements. All blades easily replaced. Each rule packaged in attractive hang-up card with "bull's-eye" design.

¼" SLIM-LINE TAPES

Thin, lightweight case. Case exactly 2" wide at base for easy inside measuring. Non-moveable end hook. Marked in continuous inches. Graduated in 16ths (32nds first 6").

No.	*Length*	*Shipping Weight*
1106	6 ft.	1 lb.
1108	8 ft.	1¼ lbs.

Packed 6 in a box.

3108

½" TAPES

"Quick-reading" feet and inches on upper edges and continuous inches on lower edges. 16" stud markings clearly indicated. Self-adjusting end hooks. Cases exactly 2" wide. Graduated in 8ths and 16ths (32nds first 6").

No.	*Length*	*Shipping Weight*
1506	6 ft.	1½ lbs.
1508	8 ft.	1⅝ lbs.
1510	10 ft.	1¾ lbs.
1512	12 ft.	2⅛ lbs.
1515	15 ft.	2¾ lbs.

(All ½" Tapes have belt clips)

Packed 1 per card — 6 per carton

3050, 3100

¾" TAPES

Wide ¾" tempered blades resists bending. Large, easy-to-read foot and inch figures on upper edges, continuous inches on lower edges. Self-adjusting end hooks. Graduated in 8ths and 16ths (32nds first 6"). Cases exactly 2" wide.

No.	*Length*	*Shipping Weight*
1610	10 ft.	3¾ lbs.
1612	12 ft.	4⅛ lbs.
1615	15 ft.	3¾ lbs.

(All ¾" Tapes have belt clips)

Packed 1 per card — 6 per carton

1106, 1506, 1610

STANDARD STEEL MEASURING TAPES

Plastic Housing

Complete, ready-to-use rule for less than the price of a refill. Durable, high-impact styrene case is steel reinforced for long life . . . styled for easy one-finger winding. Fits comfortably into palm. Tape is ⅜" flexible, white faced steel with inches and fractions in black, 16" stud markings and quick-reading foot figures in red.

No.	*Length*	*Shipping Weight*
2050	50 ft.	½ lb.
2100	100 ft.	1 lb.

Packed 1 per display box.

1515, 1516

DELUXE STEEL MEASURING TAPES

LIFETIME GUARANTEE

Metal Housing

Sturdy, rust-resistant steel case is covered with attractive red vinyl. Has reinforced opening and roller . . . stainless steel and aluminum trim. Winding handle folds flush and has push-button release. Tape is ⅜" flexible, white-faced steel with inches and fractions in black, quick-reading foot figures in red. Blade is detachable and has hook on end for easy, one-man measuring.

No.	*Length*	*Shipping Weight*
3050	50 ft.	¾ lb.
3100	100 ft.	1⅛ lbs.

Packed 1 in a box.

Replacement Blades

No.	*Length*	*Shipping Weight*
3051	50 ft.	⅜ lb.
3101	100 ft.	¾ lb.

Packed 1 per display box.

NO. 1680 SLIM-LINE TAPE RULE MERCHANDISER

Compact display contains six each of No. 1106 6-ft. tapes and No. 1108 8-ft. tapes. Takes only 5" x 7½" counter space. Display unit is free with tool assortment.

Packed 1 in a box.
Shipping weight: 2½ lbs.

REPLACEMENT BLADES

No.	*Width*	*Length*	*For Tape*	*Shipping Weight*
RB-6	½"	6 ft.	1506	2 oz.
RB-8	½"	8 ft.	1508-3108	3 oz.
RB-10	½"	10 ft.	1510-3110	3½ oz.
RB-12	½"	12 ft.	1512-3112	4 oz.
RB-610	¾"	10 ft.	1610-3116	5 oz.
RB-612	¾"	12 ft.	1612-3114	5½ oz.
RB-15	½"	15 ft.	1515	5 oz.
RB-615	¾"	15 ft.	1615	6½ oz.

Packed 1 per box.

NO. 160 EXTENSION FOLDING RULE

For regular inside and outside measurements plus 7" brass slide that extends 6" for use on inside measurements or as a depth gauge. Slide is graduated in 16ths and has thumb button for one-hand operation. Rule is made of extra-heavy selected hardwood with concealed brass-plated spring joints, brass tips and strike plates. Large, easy-reading numerals . . . graduated in 16ths on both edges. Finished natural wood color with white ends.

Packed 6 in a box. Shipping weight: 2¼ lbs.

NO. 1460 and 1461 6-FT. FOLDING RULES

Have large, easy-reading numerals and accurate graduations in 16ths. Of selected hardwood, with concealed brass-plated joints that assure easy action and long life. Durable white enamel finish. No. 1460 for outside reading; No. 1461 for inside.

Packed 12 in a box. Shipping weight: 3⅛ lbs.

NO. 1560 OUTSIDE READING RULE

LIFETIME GUARANTEE

16ths on all four edges. Double graduations — feet shown beside inch marks.

Packed 1 per sleeve — 6 per box. Shipping weight: 1½ lbs.

NO. 1561 INSIDE READING FOLDING RULE

16ths on all four edges. Double graduations — feet shown beside inch marks.

Packed 1 per sleeve — 6 per box. Shipping weight: 1½ lbs.

TUNGSTEN CARBIDE SANDING DISCS

For fast cutting and smooth finishing with circular power sanders, drills and attachments. They sand wood, plastics, plaster and composition materials twice as fast as sandpaper. Coarse grits ideal for quick removal of paint. Won't load. Diamond-hard tungsten carbide particles permanently bonded to strong steel back . . . stay sharp indefinitely.

No.	*Size*	*Grit*	*Shipping Weight*
6036	6″ Extra Coarse	(36)	7/8 lb.
6046	6″ Coarse	(46)	7/8 lb.
6080	6″ Medium	(80)	1/2 lb.
6120	6″ Fine	(120)	1/2 lb.
6150	6″ Extra Fine	(150)	1/2 lb.
8080	5″ Medium	(80)	3/8 lb.
8120	5″ Fine	(120)	3/8 lb.
8150	5″ Extra Fine	(150)	3/8 lb.

Packed 1 in a sleeve — 4 sleeves in a box.

NO. 869 TUNGSTEN CARBIDE MERCHANDISER

Display contains an assortment of 33 Tungsten Carbide Sanding Sheets and Discs. Designed for counter or window use, the No. 869 Merchandiser measures 17½″ high, 14″ wide and 6½″ deep.

3 No. 9080 3–11/16″ x 9″ Sheet (80 grit)
3 No. 9120 3–11/16″ x 9″ Sheet (120 grit)
3 No. 9150 3–11/16″ x 9″ Sheet (150 grit)
3 No. 6036 6″ Disc (36 grit)
3 No. 6046 6″ Disc (46 grit)
3 No. 6080 6″ Disc (80 grit)
3 No. 6120 6″ Disc (120 grit)
3 No. 6150 6″ Disc (150 grit)
3 No. 8080 5″ Disc (80 grit)
3 No. 8120 5″ Disc (120 grit)
3 No. 8150 5″ Disc (150 grit)

Packed 1 in a carton. Shipping weight: 6 lbs.

NO. 320 BUTCHER SAW FRAME



Well-balanced frame for three lengths of blades. Made of ¾″ x ¼″ round edge polished steel. Heavy wing nut and stud for blade tension. Hardwood handle with natural lacquer finish. Furnished with polished and tempered ⅝″ blade. Depth throat — 5″.

No.	*Length Blade*	*Shipping Weight*
320	18″	4 3/8 lbs.
320	22″	4 7/8 lbs.
320	24″	5 3/8 lbs.

Packed 2 in a box.

EXTRA BUTCHER SAW BLADES

Made from high quality spring steel, ⅝″ wide. Ground and polished. Teeth set and filed making a free, fastcutting blade. Ends rounded and punched to length.

No.	*Length*	*Shipping Weight*
420	18″	5¼ lbs.
420	22″	6 1/8 lbs.
420	24″	7 lbs.

Packed one-half gross in a box.

BUTCHER SAW COILS



Quality spring steel, tempered, ground and polished Butcher Saw Coils. Teeth are filed, set and refiled after setting. Made in two widths.

No.	*Width*	*Teeth*	*Coils*	*Shipping Weight*
251	⅝″	11	25 ft.	1¾ lbs.
252	¾″	11	25 ft.	1 5/8 lbs.
311	⅝″	11	50 ft.	2½ lbs.
312	¾″	11	50 ft.	3 1/8 lbs.

Packed 1 in a box.

NO. 341 COMPASS SAW



Lacquered hardwood handle is comfort-contoured and securely attached to ground steel blade. Teeth are bevel filed and precision set for long, smooth cutting.

Packed 10 per box. Shipping weight: 5½ lbs.

NO. 345 COMPASS SAW

Exclusive 2-way handle for regular sawing and flush sawing. Furnished with 14″ 8-point tempered steel blade. Needle-sharp teeth carefully filed and set. Clear-lacquered hardwood handle is full size — easy to hold. Large wing nut locks blade securely in place, simplifies blade changing. 12″ blade also available.

Packed 6 in a box. Shipping weight: 4¼ lbs.

Extra Blades

	Length	*Shipping Weight*
No. R-14 (For 341-345)	14″	1⅛ lbs.
No. R-12 (For 341-345)	12″	1 lb.

Packed 6 in a box.

COPING SAWS

No. 52



No. 43, 47

No. 52 — Sturdy, plated steel frame with 5″ throat. Blade rotates and locks in any position. Takes all 6½″ pin-end or lock-loop blades. Furnished complete with three blades. Hardwood handle finished in rich black.

Packed 10 in a box. Shipping weight: 4¼ lbs.

NO. 43 and 47 COPING SAW FRAMES

The 43 and 47 frames are identical except for their depth of throat and handle color. They are made of 3/16″ x ⅜″ round edge spring steel. Studs hold 6 or 6½″ blades of loop-end or pin-end types. Blades can be rotated and locked in any position. Turning hardwood handle controls blade tension. Furnished with one No. 65 blade. Exposed metal parts nickeled and buffed.

No.	*Depth of Throat*	*Handle Color*	*Shipping Weight*
43	4¾″	Black	2¼ lbs.
47	6½″	Red	2¾ lbs.

Packed 4 in a box.

NO. 50 COPING SAW BLADES



Blades are of loop-end design, made of fine steel uniformly heat treated to produce excellent results. Teeth are keen and properly set for fast, clean cutting.

	Shipping Weight
6″ x 1/16″	5 oz.

Packed 1 doz. in envelope, 12 envelopes in box.

NOS. 60 and 65 COPING SAW BLADES



Uniformly heat treated to produce best result. Teeth are keen and properly set for fast, clean cutting. These pin-end blades are heavier and will outwear finer tooth loop-end blades such as the No. 50.

No.	*Length*	*Shipping Weight*
60	6″	12 oz.
65	6½″	12 oz.

Packed 1 doz. in envelope, 12 envelopes in box.

"BLU-MOL"® MOLYBDENUM HIGH SPEED

Made of very high quality Molybdenum High Speed Steel. Outstanding in its performance from every angle — accuracy of cuts — speed of cutting and resistance to wear. Blu-Mol Blades guarantee lower cutting costs.

All Hard High Speed

Lgth. In.	Width In.	Thick-ness In.	Order by Numbers Below Teeth per Inch 14	18	24	32	Wt. Per 100
10	½	.025		1018M	1024M	1032M	3⅞
12	½	.025	1214M	1218M	1224M	1232M	4¾

14 and 18 tooth blades have standard set; 24 and 32 tooth blades have wavy set.

Packed 100 in a box.

"BLU-FLEX"® HAND HACKSAW BLADES

This is the famous Millers Falls Blu-Mol blade with a tough, flexible back. The hard, high speed cutting teeth are wear resistant having the identical processing of the Blu-Mol blade. This remarkable new high speed blade is a cost cutter wherever a high percentage of cutting is on the harder alloy steels. Its extreme flexibility eliminates the high cost of breakage. Blu-Flex is outstanding where cutting is toughest.

Lgth. In.	Width In.	Thick-ness In.	Order by Numbers Below Teeth per Inch 14	18	24	32	Wt. Per 100
10	½	.025		1018BF	1024BF	1032BF	3⅞
12	½	.025	1214BF	1218BF	1224BF	1232BF	4⅝

14 and 18 tooth blades have standard set; 24 and 32 tooth blades have wavy set.

Packed 100 in a box.

"TUF-FLEX"® (Patented) ALLOY STEEL — Super Flexible — All Hard

A remarkable, unbreakable, general purpose saw made of a patented (U.S. No. 2,252,869) alloy steel; super-flexible, super-tough, practically non-strippable teeth. Best all around blade for cutting hard and soft steels.

Lgth. In.	Width In.	Thick-ness In.	Order by Numbers Below Teeth per Inch 14	18	24	32	Wt. Per 100
10	½	.025		53FH	63FH	73FH	3½
12	½	.025	45FH	55FH	65FH	75FH	4⅜

14 and 18 tooth blades have standard set; 24 and 32 tooth blades have wavy set.

Packed 100 in a box.

NO. 113 MIDGET HACKSAW BLADE

A durable 6" x ¼" x .014 wavy-set blade with flexible back and 32 hard teeth per inch. Cuts smoothly and rapidly.

Packed 100 per box. Shipping weight: 1⅜ lbs.

NO. 5522 HACKSAW BLADE MERCHANDISER



Popular TUF-FLEX standard and BLUE-FLEX premium hand hacksaw blades. Blade sleeves have transparent front for quick identification. Information on selection and proper use of blades printed on back. Display is free with following assortment of blades:

Size: 20" x 14½" x 7½"

Blade Size	BLU-FLEX (1 per sleeve) Quantity	No.	TUF-FLEX (2 per sleeve) Quantity	No.
12" x 18T	10 ea.	S1218BF	20 ea.	S55FH
12" x 24T	10 ea.	S1224BF	20 ea.	S65FH
12" x 32T	5 ea.	S1232BF	10 ea.	S75FH
10" x 18T	10 ea.	S1018BF	20 ea.	S53FH
10" x 24T	10 ea.	S1024BF	20 ea.	S63FH
10" x 32T	5 ea.	S1032BF	10 ea.	S73FH

Packed 1 in a box. Shipping weight: 9¾ lbs.

BACK-UP STOCK: Packed 2 per sleeve, 50 per box for TUF-FLEX and 1 per sleeve, 20 per box for BLU-FLEX in all above sizes. Use "S" prefix on blade number to designate sleeve packs.

NO. 1582 SABRE SAW BLADE MERCHANDISER



CONTENTS

Qty.	No.
12	A-7T Wood
12	B-10T Wood
4	C-14T Metal
4	D-32T Metal
4	F-18T Metal
4	G-24T Metal
4	J-18T Metal
4	K-24T Metal
10	L-7T Wood
10	M-10T Wood
4	N-14T Metal
4	O-32T Metal
2	X-2-Wood Deluxe Fine
2	X-3-Wood Deluxe Med.
2	X-4-Wood Deluxe Coarse
82	Blades

X2, X3, X4 Blades — 1 per Sleeve; All others — 2 per Sleeve.

Contains assortment of universal blades — fit all major models — and blades exclusively designed for popular MF 360 and 561 units. 82 blades. 44 sleeves.

Packed in one carton. Shipping weight: 3 lbs.

EXTRA BLADES

A — 7-tooth Wood Cutting
B — 10-tooth Wood Cutting
C — 14-tooth High Speed Steel Metal Cutting
D — 32-tooth High Speed Steel Metal Cutting
F — 18-tooth Metal Cutting
G — 24-tooth Metal Cutting
J — 18-tooth, Metal
K — 24-tooth, Metal
L — 7-tooth, Wood
M — 10-tooth, Wood
N — 14-tooth, High Speed Metal
O — 32-tooth, High Speed Metal
P — Knife (fits 360, 561, 886, 2140)
X2 — Fine, Taper Gr.
X3 — Med., Taper Gr.
X4 — Coarse, Taper Gr.
X234 — Set of 3 Blades

A through P packed 2 per sleeve, 20 blades per box. Shipping weight: ¼ lb.

X-2, 3, 4 packed 1 per sleeve, 10 blades per box. Shipping weight: ⅛ lb.

No. 2141 Set of 4 blades (1 each A, B, C & D in plastic pocket).

Packed 10 sets in a box. Shipping weight: ½ lb.

NO. 288 SABRE SAW BLADE SET

A pocket size hang-up white plastic carrying case containing a universal assortment of sabre saw blades.

Packed 4 per box.
Shipping weight: ½ lb.

CONTENTS

Regular Straight Blades

Quantity	*Classification*	*Description*
1	A	7 tooth wood
1	B	10 tooth wood
1	C	14 tooth metal
1	D	32 tooth metal
	Angle Blades	
1	L	7 tooth wood
1	M	10 tooth wood
1	N	14 tooth metal
1	O	32 tooth metal

NO. 481 SABRE SAW BLADE SET

One (1) each L, M, N and O blades in plastic case similar to No. 288 above.

Packed 10 sets per box. Shipping weight: ⅜ lb.

"QUIK-CUT" HOLE SAWS



Cut clean, round holes up to ⅞" deep . . . increase the capacity of ¼" drills up to 1⅛", ⅜" drills up to 1½" and ½" drills up to 2½". Follow-through design lets saw follow through its own hole for extra-deep cuts. Knock-out holes provided for removing cores. Saws are slotted to fit other make mandrels similar to Millers Falls design.

No.	*Diameter Saw*	*For Conduit Sizes*	*For Pipe Sizes*	*Shipping Weight*
*2710	⅝"	¼"		1¼ lbs.
2712	¾"	⅜"		¾ lb.
2714	⅞"	½"	¾"	¾ lb.
2716	1"			¾ lb.
2718	1⅛"	¾"	1"	1 lb.
2720	1¼"			1 lb.
2722	1⅜"	1"		1 lb.
2724	1½"		1¼"	1⅛ lbs.
2726	1⅝"			1¼ lbs.
2728	1¾"	1¼"	1½"	1⅓ lbs.
2730	1⅞"			1⅓ lbs.
2732	2"	1½"		1½ lbs.
2734	2⅛"			1⅞ lbs.
2736	2¼"			2 lbs.
2740	2½"	2"		2⅛ lbs.

Blister packed 1 per card. 10 blisters per box.

*Built-in Mandrel

MANDRELS

No. 2701



No. 2702

No.		*Shipping Weight*
2701	Fits ¾"–1⅛" Saws — ¼" Shank	1¼ lbs.
2702	Fits 1¼"–2½" Saws — 5/16" Shank	1⅝ lbs.
2703	Fits 1¼"–2½" Saws — ¼" Shank	1¼ lbs.

Blister packed 1 per card. 10 blisters per box.

NO. 1213 (12") & NO. 1413 (14") BACK SAW

LIFETIME GUARANTEE

These back saws are ideally suited for use with a wood mitre box such as Millers Falls Nos. 612 or 616. Top quality steel blades start straight and stay straight for accurate finish cuts.

Packed 2 per box. Shipping weight: 1⅜ lbs. (1213) 2½ lbs. (1413)

NO. 83 KITCHEN SAW FRAME

Frame made of ½" x 3/16" round edge steel. Natural lacquer finished hardwood handle. Excellent for bone, frozen foods, plastics, wood, soft metals, ivory, etc. A polished and tempered 14" x ½" blade furnished free.

Packed 4 in a box. Shipping weight: 4⅛ lbs.

No. 383 Extra Blades.

Packed 5 in a package. Shipping weight: ¼ lb.

NO. 86 KITCHEN SAW

New design low price saw for home use. Round edge steel frame ½" x 3/16". New style natural lacquer finish hardwood handle. Wing nut for blade tension. Excellent for bone, frozen foods, plastics, wood, soft metals, ivory, etc. Furnished with polished and tempered stainless steel 14" x ½", 10-tooth blade filed and set for fast, free cutting.

Packed 4 in a box. Shipping weight: 4⅛ lbs.

No. 868 Extra Blades.

Packed 5 in a package. Shipping weight: ¼ lb.

HAND SAWS



LIFETIME GUARANTEE

26" ground steel blade protected by polymerized finish. High quality carved hardwood handle. Five nickel plated screws. Bevel filed teeth.

No. 1005	26" Rip Saw	5½ point
No. 1008	26" Cross Cut Saw	8 point
No. 1010	26" Cross Cut Saw	10 point

Packed 4 per individual carton. Shipping weight: 8 lbs.

No. 2208	26" Cross Cut Saw	8 point
No. 2210	26" Cross Cut Saw	10 point

Lacquered hardwood handles are comfort-contoured and securely attached to ground steel blades. Teeth are bevel filed and precision set for long, smooth cutting.

Packed 4 per box. Shipping weight: 4 lbs.

NO. 379 SAWHORSE BRACKETS



A sturdy, durable sawhorse out of 5 pieces of lumber and these heavy gauge steel brackets.

Packed 1 pair per display box. Shipping weight: 2⅜ lbs.

NO. 237 KEYHOLE SAW



Cuts nails, metal lath, plaster board, stucco, BX conduit and wood. Hand-fitting pistol grip handle is finished in gray and red enamel. Complete with one No. 7 (18 tooth) blade. Mounted on an attractive card 13¼″ x 6⅛″.

	Length Blade	*Overall Length*	*Shipping Weight*
No. 237	7½″	10″	1⅛ lbs.

Carded and packed 6 in a box.

Extra Blades

Type of Blade	*Length Blade*	*Teeth per inch of Blade*	*Shipping Weight*
No. 7 Metal Cutting	7½″	18	⅜ lb.
No. 8 Metal Cutting	7½″	24	⅜ lb.
No. 9 Wood Cutting	7½″	9	¼ lb.

Packed 10 in a box.

NO. 2370 "NEST OF SAWS"

No. 237 Saw complete with No. 7 Blade mounted on a colorful card with two extra blades — one No. 8 and one No. 9.

Carded and packed 12 in a box. Shipping weight: 5 lbs.

NO. 499 DRY WALL SAW

Cuts openings fast for outlet boxes, switches, fixtures, pipes, registers, etc. New die cast form-fitting handle. No cramping of hand. Lightweight. Quik-acting chuck holds blade fast. Blades can be changed rapidly. Blade turns and locks in 8 positions.
Furnished with No. 149 5½″ x 9T wood cutting blade. 12″ wood, metal and combination blades available.

Carded and packed 4 in a box. Shipping weight: 3¾ lbs.

NO. 149 DRY WALL SAW BLADE

5½″ x 9T Wood Cutting — will fit No. 499 Dry Wall Saw, Nos. 525 and 895 Keyhole Saws, Nos. 725 and 995 Nests of Saws. Also other makes of keyhole saws.
Polished finish — lacquered.

Packed 10 in a box. Shipping weight: ⅜ lb.

NO. 525 ROTATABLE BLADE KEYHOLE SAW



Saw most anything — most anywhere. Cut steel, iron, wood, plastics, nails, metal lath, asbestos board, etc. The blades can be faced and locked in eight positions.

NO. 895 ROTATABLE BLADE KEYHOLE SAW

LIFETIME GUARANTEE



Saws most anything — anywhere. Same handle as No. 995 Nest of Saws with one blade (No. 109).

Packed 1 in a box. Shipping weight: 1⅛ lbs.

NO. 725 "NEST OF SAWS"

No. 525 Keyhole Saw complete with No. 109 Blade mounted on a colorful card with two extra blades, one No. 249 and one No. 279.

Packed 4 in a box.
Shipping weight: 6⅛ lbs.



NO. 995 "NEST OF SAWS"

LIFETIME GUARANTEE

Comfortable, new-style handle with quik-acting chuck. Blades turn and lock in 8 positions. Cuts steel, iron, wood, plastics, nails, metal lath, asbestos boards, etc.

Complete with three 12″ blades.

Packed 4 in a box. Shipping weight: 5⅝ lbs.

Replacement Blades

No.	*Cutting*	*Teeth*	*Length*	*Weight*
109	Combination	10	12″	1 lb.
249	Metal Cutting	24	12″	1¼ lbs.
279	Wood Cutting	7	12″	1¼ lbs.

(Note: Blades will fit other makes of keyhole saws).

Packed 10 in a box.

NO. 2010 20″ TOOL BOX SAW

LIFETIME GUARANTEE

This fine 10 pt. saw makes an ideal all-purpose saw for the home workshop. Small enough to fit most tool kits, it will handle most wood cutting jobs with ease.

Packed 2 per box. Shipping weight: 2⅞ lbs.

NO. 381 BEARING SCRAPER

LIFETIME GUARANTEE



Finest scraper made. Forged steel blades are curved, tapered and recessed and hardened, tempered to glass hardness. Can be sharpened on oilstone. Mahogany lacquered handles.

No.	*Cutting Edge*	*Length*	*Shipping Weight*
381	1½″	8″	1⅛ lbs.
381	2½″	10″	2 lbs.
381	3½″	11″	2⅝ lbs.
381	4½″	12″	3 lbs.

Packed 6 in a box.

No. 740 Set one each 1½″, 2½″, 3½″.

Packed 1 set in a box. Shipping weight: 1⅛ lbs.

No. 471 Set one each 2½″, 3½″, 4½″.

Packed 1 set in a box. Shipping weight: 1⅜ lbs.

NO. 34 and 35 WOOD SCRAPERS

Ideal scraper for refinishing woodwork, removing paint from furniture, walls, etc. with little effort. Reversible four-edged carbon steel blade tempered to hold keen edge. Hardwood handle.

No.	*Width Blade*	*Length*	*Shipping Weight*
34	2½″	5″	2⅜ lbs.
35	1½″	5″	1½ lbs.

Packed 6 in a box.

No. 346 Extra Blades for No. 34 (Also fit Nos. 39, 1439).
Packed 6 in a box. Shipping weight: ¾ lb.

No. 356 Extra Blades for No. 35. (Also fit No. 51).
Packed 6 in a box. Shipping weight: ⅜ lb.

NO. 39 and 51 WOOD SCRAPERS



Paint brush type handle, selected hardwood finished in clear lacquer. Tempered tool steel blade has four scraping edges. Two blades ready for use and two sharp edges available by reversing blade in handle.

No.	*Width Blade*	*Length*	*Shipping Weight*
39	2½″	8¾″	2⅝ lbs.
51	1½″	7½″	1½ lbs.

Packed 6 in a box.

No. 346 Extra Blades for No. 39. (Also fit Nos. 34, 1439).
Packed 6 in a box. Shipping weight: ¾ lb.

No. 356 Extra Blades for No. 51. (Also fit No. 35).
Packed 6 in a box. Shipping weight: ⅜ lb.

NO. 939 SINGLE-BLADE SCRAPER

Birch handle — cherry stain, rubbed shellac finish. Single reversible blade — 2½″. Hardened and ground blade. Two scraping edges. Length: 7¾″.

Packed 6 in a box.
Shipping weight: 1⅜ lbs.

No. 336 Extra Blade.
for use with No. 939 Scraper.
Packed 6 in a box.
Shipping weight: ⅜ lb.

NO. 296 FLOOR SCRAPER



Has reversible tool steel blade, 3″ x 4½″ held by ball joint for setting at wide range of angles. Hardened and tempered blade. Natural finish hardwood handles.

Packed 1 in a box. Shipping weight: 1¼ lbs.

No. 376 Extra Blades.
Packed 6 in a box. Shipping weight: ⅞ lb.

NO. 4540 "DYNA-GRIP" MERCHANDISER SCREWDRIVER

LIFETIME GUARANTEE

An eye-catching dispenser featuring 72 popular screwdrivers with the non-slip DYNA-GRIP handles. A unique "test bar" is prominently mounted and is easily detachable to invite customer comparison. All screwdrivers displayed are LIFETIME GUARANTEED. (Handles — Design Patent D 197, 501).

Dimensions: 16⅝″ long, 16⅜″ high, 8⅝″ deep

CONTENTS

Quantity	*No.*	*Blade Length*	*Quantity*	*No.*	*Blade Length*
6	450	3″	6	452	4″
6	450	4″	6	452	6″
6	450	6″	6	452	8″
6	451	4″	6	453	3″
6	451	6″	6	453	6″
6	451	8″	6	453	8″

Packed one per carton. Shipping weight: 29¼ lbs.

NO. 8542 SCREWDRIVER MERCHANDISER

LIFETIME GUARANTEE

A convenient, compact merchandiser containing 42 of the most frequently used screwdrivers. Can be used as a countertop display or can be easily mounted as a wall display.

Dimensions: 20″ long, 6″ high, 4″ deep

CONTENTS

3 ea. No. 851 — 6″	3 ea. No. 856 — 4″
3 ea. No. 851 — 4″	3 ea. No. 850 — #1
3 ea. No. 852 — 6″	3 ea. No. 850 — #2
3 ea. No. 852 — 4″	3 ea. No. 860 — #1
3 ea. No. 853 — 6″	3 ea. No. 860 — #2
3 ea. No. 853 — 3″	3 ea. No. 854
3 ea. No. 856 — 6″	3 ea. No. 855

Packed one per carton. Shipping weight: 10⅝ lbs.

NO. 6542 SCREWDRIVER MERCHANDISER



Hang up as a wall display or use on any countertop! Fifty-six (56) professional quality screwdrivers featuring chrome vanadium tempered steel blades and durable opaque hard plastic handles.

Dimensions: 20″ long, 6″ high, 4″ deep

CONTENTS

4 ea. No. 651 — 6″	4 ea. No. 656 — 4″
4 ea. No. 651 — 4″	4 ea. No. 650 — #1
4 ea. No. 652 — 6″	4 ea. No. 650 — #2
4 ea. No. 652 — 4″	4 ea. No. 660 — #1
4 ea. No. 653 — 6″	4 ea. No. 660 — #2
4 ea. No. 653 — 3″	4 ea. No. 654
4 ea. No. 656 — 6″	4 ea. No. 655

Packed one per carton. Shipping weight: 12¼ lbs.

NO. 450 SERIES "DYNA-GRIP" SCREWDRIVERS

LIFETIME GUARANTEE

Here is a screwdriver with a handle that WILL NOT twist, slip or slide. Each blade is made from chrome vanadium steel, cross ground and tempered to guarantee lasting service. Unique dual construction of the comfortable handle features a cushioned outer vinyl grip permanently bonded to a hard, high-impact vinyl core. (Handles — Design Patent D 197, 501).





No.	Blade Length	Type	Ship. Wgt.	No.	Blade Length	Type	Ship. Wgt.
450	3″	#1 Phillips Pt.	1 lb.	452	4″	Square Shank, Standard	1⅜ lbs.
450	4″	#2 Phillips Pt.	1⅜ lbs.	452	6″	Square Shank, Standard	2⅛ lbs.
450	6″	#3 Phillips Pt.	2⅛ lbs.	452	8″	Square Shank, Standard	2⅞ lbs.
450	8″	#4 Phillips Pt.	2⅞ lbs.	452	10″	Square Shank, Standard	4⅜ lbs.
451	4″	Round Shank, Standard	1⅜ lbs.	452	12″	Square Shank, Standard	4¾ lbs.
451	6″	Round Shank, Standard	2⅛ lbs.	453	3″	Cabinet	1¼ lbs.
451	8″	Round Shank, Standard	2⅞ lbs.	453	6″	Cabinet	2 lbs.
451	10″	Round Shank, Standard	4¾ lbs.	453	8″	Cabinet	2¾ lbs.
451	12″	Round Shank, Standard	5⅛ lbs.	453	10″	Cabinet	4⅝ lbs.

All above packed 6 per box.









NO. 850 SERIES SCREWDRIVERS

LIFETIME GUARANTEE

Chrome vanadium steel blades, tempered the entire length. Each bit is cross ground, shanks are polished and shockproof handles are of a hard, long-lasting transparent "Tenite."

No.	Blade L'gth.	Shank Dia.	Type	Ship. Wgt.	No.	Blade L'gth.	Shank Dia.	Type	Ship. Wgt.
850	3″	3/16″	#1 Phillips Pt.	5/8 lb.	853	8″	3/16″	Cabinet	1 lb.
850	4″	1/4″	#2 Phillips Pt.	1¼ lbs.	853	10″	3/16″	Cabinet	1⅛ lbs.
850	6″	5/16″	#3 Phillips Pt.	1½ lbs.	854	1½″	5/16″	Stubby, Standard	⅞ lb.
850	8″	3/8″	#4 Phillips Pt.	2⅝ lbs.	855	2″	1/8″	Pocket Size, Std.	3/8 lb.
851	4″	9/32″	Round Shank, Std.	1¼ lbs.	856	4″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1 lb.
851	6″	5/16″	Round Shank, Std.	2 lbs.	856	6″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1¼ lbs.
851	8″	3/8″	Round Shank, Std.	3¼ lbs.	856	8″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1½ lbs.
851	10″	7/16″	Round Shank, Std.	4½ lbs.	856	10″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1¾ lbs.
851	12″	7/16″	Round Shank, Std.	5⅛ lbs.	857	2½″		QUICK-HOLD	½ lb.
852	4″	1/4″ x 1/4″	H'vy Sq. Sh'k, Std.	1¼ lbs.	857	4″		QUIK-HOLD	¾ lb.
852	6″	5/16″ x 5/16″	H'vy Sq. Sh'k, Std.	2¼ lbs.	857	5″		QUIK-HOLD	⅞ lb.
852	8″	3/8″ x 3/8″	H'vy Sq. Sh'k, Std.	3¾ lbs.	857	7″		QUIK-HOLD	1⅜ lbs.
852	10″	3/8″ x 3/8″	H'vy Sq. Sh'k, Std.	4½ lbs.	860	1⅜″		#1 Phillips Pt.	½ lb.
852	12″	3/8″ x 3/8″	H'vy Sq. Sh'k, Std.	5 lbs.	860	1⅜″		#2 Phillips Pt.	5/8 lb.
853	3″	3/16″	Cabinet	¾ lb.	860	1⅜″		#3 Phillips Pt.	¾ lb.
853	6″	3/16″	Cabinet	⅞ lb.					

All above packed 6 per box.







NO. 650 SERIES SCREWDRIVERS

High quality at popular prices! Blades are forged from superior alloy steel, carefully hardened and tempered for toughness, then cross-ground and plated. Handles are constructed of an unbreakable opaque red plastic and are both fire-resistant and shockproof.

No.	Blade L'gth.	Shank Dia.	Type	Ship. Wgt.	No.	Blade L'gth.	Shank Dia.	Type	Ship. Wgt.
650	3″	3/16″	#1 Phillips Pt.	5/8 lb.	653	4″	3/16″	Cabinet	5/8 lb.
650	4″	1/4″	#2 Phillips Pt.	⅞ lb.	653	6″	3/16″	Cabinet	¾ lb.
650	6″	5/16″	#3 Phillips Pt.	1⅝ lbs.	653	8″	3/16″	Cabinet	⅞ lb.
651	3″	7/32″	Round Shank, Std.	¾ lb.	654	1½″	1/4″ x 1/4″	Stubby, Standard	5/8 lb.
651	4″	9/32″	Round Shank, Std.	1¼ lbs.	655	2″	1/8″	Pocket Size	3/8 lb.
651	6″	5/16″	Round Shank, Std.	1½ lbs.				(*Packed 12 per box*)	
651	8″	3/8″	Round Shank, Std.	2⅝ lbs.	656	4″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1 lb.
652	4″	1/4″ x 1/4″	H'vy Sq. Sh'k, Std.	1¼ lbs.	656	6″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1⅛ lbs.
652	6″	5/16″ x 5/16″	H'vy Sq. Sh'k, Std.	2 lbs.	656	8″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1⅛ lbs.
652	8″	3/8″ x 3/8″	H'vy Sq. Sh'k, Std.	3 lbs.	656	10″	3/16″ x 3/16″	Slim Sq. Sh'k, Std.	1⅜ lbs.
652	10″	3/8″ x 3/8″	H'vy Sq. Sh'k, Std.	3½ lbs.	660	1″	3/16″	#1 Phillips Pt.	⅜ lb.
653	3″	3/16″	Cabinet	5/8 lb.	660	1½″	1/4″	#2 Phillips Pt.	5/8 lb.

Unless otherwise indicated, all above packed 6 per box.



NO. 7777 SERIES SCREWDRIVERS

Sturdy, serviceable screwdrivers in the five best-selling lengths. Torque tested blades are hammer-forged from especially tough steel, hardened and tempered their entire length. Forged lugs on shanks prevent turning in handle. Blades and ferrules nickel plated and burnished. Selected hardwood handles with rich black finish. Fluted to give a firm, sure grip.

No.	Blade L'gth.	Shank Dia.	Type	Ship. Wgt.	No.	Blade L'gth.	Shank Dia.	Type	Ship. Wgt.
7777	3″	3/16″	#1 Phillips Pt.	¾ lb.	7777	3″	7/32″	Round Shank, Std.	1¾ lbs.
		(*Packed 6 per box*)			7777	4″	9/32″	Round Shank, Std.	2½ lbs.
7777	4″	1⅛″	#2 Phillips Pt.	1⅛ lbs.	7777	5″	5/16″	Round Shank, Std.	3⅝ lbs.
		(*Packed 6 per box*)			7777	6″	5/16″	Round Shank, Std.	3⅞ lbs.
					7777	8″	3/8″	Round Shank, Std.	6⅜ lbs.

Unless otherwise indicated, all above packed 12 per box.

NO. 676 SERIES SCREWDRIVERS

Fine quality screwdriver with steel head in end of handle locked directly to shank of blade. Blades are tough tool steel hammer-forged and heat treated. Wide wings on shanks to prevent turning in handle. Polished blades with head and ferrule nickel plated. Steel ferrule pinned through blade. Fluted mahogany lacquered hardwood handles.


676

No.	Blade L'gth.	Type	Ship. Wgt.	No.	Blade L'gth.	Type	Ship. Wgt.
676	3″	Round Shank, Standard	1¼ lbs.	676	8″	Round Shank ,Standard	4⅛ lbs.
676	4″	Round Shank, Standard	1⅝ lbs.	676	10″	Round Shank, Standard	4½ lbs.
676	5″	Round Shank, Standard	2½ lbs.	676	12″	Round Shank, Standard	5 lbs.
676	6″	Round Shank, Standard	2⅝ lbs.				

All above packed 6 per box.

NO. 909 SERIES SCREWDRIVERS

Hammer forged heat-treated tool steel blades. Wide wings on shanks to prevent turning in handle. Fluted mahogany lacquered hardwood handles. Steel ferrules. Polished blades with head and ferrule nickel plated.


909

No.	Blade L'gth.	Type	Ship. Wgt.	No.	Blade L'gth.	Type	Ship. Wgt.
909	2″	Round Shank, Standard	⅞ lb.	909	8″	Round Shank, Standard	3¼ lbs.
909	3″	Round Shank, Standard	⅞ lb.	909	10″	Round Shank, Standard	3¾ lbs.
909	4″	Round Shank, Standard	1¼ lbs.	909	12″	Round Shank, Standard	4⅛ lbs.
909	5″	Round Shank, Standard	1⅞ lbs.	909	18″	Round Shank, Standard	5½ lbs.
909	6″	Round Shank, Standard	2 lbs.				

All above packed 6 per box.


355

NO. 355 SERIES SCREWDRIVERS

Blades hammer forged from high grade tool steel. Hardened, oil tempered and polished. Fluted mahogany lacquered hardwood handles with pinned steel ferrules. Blade width, 7/32″.


331

No.	Blade L'gth.	Type	Ship. Wgt.	No.	Blade L'gth.	Type	Ship. Wgt.
355	2½″	Cabinet, Round Shank	¾ lb.	355	5½″	Cabinet, Round Shank	1 lb.
355	3½″	Cabinet, Round Shank	¾ lb.	355	6½″	Cabinet, Round Shank	1⅛ lbs.
355	4½″	Cabinet, Round Shank	⅞ lb.	355	8½″	Cabinet, Round Shank	1¼ lbs.

All above packed 6 per box.

NO. 331 SERIES JEWELERS' SCREWDRIVERS

Light service screwdrivers especially adapted for use by jewelers and for delicate work. Blades are hammer-forged, hardened and tempered their entire length, and well polished. Mahogany finished hardwood handles protected with nickeled ferrules. All blades are 9/64″ wide.


69

No.	Blade L'gth.	Type	Ship. Wgt.	No.	Blade L'gth.	Type	Ship. Wgt.
331	2″	Jewelers', Round Shank	⅜ lb.	331	5″	Jewelers', Round Shank	½ lb.
331	3″	Jewelers', Round Shank	⅜ lb.	331	6″	Jewelers', Round Shank	½ lb.
331	4″	Jewelers', Round Shank	½ lb.	331	8″	Jewelers', Round Shank	½ lb.

All above packed 6 per box.

NO. 69 STANDARD SCREWDRIVER (Stubby)

Fits the palm of the hand snugly and with a positive grip. Polished blade is set in a fluted hardwood handle finished in a rich black and protected with heavy steel ferrule. Blade length, 1½″; blade width, 9/32″; shank size, ¼″; for screw sizes #6–#10.

Packed 6 per box. Shipping weight: ⅝ lb.


4514

NO. 4514 DYNA-GRIP SCREWDRIVER SET

Four-piece set of amazing new DYNA-GRIP Screwdrivers with special composition handles that provide almost unbelievably firm, non-slip grip. Set includes 4″ and 6″ Standard Screwdrivers, 3″ Cabinet Screwdriver, 4″ No. 2 Phillips Screwdriver. LIFETIME GUARANTEED.

Packed 1 per box. Shipping Weight: 1⅛ lbs.

LIFETIME GUARANTEE

NO. 8514 SCREWDRIVER SET

LIFETIME GUARANTEE



8514

A popular selection of four fine quality screwdrivers for every-day use in workshop or home. Packed in a plastic pouch. The blades are carefully tempered, forged steel, nickel plated and the handles are unbreakable, shockproof, red "Tenite." Set consists of one each No. 851–4″, No. 851–6″, No. 853–3″, No. 850–#2 Phillips.

Packed 1 set per box. Shipping weight: 1⅛ lbs.

NO. 199 OFFSET SCREWDRIVER



Exceptionally handy for those close quarter driving jobs! Equipped with four blades, one pair at 90° and one pair at 45°. Provides blade for eight positions of screw slot. Tool steel blades carefully hardened and tempered. Length, 5¼″.

Packed 6 per box. Shipping weight: 1¼ lbs.

NO. 797 OFFSET SCREWDRIVERS



High grade forged octagon steel with forged and polished bits set at right angles on opposite ends of handle. Easily starts frozen screws and makes short work of those in out-of-way locations.

No.	*Length*	*Stock*	*Shipping Weight*
797	4¼″	¼″	1⅛ lbs.
797	6¼″	⅜″	3 lbs.

Packed 12 per box.

NO. 29 and NO. 29X SPIRAL RATCHET SCREWDRIVERS

High grade tools in every detail. Will drive or draw #4 to #8 screws quickly. Ratchet mechanism is highly dependable and contains automatic quick-return spring. Chuck, chuck shifter sleeve, and screw in handle end of both screwdrivers are nickeled and buffed. Handles are of clear-grained hardwood with rich black finish. Length extended (with bit); 10″.
One ¼″ bit is packed with No. 29 screwdriver, while No. 29X includes the #3291, #3292, #3293 drill points and the #297–5/32″ cabinet bit as standard equipment.

Shipping weight (No. 29): ½ lb. Shipping weight (No. 29X): ⅝ lb.
Packed 1 per box.

NO. 229 SPIRAL RATCHET SCREWDRIVER

Same as No. 29 and No. 29X, but longer. Extended length with bit is 13″. Features an automatic quick-return spring. Ratchet mechanism can be set for right or left hand operation, or for rigid use.

Packed 1 per box. Shipping weight: ½ lb.

NOS. 61A-62A-67A SPIRAL RATCHET SCREWDRIVERS



Performs five operations: (1 and 2) drives or draws screws — (3 and 4) acts as left or right hand ratchet screwdriver — or (5) as a rigid screwdriver. Knurled control sleeve and spiral lock nut control driver's action. Exposed metal parts nickel plated — mahogany finished hardwood handle. Three sizes of blades standard equipment.

No.	*Length Extended with Bit Inserted*	*Length Closed*	*Shipping Weight*
61A	19⅝″	14″	1⅜ lbs.
62A	25¼″	17″	1⅞ lbs.
67A	13″	9¾″	⅝ lb.

All above packed 1 per box.

NOS. 610A-620A-670A SPIRAL RATCHET SCREWDRIVERS



Same as Nos. 61A – 62A – 67A, except these models feature a spring in handle which automatically returns handle for next stroke, facilitating one hand operation.

No.	*Length Extended with Bit Inserted*	*Length Closed*	*Shipping Weight*
610A	20½″	15″	1½ lbs.
620A	27″	18⅞″	2⅜ lbs.
670A	14″	10½″	¾ lb.

All above packed 1 per box.

DRILL ATTACHMENTS



Attachments for spiral screwdrivers converting them into drills for small holes. Ball lock chuck. Set 6700 has 3 drills furnished and sets 6100 and 6200 have eight drills.

No.	*For Screwdriver*	*Size Drills*	*Shipping Weight*
6100	61A & 610A	1 to 8	2½ oz.
6200	62A & 620A	1 to 8	2½ oz.
6700	67A & 670A	1 to 3	1½ oz.

Packed 1 set in a round wooden box.

SPIRAL RATCHET SCREWDRIVER BITS

For Standard Slotted Screws

Fitting	*No.*	*Size*	*Shipping Weight*
No. 67A	1514	5/32″	1/3 oz.
and	1515	3/16″	1/3 oz.
No. 670A	1516	7/32″	1/3 oz.
	6732 Set	1 bit of each size above	1 oz.
No. 61A	1201	7/32″	1/8 oz.
and	1202	1/4″	1/8 oz.
No. 610A	1203	9/32″	1/8 oz.
	6132 Set	1 bit of each size above	2 5/8 oz.
No. 62A	1166	1/4″	1 oz.
and	1167	9/32″	1 oz.
No. 620A	1168	5/16″	1 oz.
	6232 Set	1 bit of each size above	3 oz.

Individual bits packed singly. Sets packed 1 in an envelope.

For Phillips Screws

No.	*Phillips Size*	*For Screwdriver*	*Shipping Weight*
P11	No. 1	61A-610A	1 oz.
P12	No. 2	61A-610A	1 oz.
P13	No. 3	61A-610A	1 oz.
P21	No. 1	62A-620A	1 oz.
P22	No. 2	62A-620A	1 oz.
P23	No. 3	62A-620A	1 oz.
P17	No. 2	67A-570A-29-29X-229	1/2 oz.
P27	No. 1	67A-670A-29-29X-229	1/2 oz.

Packed singly.



EXTRA TOOLS

The drills, countersink and extra screwdriver bits listed below greatly increase the usefulness of the No. 29 and No. 229 Screwdrivers, and are made with shanks that fit the chuck.

No.		*Size*	*For Screw Sizes*	*Shipping Weight*
297	Cabinet Bit	5/32″	#2-#4	1 oz.
298	Countersink	3/8″	#2-#10	1 oz.
299	Standard Bit	1/4″	#4-#8	1 oz.

Packed 3 in an envelope.

329	Set of Drill Points 1/16″, 5/64″, 3/32″			1 oz.

Packed 1 in a screw-capped vial.

3291	Drill Point	1/16″		2 oz.
3292	Drill Point	5/64″		2 oz.
3293	Drill Point	3/32″		2 oz.

Packed 6 in a screw-capped vial.

SOCKET WRENCH ADAPTERS



Fit directly into chuck of Nos. 61A — 610A — 62A — 620A Spiral Ratchet Screwdrivers. Converts them into light duty nut runners and setters. Will fit any socket with 1/4″ back.

No. 1061 For 61A and 610A Screwdrivers.
No. 1062 For 62A and 620A Screwdrivers.

Packed 1 in an envelope. Shipping weight: 1 oz.

NO. 295 SPIRAL RATCHET SCREWDRIVER ACCESSORY SET

Carded sets for use with No. 29 or No. 229 Spiral Ratchet Screwdrivers. Set consists of No. 297 Bit, one set of No. 329 Drills and one No. 298 Countersink.

Carded and packed 4 in a box.

Shipping weight: 1/2 lb.

NO. 351 SCREWDRIVER BITS

Hammer forged from high quality steel. Hardened, tempered and polished. Points accurately finished to fit slots of size screws for which they are designed. Square shanks to fit two-jaw or bit brace chucks. Length overall, 5″.

No.	*Point Size*	*Screw Size*	*Shipping Weight*
351	4/16″	6 to 8	1 lb.
351	5/16″	8 to 12	1 1/8 lbs.
351	6/16″	12 to 16	1 5/8 lbs.
351	7/16″	16 to 20	1 5/8 lbs.
351	8/16″	20 to 24	1 5/8 lbs.

Packed 12 in a box.

351 — Assortment 6 to 16 1 1/4 lbs.
Assortment consists of 4 each of three sizes: 4/16″, 5/16″, 6/16″.

Packed 1 assortment in a box. Shipping weight: 1 1/4 lbs.

NO. 1465 "SCREW GUIDES"



Drill holes for threaded portion, body, countersink or plug in one operation with hand or power tools. May be used with any 1/4″ chuck. Adjustable for any length of wood screw. Sizes for No. 6, No. 8, No. 10 and No. 12 screws. Always stop at correct pre-set depth.

Carded and packed 4 in a box.

Shipping weight: 1/2 lb.

NO. 214 SAW SET

LIFETIME GUARANTEE



Pistol grip pattern. Easy to obtain positive set on any saw with four to fourteen teeth per inch. Clear vision to center plunger on teeth. Steel guide and adjustable steel anvil. Frame and handle finished in grey and red enamel. Lever malleable iron. Exposed steel parts nickel plated.

Packed 1 in a box.

Shipping weight: 1 3/8 lbs.

NO. 789 SAW-KNIFE SET

Cuts most anything — wood, metal, plywood, plastic, frozen foods, etc. Consists of No. 333 Utility Knife complete with 5 No. 3318 Blades in handle; No. 9 9-tooth wood cutting saw blade; No. 7 18-tooth metal cutting saw blade; and No. 8 24-tooth metal cutting saw blade.

Packed 6 cards in a box. Shipping weight: 2½ lbs.

NOS. 3917 - 3918 - 3919 SNIPS



No. 3917 Snip, Cuts Left — No. 3918 Snip, Cuts Right — No. 3919 Snip, Cuts Straight

Powerful 10″ aviation-type snips will cut through metals up to 18 gauge with amazingly little effort. Drop forged alloy steel blades have serrated edges for greater cutting ease. Compound leverage multiplies muscle power.

Plastic handle grips included.

Packed 1 in a box. Shipping weight: 1 lb.

NOS. 3911 - 3912 - 3913 METALCUTTING SHEARS (7″) (10″) (12¾″) (Straight Pattern)



Straight pattern shears in three popular sizes are drop forged from the highest quality tool steel. Blades are hollow ground and heat treated to hold their edge through the roughest kind of work in sheet metal, screening, fencing, linoleum and other materials.

No. 3911 — *Packed 1 per box. Shipping weight: ½ lb.*

No. 3912 — *Packed 1 per box. Shipping weight: 1 lb.*

No. 3913 — *Packed 1 per box. Shipping weight: 1⅝ lbs.*

NOS. 3914 - 3915 - 3916 METALCUTTING SHEARS (7″) (10″) (12¾″) (Circular Pattern)

For those who prefer circular pattern shears, these rugged drop-forged tools offer real value and durability. Blades are hollow ground on high-precision automatic machines, then carefully heat treated to maintain a keen, hard edge.

No. 3914 — *Packed 1 per box. Shipping weight: ½ lb.*

No. 3915 — *Packed 1 per box. Shipping weight: 9/16 lb.*

No. 3916 — *Packed 1 per box. Shipping weight: 1½ lbs.*



NO. 1200 COMBINATION SQUARE (Pencil Slot)



An accurate, well-finished square. Serves as a try square, mitre square, depth gauge or marking gauge. Each end of blade notched to hold pencil when marking a ripping cut. Steel blade is 12″ long and 1″ wide, well finished and accurately graduated in 8ths and 16ths on one side and 16ths and 32nds on the other. Graduations are deeply etched. Working faces of the beam are accurately milled with polished edges; web is finished in black enamel. A cat's-eye level vial is accurately set in the body, which can be used either as a level or a plumb. A sturdy, well-pointed scriber is also supplied.

Packed 4 in a box. Shipping weight: 3½ lbs.

NO. 1000 COMBINATION SQUARE

Has a 12-inch blade like the No. 1200, but is without level vial and scriber.

Packed 4 in a box. Shipping weight: 3½ lbs.

NO. 9500 COMBINATION SQUARE

LIFETIME GUARANTEE

Has level vial and scriber like No. 1200, but has 9-inch blade.

Packed 4 in a box. Shipping weight: 3 lbs.

NO. 1250 STAINLESS STEEL COMBINATION SQUARE



This new square has a 12″ rustproof blade of stainless steel notched for marking pencil. Graduations are clearly etched in ⅛ths, 1/16ths, and 1/32nds of an inch. The black enameled, cast iron beam has accurately machined faces and is equipped with level and scriber. Six essential tools in one, the No. 1250 can be used as a 12″ steel rule, a try and mitre square, a depth gauge, marking gauge, 90° and 45° level, and a scriber.

Carded and packed 1 in a box. Shipping weight 1¼ lbs.

NO. 1270 CARPENTER SQUARE



Twelve-inch blade graduated in 8ths and 16ths on one side, 16ths and 32nds on the other, with easy-reading figures on the 32nds. Figures are heavily die impressed. Precisely cast beam. Drawbolt held by steel spring and nut. Equipped with spring-held scriber and double hairline level.

Packed 1 in display box. Shipping weight: ¾ lb.

NO. 1271 CARPENTER SQUARE

Same as No. 1270 except beam has metallic finish. Grooved blade is graduated in 8ths, 16ths on one side — 16ths and 32nds (quick-reading) on other side.

Packed 10 in a box — 2 boxes in a master carton.

Shipping weight: 7 lbs. (10); 14⅝ lbs. (20)

NO. 1276 POCKET SQUARE



Handy 6″ pocket square with cast beam, grooved blade, hardened, spring-held scriber, double hairline level and ground edges. Graduated in 8ths, 16ths one side — 16ths and quick-reading 32nds other side.

Packed 1 in a box. Shipping weight: 3/8 lb.

NO. 1280 COMBINATION SQUARE

Has easy-reading rust-resistant blade — black with white numbers. Blade grooved full length. All edges ground. Graduated 8ths, 16ths on one side — 16ths, 32nds on other with quick-reading figures on 32nds. Cast beam is painted black.

No.	*Blade*	*Shipping Weight*
1280	12″	¾ lb.

Packed 1 in a box.

NO. 1290 DELUXE COMBINATION SQUARE

LIFETIME GUARANTEE



Same as No. 1280, plus centerhead. Accurate, well-finished square has jet black blade with white figures for easy reading. Double hairline level . . . cat's-eye vial . . . hardened, spring-held scriber . . . ground edges . . . cast beam and centerhead. Graduated 8ths, 16ths one side — 16ths and quick-reading 32nds other side.

Packed 1 in a box. Shipping weight: 1 lb.

NO. 1400 FRAMING SQUARE



One piece of bright-finished steel, hard rolled graduated in 4ths and 8ths with Essex board measure and Brace tables on one side. Body is 24″ x 2″; tongue is 16″ x 1½″.

Packed 6 in a box. Shipping weight: 12 lbs.

NO. 1401 RAFTER SQUARE

Single piece of hard rolled steel graduated in 4ths and 8ths, with Rafter tables on one side and Essex board measure and Brace tables on the other. Blued finish with white figures. Body is 24″ x 2″; tongue is 16″ x 1½″.

Packed 6 in a box. Shipping weight: 12 lbs.

NO. 1402 ALUMINUM RAFTER SQUARE

LIFETIME GUARANTEE

This square is made from one piece of lightweight aluminum alloy, tapered in thickness from angle outward. Graduated in 16ths on face; 16ths, 12ths and 10ths on back. Octagon and brace tables and 100ths scale on tongue; Essex board table on body. Body is 24″ x 2″, tongue is 16″ x 1½″.

Packed 3 in a box. Shipping weight: 3⅛ lbs.

NO. 1403 COPPER RAFTER SQUARE

LIFETIME GUARANTEE

One-piece, highest quality steel with hardened corners. Tapered from angle outward. Rust-resistant, copper finish with white figures. Graduated in 16ths on face; 16ths, 12ths and 10ths on back. Octagon and brace tables and 100ths scale on tongue; Essex board table on body. Body is 24″ x 2″, tonge is 16″ x 1½″.

Packed 3 in a box. Shipping weight: 6⅜ lbs.

NO. 1499 CARPENTER'S SQUARE



Ideal for determining length of any common hip, valley or rafter. Body: 12″ x 1½″; Tongue: 8″ x 1″. Graduations: 1/12″ and ⅛″ front; 1/16″ and ⅛″ back. Polished flat steel.

Packed 10 in a carton. Shipping weight: 6½ lbs.

NO. 211 TACK CLAW

Quick action positive puller for all sizes of tacks. Forged high grade tool steel blade 9/32″ in diameter. Polished, black handle with nickeled ferrule. Overall length — 7″.

Packed 6 in a box. Shipping weight: 1⅛ lbs.

TRY SQUARES

Black blades with white letters. Tropical hardwood handles. Steel rivets. Brass binder Lacquer all over.



LIFETIME GUARANTEE

No. 1436
6″

Packed 6 per box.
Shipping weight: 1¾ lbs.

No. 1438
8″

Packed 6 per box.
Shipping weight: 2⅛ lbs.

WORKSHOP ACCESSORIES

NO. 982 TAPER ADAPTER



For adapting tools with No. 2 Morse Taper Shanks to drill presses with No. 33 Jacobs Arbors. An accurately bored No. 2 M.T. socket in one end and a No. 33 Jacobs Arbor in the other. Fine ground finish.

Packed 1 per box. Shipping weight: ½ lb.

NO. 984 COLLET CHUCK



Chuck has ½-inch capacity and is regularly supplied with one ¼-inch collet. Shank is accurately bored to fit a No. 33 Jacobs Taper Arbor. Drift pin for removal from arbor included.

Packed 1 per box. Shipping weight: ¼ lb.



935 and 937



938

926



927



920-922-924

934-936

910-912-914



928-930-932

917 and 918

915 and 916

NO. 910-912-914 CUP CENTERS

Deep machined cups with sharp rims. The keen, hardened points are replaceable. Precision ground Morse Taper Shanks.

No.	*Shank*	*Head*	*Weight*
910	⅌0 M.T.	½″	1 oz.
912	⅌1 M.T.	⅝″	⅛ lb.
914	⅌2 M.T.	¾″	⅜ lb.

Packed 1 in a box.

NO. 915 and 916 CUP CENTERS

Sharp, hardened point is replaceable. Diameter of cup ⅝″. Shank accurately bored to fit ⅝″ round arbor.

No.	*Fits Arbor*	*Diameter Head*	*Shipping Weight*
915	½″	⅝″	⅜ lb.
916	⅝″	⅝″	¼ lb.

Packed 1 in a box.

NO. 917 and 918 SPUR CENTERS

Sharp, hardened point is replaceable. Four spurs insure positive drive in hard or soft wood and non-metalic materials. Shank accurately bored to fit ⅝″ round arbor. Two set screws.

No.	*Fits Arbor*	*Diameter Head*	*Shipping Weight*
917	½″	¾″	⅜ lb.
918	⅝″	¾″	¼ lb.

Packed 1 in a box.

NO. 920-922-924 SPUR CENTERS

Sharp spurs and hardened points insure positive drive for hard or soft wood and other non-metallic materials. Points are replaceable. Hardened precision ground Morse Taper Shanks.

No.	*Shank*	*Diameter Head*	*Shipping Weight*
920	⅌0 M.T.	½″	1 oz.
922	⅌1 M.T.	⅞″	2½ oz.
924	⅌2 M.T.	1″	⅜ lb.

Packed 1 in a box.

NO. 926 FACE PLATE

Heavy ½″ plate, 3″ in diameter bored so spurs can be set at two diameters, 1–13/16″ and 2–7/16″. Center threaded for either the hardened point or screw center regularly supplied. Two hardened spurs also regular equipment. Back threaded to fit ¾″ x 16T arbor.

No.	*Fits Arbor*	*Diameter Plate*	*Shipping Weight*
926	¾″–16 thread	3″	1⅜ lbs.

Packed 1 in a box.

NO. 927 6″ FACE PLATE

Has 6″ diameter for large face plate work up to maximum capacity of lathe. May also be used in conjunction with a lathe dog for turning metal between centers. Back threaded to fit ¾″ x 16-thread arbor.

Packed 1 in a carton. Shipping weight: 2 lbs.

NO. 928-930-932 60° POINT CENTERS

Hardened, precision ground 60″ centers with precision ground Morse Taper Shanks for use in tailstocks.

No.	*Shank*	*Shipping Weight*
928	⅌0 M.T.	1½ oz.
930	⅌1 M.T.	2½ oz.
932	⅌2 M.T.	⅜ lb.

Packed 1 in a box.

NO. 934-936 60° BALL BEARING POINT CENTERS

Ball bearing 60° centers, hardened and precision ground concentric with the precision ground Morse Taper Shanks.

No.	*Shank*	*Shipping Weight*
934	⅌1 M.T.	½ lb.
936	⅌2 M.T.	⅜ lb.

Packed 1 in a box.

NOS. 935 and 937 BALL BEARING CUP CENTERS

A smooth-running ball bearing cup center is ideal for wood turning . . . minimizes friction, does not burn work. Maintains uniform fit of work. Maintains uniform fit of work on centers. No. 935 with ⅌1 Morse Taper fits No. 2180 Lathe.

No.	*Shank*	*Shipping Weight*
935	⅌1 M.T.	½ lb.
937	⅌2 M.T.	⅝ lb.

NO. 938 CROTCH CENTER

For centering round and square stock for drilling. Accurately milled 90″ crotch. Precision ground Morse Taper Shank.

No.	*Shank*	*Diameter Head*	*Shipping Weight*
938	⅌2 M.T.	2″	1 lb.

Packed 1 in a box.



940 and 942



944



946-948



950-952-954



956 and 958

NO. 940 and 942 SCREW FACE PLATES

For holding small blocks of non-metallic materials. Hardened screws. Plate 1¾″ and 2″ in diameter. Precision ground Morse Taper Shanks.

No.	Shank	Diameter Plate	Shipping Weight
940	#1 M.T.	1¾″	¼ lb.
942	#2 M.T.	2″	¾ lb.

Packed 1 in a box.

NO. 944 MORSE TAPER ADAPTER SLEEVE

A precision ground No. 2 Morse Taper Shank with a No. 1 Morse Taper Socket accurately bored in it. Makes it possible to use No. 1 Shanks in No. 2 Socket.

No.	Adapts	Shipping Weight
944	#1 to #2 M.T.	¼ lb.

Packed 1 in a box.

NO. 960 DRILL PAD

Face of pad accurately ground at right angles to the shank. Pad diameter 3-3/16″. Precision ground Morse Taper Shank.

No.	Shank	Diameter Pad	Shipping Weight
960	#2 M.T.	3–3/16″	1⅛ lbs.

Packed 1 in a box.

NO. 946-948 WORK ARBORS with CHUCK

A useful combination of a ½″ capacity three-jawed chuck and an arbor for grinding wheels, buffs and brushes with ½″ hole. Maximum distance between the 2″ flanges is 2¼″ with chuck removed, ⅝″ with chuck closed. Chuck back threaded ½″-20T. Shanks accurately bored to fit round arbors.

No.	Fits Arbors	Shipping Weight
946	½″	1⅜ lbs.
948	⅝″	1⅜ lbs.

Packed 1 in a box.

NO. 956 and 958 WORK ARBORS

For operating grinding, polishing, wire brush, buffing wheels, sanding drums, etc. with ½″ holes. Maximum capacity between the 2″ diameter flanges is 2¼″. Spindle is ½″ in diameter with 20 threads per inch. Shanks accurately bored to fit round arbors. Two set screws.

No.	Fits Arbor	Shipping Weight
956	½″	¾ lb.
958	⅝″	¾ lb.

Packed 1 in a box.

NO. 950-952-954 WORK ARBORS FOR MORSE TAPER SOCKETS

Work arbors accommodate grinding and buffing wheels, wire brushes, etc. with ½″ holes. Maximum capacity between the 2″ diameter flanges is 1¼″. Arbor threaded ½″-20T. Precision ground Morse Taper Shanks.

No.	Shank	Shipping Weight
950	#0 M.T.	½ lb.
952	#1 M.T.	½ lb.
954	#2 M.T.	⅝ lb.

Packed 1 in a box.

NO. 962 and 964 CHUCKS with MORSE TAPER SHANKS

A smooth acting chuck with three hardened, spring activated jaws for holding round shank drills and rods from 0 to ½″ in diameter. Precision ground Morse Taper Shanks.

No.	Chuck Capacity	Shanks	Shipping Weight
962	0 to ½″	#1 M.T.	1 lb.
964	0 to ½″	#2 M.T.	1¼ lbs.

Packed 1 in a box.

NO. 988-966-968 DRILL CHUCKS

Finely knurled shells with three hardened, spring actuated jaws for holding all drills or rods within their capacity. Back threaded to fit on ½″-20 thread spindles. No. 968 is chrome plated and has a spanner wrench.

No.	Capacity	Fits Arbor	Shipping Weight
988	¼″	½–20 thread	¼ lb.
966	½″	½–20 thread	¾ lb.
968	½″	½–20 thread	¾ lb.

Packed 1 in a box.

NO. 970 and 972 CHUCKS with ROUND SOCKETS

Smooth operating ½″ capacity chuck with three hardened, spring activated jaws for holding round shanks, drills and rods. Chuck back threaded ½″-20T. Sockets accurately bored for round shanks.

No.	Chuck	Fits Arbor	Shipping
970	½″	½″	1 lb.
972	½″	⅝″	1 lb.

Packed 1 in a box.

NO. 974 and 990 COLLET CHUCKS

Made in two sizes, ¼″ and ½″ respectively. Back threaded to fit an arbor ½″ in diameter with 20 threads to the inch.

No.	Capacity	Fits Arbor	Shipping Weight
974	¼″	½″–20 thread	¼ lb.
990	½″	½″–20 thread	¾ lb.

Packed 1 in a box.



960

962 and 964

988-966-968

970 and 972

974 and 990

NO. 976 SHAPER COLLARS

Set consists of six collars for use on ½″ shaper spindles. Outside diameters 19/32″, ¾″, 1″, 1¼″, 1½″, and 1¾″.

No.	*Fits Spindle*	*Shipping Weight*
976	½″	¼ lb.

Packed 1 in a box.

NO. 978 SHAPER CUTTER ADAPTER

For shaper cutters with ½″ holes. Maximum thickness of cutter 1¼″. Shank accurately bored to fit a No. 33 Jacobs Taper Arbor. Drift pin included.

No.	*For Cutters*	*Fits Arbors*	*Shipping Weight*
978	½″ hole	# 33 Jacobs	⅜ lb.

Packed 1 in a box.

NO. 980 SHAPER CUTTER ADAPTER

For using shaper cutters with holes 9/16″ in diameter with 18 threads to the inch. Hardened lefthand lock screw. Shank accurately bored to fit a No. 33 Jacobs Arbor. Drift pin included.

No.	*For Cutters*	*Fits Arbors*	*Shipping Weight*
980	9/16″–18 thds.	# 33 Jacobs	⅜ lb.

Packed 1 in a box.

NO. 992 ABRASIVE DISC HOLDER

Anchor screw holds abrasive discs securely for grinding, polishing and sanding. Fits ¼″ chuck.

No.	*Capacity Disc*		*Shipping Weight*
992	4″ to 6″	¼″	⅛ lb.

Packed 1 in a box.

NO. 986 WHEEL ARBOR



For operating grinding and buffing wheels, wire and fibre brushes, etc., with ½″ holes. Shank ¼″ in diameter can be used in any three jawed chuck of ¼″ or larger capacity. Maximum distance between the 1⅜″ flanges is 1″. Arbor threaded ½″–20T. For use in ¼″ electric drills only. Maximum recommended wheel: 4″ x ½″.

Packed 1 per box. Shipping weight: ¼ lb.

NO. 46 3-STEP TAP

Three taps in one, this versatile tool cleans out, taps or retaps holes threaded 10-32, 8-32 or 6-32 ... the most common tap sizes. Hardened steel blade and shockproof plastic handle. Ideal for switch and outlet boxes, terminals, radio and television chassis. Blister-packed on Millers Falls "Bulls-Eye" cards.

Carded and packed 6 in a box.
Shipping weight: 1¼ lbs.

NO. 1473 8-INCH ADJUSTABLE-END WRENCH

Hardened and tempered jaws with a 1″ maximum capacity. They are ground and polished on the sides, and only ¼″ thick so as to get into narrow spaces. The adjusting screw is deeply knurled. Wrench is 8″ long and chrome plated.

Packed 6 in a box. Shipping weight: 2⅝ lbs.

NO. 1495 5 Pc. WRENCH SET



5 open-end wrenches. Sizes from 5/16″ to ¾″. Plated finish. Handy clip keeps wrenches together.

Packed 5 sets in a box. Shipping weight: 4 lbs.

HEX WRENCH SETS

NO. 187 7-PIECE HEX WRENCH SET

Packed 10 per box.
Shipping Weight: 2⅛ lbs.



NO. 215 15-PIECE HEX WRENCH SET

Packed 10 per box.
Shipping Weight: 5⅞ lbs.



NO. 318 18-PIECE HEX WRENCH SET

Packed 10 per box.
Shipping Weight: 6 lbs.

High-carbon tool steel is carefully hardened and tempered, then plated to resist rust. The basic assortment includes 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4. The 15-piece set has the basic assortment, plus .028, .035, .050, 1/16, 7/64, 9/64, 5/16, 3/8. The 18-key set has 9/64, .050 and 7/32 sizes in standard shank; 3/16, 1/4, and 5/16 sizes in extra long shank; both standard and long shank in the 1/16, 5/64, 3/32, 7/64, 1/8, 5/32 sizes.

NO. 10-11-12 TAP WRENCHES



Ideal for holding taps, reamers, drills and other small tools. Knurled chuck shell.

No.	*Handle*	*Capacity*	*Shipping Weight*
10	3¼″	1/16″–7/32″	⅞ lb.
11	4¾″	7/32″–5/16″	1⅝ lbs.
	Packed 6 in a box.		
12	5¾″	¼″–½″	1¼ lbs.
	Packed 2 in a box.		

No. 112 Set of 1 No. 10, 1 No. 11, 1 No. 12.

Packed 1 set in a box.
Shipping weight: 1⅛ lbs.

NO. 88 and 89 TAP WRENCHES



Designed to hold taps, reamers, drills and small tools turned by hand. Permanently fixed handles. Long, knurled chuck shell. Forged steel jaws, hardened, tempered and polished.

No.	*Handle*	*Capacity*	*Shipping Weight*
88	3½″	1/16″–¼″	1¼ lbs.
89	4½″	5/32″–½″	2⅛ lbs.

Packed 6 in a box.

NO. 8816 VISE



The No. 8816 Vise — built for the No. 8814 — can also be used with practically any other drill press. Capacity: 3″. Width of jaws: 2½″. Front jaw has milled slots for gripping round and irregular shaped stock. Equipped with safety rod.

Packed 1 in a box. Shipping weight: 3⅝ lbs.

NO. 18 SWIVEL BENCH VISE



Swivel base permits jaws to be swung to any desired angle; swivel clamping mechanism is controlled by a small lever at the right. Jaws 2½″ wide are milled after assembly to insure close fitting. Maximum opening 2¼″. Small anvil on body casting. Clamps to bench up to two inches thick. Body in gray enamel; movable jaw in red.

Packed 1 in a box. Shipping weight: 5½ lbs.

NO. 217 BENCH DRILL VISE



Well made, nicely finished vise for bench, bench drill or drill press. Accurately machined jaws, base, sides and bearing parts. Removable swivel jaw. Steel screw. Capacity with swivel jaw inserted, 2¾″; with swivel jaw removed, 3⅛″; width of jaws, 2⅜″. Screw clamp holds vise securely in place.

Packed 1 in a box.
Shipping weight: 5 lbs.

NO. 161 BENCH VISE



Strong, rigid vise with machined jaws. Twin steel guide rod construction. Small anvil on body casting. Clamps to bench 2″ thick with countersunk screw holes for fastening vise to front of bench. Body in gray, movable jaw red. Width jaws 2″, jaws open 2½″.

Packed 1 in a box. Shipping weight: 4 lbs.

NO. 663 and 664 BENCH VISES



Original twin guide rod construction operated by accurately cut steel feed screw. Jaws operate easily with no lost motion. Jaws machined after vise is assembled. Steel parts polished. Iron parts finished in red and gray enamel.

No.	*Width Jaws*	*Jaws Open*	*Shipping Weight*
663	1½″	1½″	2¼ lbs.
664	2½″	2½″	8 lbs.

Packed 1 in a box.

NO. 1700 RIGID BENCH VISE



Twin guide rod construction insures smooth action and rigidity of the movable jaw. Jaws 2½″ wide are milled parallel after assembly. Maximum opening 2¼″. Small anvil on body casting. Body in gray enamel; movable jaw in red. All exposed steel parts polished. Clamps to bench up to two inches thick.

Packed 1 in a box. Shipping weight: 4 lbs.

NO. 1406 CARPENTER'S VISE



Light but strong. Can be carried easily from job to job. Clamps horizontally or vertically to bench, sawhorse or anything up to 2¼″ thick. Cast iron jaws 5″ wide in silver gray hammertone enamel are faced with Resinwood. Jaw capacity is 3¾″. All unpainted metal parts are plated.

Packed 1 in a box.
Shipping weight: 6¼ lbs.

NO. 3 HAND VISE



Cast tool steel. Jaws hardened and tempered. Sure grip serrated jaws tightened by large steel thumb nut and screw bolt. Heavy spring to open jaws. Black enameled with jaws polished. Length, 5″; width jaws, 1½″; jaws open 1¼″.

Packed 1 in a box.
Shipping weight: 1 lb.

HAND TOOL KITS



No. 8



No. 10

NO. 8 HAND TOOL KIT

A set of quality-built Millers Falls tools that fills the most essential need for tools in the home. Handles the majority of ordinary repair jobs. Compact steel case has spring clips to hold tools on one side, shelves on other. Case mounts on wall or door for convenient storage . . . has carrying handle at top that swings into position when needed. Dimensions: 14⅜″ high, 10-1/16″ wide, 3-15/16″ deep.

Tools included are:

No. 170	Automatic Drill
No. 651	4-inch Standard Screwdriver
No. 653	3-inch Cabinet Screwdriver
No. 650	#2 Phillips Screwdriver
No. 1417	16-oz. Hammer
No. 1270	Carpenter Square
No. 1430	⅜-inch Wood Chisel
No. 1470	6-inch Slip-Joint Pliers
No. 602	Nail Set (2/32″)
No. 1460	6-foot Folding Rule
No. 333	Utility Knife with 5 Blades in Handle
No. 707	Block Plane
No. 1490	Torpedo Level
No. 556	Tungsten Carbide Hand Sander

Packed 1 in a carton. Shipping weight: 15 lbs.

NO. 10 DELUXE TOOL KIT

A well-balanced selection of the finest-quality Millers Falls hand tools designed for professional and amateur craftsmen who prefer the very best. Each of these professional quality tools is securely held inside a heavy duty steel carrying case by strong spring clips. Case may be mounted on a wall, back of a door or other convenient location. Has hinged handle at top for easy carrying. Dimensions: 19½" high, 16" wide, 3⅝" deep.

Tools included are:

No. 1950	Ratchet Bit Brace
No. 716	16-oz. Hammer
No. 39	2½-inch Wood Scraper
No. 170	Automatic Drill
No. 802	Nail Set (2/32")
No. 803	Nail Set (3/32")
No. 365	Awl
No. 590	Torpedo Level
No. 810	½-inch Countersink
No. 853	3-inch Cabinet Screwdriver
No. 851	4-inch Standard Screwdriver
No. 851	6-inch Standard Screwdriver
No. 850	#2 Phillips Screwdriver
No. 525	Keyhole Saw
No. 1200	Combination Square
No. 47	Expansive Bit
No. 1473	8-inch Adjustable End Wrench
No. 1404	Putty Knife
No. 1430	⅜-inch Wood Chisel
No. 1430	¾-inch Wood Chisel
No. 1460	6-foot Folding Rule
No. 1455	Block Plane

Packed 1 in a carton. Shipping weight: 27½ lbs.

NO. 765 PRECISION TOOL MERCHANDISER



This unique richly finished birch showcase highlights the heart of Millers Falls expertly manufactured line of professional quality precision tools. Measures 24" in height, 18" in width and 2⅝" in depth. Can be effectively used as a counter or wall display. The legs can be detached easily and the glazed door is hinged with a hasp for locking. Contents listed below. All tools LIFETIME GUARANTEED.

No. 8665	6" Steel Rule
No. 274	6" Steel Rule
No. 264	6" Steel Rule
No. 966	Hook Rule
No. 438	Center Gauge
No. 6	Thickness Gauge
No. 326	Thickness Gauge
No. 436	Screw Pitch Gauge
No. 135	Screw Pitch Gauge
No. 80	Depth Gauge
No. 61	Scriber
No. 75	Scriber
No. 58	Scriber
*No. 440	Speed Indicator
*No. 391	Combination Set
No. 520	4" Outside Caliper
No. 510	4" Inside Caliper
No. 500	4" Divider
*No. 31	Micrometer Depth Gauge
*No. 112R	Micrometer
*No. 701	Micrometer
*No. 712R	Micrometer
*No. 618	Inside Micrometer Capacity 2" to 6½"

*Can be easily removed or replaced for inspection.

Packed 1 unit in a carton. Shipping weight: 25 lbs.

OUTSIDE SPRING CALIPERS



Designed for the utmost precision in taking or transferring measurements. Legs tapered, shaped and pointed for sensitive adjustments. Powerful tempered springs. Accurately machined and hardened spool eliminates side deflection. Solid nuts run freely on precise, hardened screws. Finely polished finish.

LIFETIME GUARANTEE

SOLID NUT

No.	*Size*	*Shipping Weight*
520	3"	4½ oz.
520	4"	8 oz.
520	5"	8½ oz.
520	6"	13 oz.
520	8"	1¼ lbs.

Packed 3 in a box.

INSIDE SPRING CALIPERS



LIFETIME GUARANTEE

The same design and construction as the outside type. Carefully machined and hardened spool in conjunction with powerful tempered spring eliminates side deflection. Solid nut types have precise hardened screws. Polished finish.

SOLID NUT

No.	*Size*	*Shipping Weight*
510	3"	5 oz.
510	4"	7 oz.
510	5"	8 oz.
510	6"	11½ oz.
510	8"	1–1/16 lbs.

Packed 3 in a box.

HERMAPHRODITE SPRING CALIPERS



LIFETIME GUARANTEE

Design and construction same as the outside and inside types. Hardened spools and screws. Powerful tempered springs. Polished finish.

SOLID NUT

No.	*Size*	*Shipping Weight*
530	3"	4½ oz.
530	4"	6½ oz.
530	5"	8½ oz.
530	6"	11½ oz.

Packed 3 in a box.

SPRING DIVIDERS



General design and construction same as the outside and inside calipers. Carefully machined and hardened spools with powerful tempered springs. Free running solid nuts operate on hardened screws. Polished finish.

LIFETIME GUARANTEE

SOLID NUT

No.	*Size*	*Shipping Weight*
500	3″	5 oz.
500	4″	8 oz.
500	5″	8 oz.
500	6″	11½ oz.
500	8″	1⅛ lbs.

Packed 3 in a box.

WING DIVIDERS



LIFETIME GUARANTEE

No.	*Shipping Weight*
203	2 lbs.
204	2⅛ lbs.
205	2¼ lbs.

Packed 6 in a box.

Three versatile tools that feature spring-tensioned adjustments, pressed steel arms, hardened points and knurled adjusting screws for "built-in" accuracy. One adjustable leg on No. 204 and two on No. 205 can be replaced with pencils or other accessory equipment with 5/16″ shank (legs, scribes, ball points). Length: 7″.

NO. 438 CENTER GAUGE

LIFETIME GUARANTEE



Best quality spring tempered crucible steel. Lapped in notches to a light-tight fit with standard 60 degree angles. Graduated one corner each in 32nds, 24th, 20ths, and 14th. Thickness: 1/20 inch.

Packed 6 in a box.
Shipping weight: 1½ oz.

NO. 135 SCREW PITCH GAUGE

LIFETIME GUARANTEE

Has 22 pitches for V-threads, as follows: 9, 10, 11, 11½, 12, 13, 14, 15, 16, 18, 20, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38 and 40. Length of leaves: 1 inch.

NO. 436 SCREW PITCH GAUGE

LIFETIME GUARANTEE

Has 30 pitches for V-threads as follows: 4, 4½, 5, 5½, 6, 7, 8, 9, 10, 11, 11½, 12, 13, 14, 15, 16, 18, 20, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38, 40, 42. Length of leaves: 1⅛ inches.

No.	*Leaves*	*Shipping Weight*
135	22	1 oz.
436	30	2 oz.

Packed 1 in a box.

NO. 315 SCREW PITCH GUAGE

LIFETIME GUARANTEE



Eight leaves covering all NF or SAE threads from ¼ inch-28 to 1 inch-14 and Standard Pipe threads from ⅛ inch-27 to 2 inches-11½. This includes all standard threads — NF or SAE — and pipe used in the automotive and aviation fields. Each gauge mounted on a card printed in red and black.

Packed 6 in a box.
Shipping weight: 5½ oz.

NOS. 755 and 889 SURFACE GAUGES



LIFETIME GUARANTEE

Carefully ground base, 3″ x 2½″ x ⅞″, has V-groove for mounting on round work. Retractable pins in base for linear work. Two lengths of spindle. Scriber head has spring control. When gauge is used with dial indicator, hardened steel scriber may be removed. Fine adjustment of spindle to any angle above or below base. Spindle has marker on lower end for use as a scratch gauge.

No.	*Spindle*	*Shipping Weight*
755	5″	2 lbs.
889	9″	2 lbs. 2 oz.

Packed 1 in a box.

NO. 6 THICKNESS GAUGE

LIFETIME GUARANTEE



This gauge has six precision steel leaves .002, .003, .004, .006, .008, and .010 inch thick. Thickness clearly etched on each leaf. Double steel case for protection. Leaves 2-5/16″ long and ½″ wide.

Packed 6 in a box.
Shipping weight: 5 oz.

NO. 9 THICKNESS GAUGE

LIFETIME GUARANTEE



Has nine precision steel leaves .0015, .002, .003, .004, .006, .008, .010, .013, .020 inch thick and 3-1/16″ long, in suitable double steel case. Thickness etched on each leaf. Leaves: 3-1/16″ x ½″.

Packed 6 in a box.
Shipping weight: 8 oz.

NOS. 19, 22, 926 THICKNESS GAUGES



Finished throughout with each leaf burred, buffed and clearly etched with thickness in thousandths. Screw studs at leaf end of polished case permit replacement of leaves or tension adjustment.

LIFETIME GUARANTEE

No. 19. Has 9 leaves 3-1/16″ long, ½″ wide and .0015, .002, .003, .004, .006, .008, .010, .012, .015 inch thick.

Packed 6 in a box. Shipping weight: 7½ oz.

No. 22. Has 22 leaves 2-5/16″ long, ½″ wide and .004, .005, .006, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .019, .020, .021, .022, .023, .024 and .025.

Packed 6 in a box. Shipping weight: 15 oz.

No. 926. Has 26 leaves 3-1/16″ long, ½″ wide and .0015, .002, .0025, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, .025.

Packed 6 in a box. Shipping weight: 1-3/16 lbs.

NO. 25 THICKNESS GAUGE

LIFETIME GUARANTEE



Has 25 clearly-etched leaves from .0015 to .025 inch thick. Double steel case. Leaves: 2-5/16″ x ½″.

Packed 6 in a box. Shipping weight: 1 lb.

NO. 91 THICKNESS GAUGE (Tapered Leaves)



9 steel leaves that will not "swedge" out or lose dimensional accuracy. Leaves 4½" long x ½" wide and tapered. Case notched for easy access to leaves. Thickness: .0015 to .015. Replaceable leaves. One per plastic vial. LIFETIME GUARANTEE

Packed 4 in a box.
Shipping weight: 7 oz.

NOS. 319, 322, 326 THICKNESS GAUGES

LIFETIME GUARANTEE



No. 319. Has 9 leaves 3-1/16" long, ½" wide and .0015 to .015 inch thick.
Packed 6 in a box.
Shipping weight: 7½ oz.

No. 322. Has 22 leaves 2-5/16" long, ½" wide and .004 to .025 inch thick.
Packed 6 in a box.
Shipping weight: 15 oz.

No. 326. Has 26 leaves 3-1/16" long, ½" wide and .0015 to .025 inch thick.
Packed 6 in a box.
Shipping weight: 1-3/16 lbs.

NO. 100 THICKNESS STOCK STRIPS

LIFETIME GUARANTEE

Made of the finest gauge steel with thickness legibly etched on each strip at two points. Ends nicely rounded and finished. Thickness available in .0015, .002, .0025, .003 — then by thousandths through .025 inch. Length: 12". Width: ½".

No.	*Thickness*	*Shipping Weight*
100	.0015 to .003	8 oz.
100	.004 to .006	14 oz.
100	.007 to .025	1 lb. 2 oz.

Packed 6 in a box.

MICROMETER DEPTH GAUGES (1/1000)

Satin Chrome Finish Accuracy Guaranteed



For accurate measurements of depth of holes, slots, shoulders and projections. Has full 1" range — measuring by 1/1000th of an inch. Three measuring rods give 0" to 3" capacity. Base, ½" wide. Base hardened and lapped flat. Extra rods for greater capacities on special order.

LIFETIME GUARANTEE

No.		*Base*	*Capacity*	*Shipping Weight*
31	Gauge	2½ inches	0 to 3 inches	8 oz.
32131	Leather Case			5 oz.
32	Gauge	4 inches	0 to 3 inches	12 oz.
32132	Leather Case			7 oz.

Packed 1 in a box.

Extra Set of 3 Rods for measurements 3 to 6 inches
Extra Set of 6 Rods for measurements 6 to 12 inches
Must be fitted to head with which they are to be used.

NO. 38R MICROMETER HEAD (1/1000)

LIFETIME GUARANTEE

Satin Chrome Finish Accuracy Guaranteed

For use on special gauges, fixtures and machines where precision measurements are required. The spindle, lead screw, barrel, thimble and ratchet mechanism are exactly the same as used on the No. 112R Micrometer. Graduated to read by 1/1000th from 0" to 1".

No.	*Capacity*	*Shipping Weight*
38R	0 to 1 inch	3½ oz.

Packed 1 in a box.

INSIDE MICROMETERS (1/1000)



LIFETIME GUARANTEE

Satin Chrome Finish Accuracy Guaranteed

Lead screw has ½" run and the barrel has two sets of graduations, permitting direct readings with or without collars. Furnished with a long solid handle for use in places inaccessible to the hand.

No.		*Capacity*	*Shipping Weight*
1218	Micrometer with Handle	2 to 12½ inches	10½ oz.
32118	Case		11 oz.

Supplied with seven rods, one ½ inch and one 1 inch bushing, giving a range from 2" to 12½" by 1/1000ths of an inch.

618	Micrometer with Handle	2 to 6½ inches	7 oz.
32118	Case		11 oz.

Supplied with three rods, one ½ inch and one 1 inch bushing, giving a range from 2" to 6½" by 1/1000ths of an inch.

Packed 1 in a box.

NO. 112RK MICROMETER (1/1000)



LIFETIME GUARANTEE

With Carbide Faces
Satin Chrome Finish Accuracy Guaranteed

Tungsten-Carbide tips on both anvil and spindle faces resist abrasion, insure accuracy under severe abrasive conditions. Cut-away anvil permits measurements in confined spaces. Equipped with a ratchet stop located on the thimble. Clamp ring set in the frame locks the spindle at any desired reading. Speeder provided on end of thimble for running spindle in and out rapidly. Anvil and spindle hardened and precision ground. Measuring faces lapped for precise parallelism. The 1/1000th increments numbered for quicker, easier reading. Decimal equivalents etched on the drop-forged steel frame. Every necessary compensation for wear is provided. Capacity: 0 to 1".

No.		*Capacity*	*Shipping Weight*
112RK	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.

Packed 1 in a box.

NO. 20RK MICROMETER (1/1000)



LIFETIME GUARANTEE

With Carbide Faces

Same construction and finish as No. 112RK, but has capacity from 1 to 2 inches, either lengths or diameters. No. 563 one-inch micrometer standard included.

No.		*Capacity*	*Shipping Weight*
20RK	Micrometer	1 to 2 inches	11 oz.
32119	Case		5 oz.

Packed 1 in a box.

NO. 902R MICROMETER (1/10,000)

LIFETIME GUARANTEE

Same construction and finish as No. 112R, but reading by 1/10,000 of an inch.

No.		*Capacity*	*Shipping Weight*
902R	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.

Packed 1 in a box.

NO. 20R MICROMETER (1/1000)



Same construction and finish as No. 112R, but has capacity from 1 to 2 inches, either lengths or diameters. No. 563 one-inch micrometer standard included.

No.		*Capacity*	*Shipping Weight*
20R	Micrometer	1 to 2 inches	11 oz.
32119	Case		5 oz.

Packed 1 in a box.

NO. 902RK MICROMETER (1/10,000)

LIFETIME GUARANTEE

With Carbide Faces

Same construction and finish as No. 112RK, but reading by 1/10,000 of an inch.

No.		*Capacity*	*Shipping Weight*
902RK	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.

Packed 1 in a box

NO. 112R MICROMETER (1/1000)

LIFETIME GUARANTEE

Equipped with a ratchet stop located on the thimble. Clamp ring set in the frame locks the spindle at any desired reading. Speeder provided on end of thimble for running spindle in and out rapidly. Anvil and spindle hardened and precision ground. Measuring faces lapped for precise parallelism. The 1/1000th increments numbered for quicker, easier reading. Decimal equivalents etched on the drop-forged steel frame. Every necessary compensation for wear is provided. Standard steel anvil and spindle faces.

No.		*Capacity*	*Shipping Weight*
112R	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.

Packed 1 in a box.

NO. 701K SERIES MICROMETER (1/1000)



With Carbide Faces

Satin Chrome Finish Accuracy Guaranteed

Drop forged steel frame. Cut-away feature at the anvil permits measurements in confined spaces, and ribbed design of frame gives great rigidity for maintained accuracy. Decimal equivalents stamped on thimble which is also provided with a speeder for rapid movement. Sleeve and thimble satin chrome finish with 1/1000th increments numbered for quicker, easier reading. Tungsten-carbide tips on both anvil and spindle faces resist abrasion, insure accuracy under severe abrasive conditions.

No.		*Capacity*	*Shipping Weight*
701K	Micrometer	0 to 1 inch	6 oz.
32112	Leatherette Case		4 oz.
712K	Micrometer	1 to 2 inches	11 oz.
32120	Leatherette Case		8 oz.
723K	Micrometer	2 to 3 inches	14 oz.
32123	Leatherette Case		11 oz.
734K	Micrometer	3 to 4 inches	1⅛ lbs.
32134	Leatherette Case		12 oz.
745K	Micrometer	4 to 5 inches	1⅝ lbs.
32145	Leatherette Case		1–1/16 lbs.
756K	Micrometer	5 to 6 inches	2⅛ lbs.
32156	Leatherette Case		1¼ lbs.

Packed 1 in a box.

NO. 7010K SERIES MICROMETER (1/10,000)

With Carbide Faces

Same construction and finish as 701K Series, but reading by 1/10,000th of an inch.

No.		*Capacity*	*Shipping Weight*
7010K	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.
7120K	Micrometer	1 to 2 inches	11 oz.
32120	Case		8 oz.
7230K	Micrometer	2 to 3 inches	14 oz.
32123	Case		11 oz.
7340K	Micrometer	3 to 4 inches	1⅛ lbs.
32134	Case		12 oz.
7450K	Micrometer	4 to 5 inches	1⅝ lbs.
32145	Case		1–1/16 lbs.
7560K	Micrometer	5 to 6 inches	2⅛ lbs.
32156	Case		1¼ lbs.

All above items packed 1 in a box.

NO. 701 SERIES MICROMETER (1/1000)



Drop forged steel frame. Cut-away feature at the anvil permits measurements in confined spaces, and ribbed design of frame gives great rigidity for maintained accuracy. Decimal equivalents stamped on thimble which is also provided with a speeder for rapid movement. Sleeve and thimble satin chrome finish with 1/1000th increments numbered for quicker, easier reading. Standard steel anvil and spindle faces.

No.		*Capacity*	*Shipping Weight*
701	Micrometer	0 to 1 inch	6 oz.
32112	Leatherette Case		4 oz.
712	Micrometer	1 to 2 inches	11 oz.
32120	Leatherette Case		8 oz.
723	Micrometer	2 to 3 inches	14 oz.
32123	Leatherette Case		11 oz.
734	Micrometer	3 to 4 inches	1⅛ lbs.
32134	Leatherette Case		12 oz.
745	Micrometer	4 to 5 inches	1⅝ lbs.
32145	Leatherette Case		1-1/16 lbs.
756	Micrometer	5 to 6 inches	2⅛ lbs.
32156	Leatherette Case		1¼ lbs.

Packed 1 in a box.

NO. 7010 SERIES MICROMETER (1/10,000)

LIFETIME GUARANTEE

Same construction and finish as 701 Series, but reading by 1/10,000 of an inch.

No.		*Capacity*	*Shipping Weight*
7010	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.
7120	Micrometer	1 to 2 inches	11 oz.
32120	Case		8 oz.
7230	Micrometer	2 to 3 inches	14 oz.
32123	Case		11 oz.
7340	Micrometer	3 to 4 inches	1-1/8 lbs.
32134	Case		12 oz.
7450	Micrometer	4 to 5 inches	1-5/8 lbs.
32145	Case		1-1/16 lbs.
7560	Micrometer	5 to 6 inches	2-1/8 lbs.
32156	Case		1-1/4 lbs.

All above items packed 1 in a box.

NO. 701RK SERIES MICROMETER (1/1000)



LIFETIME GUARANTEE

With Carbide Faces
Satin Chrome Finish Accuracy Guaranteed

Provided with positive spindle lock at any desired reading by the clamp ring set in the frame. The thimble is equipped with both a ratchet stop mechanism and a speeder for fast movement of spindle. Tungsten-carbide tips on both anvil and spindle faces resist abrasion, insure accuracy under severe abrasive conditions. Sleeve and spindle satin chrome finished, with 1/1000 increments numbered for quick, easy reading. Ribbed frame design affords greater rigidity.

No.		*Capacity*	*Shipping Weight*
701RK	Micrometer	0 to 1 inch	6 oz.
32112	Leatherette Case		4 oz.
712RK	Micrometer	1 to 2 inches	11 oz.
32120	Leatherette Case		8 oz.
723RK	Micrometer	2 to 3 inches	14 oz.
32123	Leatherette Case		11 oz.
734RK	Micrometer	3 to 4 inches	1⅛ lbs.
32134	Leatherette Case		12 oz.
745RK	Micrometer	4 to 5 inches	1⅝ lbs.
32145	Leatherette Case		1-1/16 lbs.
756RK	Micrometer	5 to 6 inches	2⅛ lbs.
32156	Leatherette Case		1¼ lbs.

All above items packed 1 in a box.

NO. 7010RK SERIES MICROMETER (1/10,000)

With Carbide Faces LIFETIME GUARANTEE

Same construction and finish as 701RK Series, but reading by 1/10,000th of an inch.

No.		*Capacity*	*Shipping Weight*
7010RK	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.
7120RK	Micrometer	1 to 2 inches	11 oz.
32120	Case		8 oz.
7230RK	Micrometer	2 to 3 inches	14 oz.
32123	Case		11 oz.
7340RK	Micrometer	3 to 4 inches	1⅛ lbs.
32134	Case		12 oz.
7450RK	Micrometer	4 to 5 inches	1⅝ lbs.
32145	Case		1-1/16 lbs.
7560RK	Micrometer	5 to 6 inches	2⅛ lbs.
32156	Case		1¼ lbs.

All above items packed 1 in a box.

NO. 7010R SERIES MICROMETER (1/10,000)

LIFETIME GUARANTEE

Same construction and finish as 701R Series, but reading by 1/10,000th of an inch.

No.		*Capacity*	*Shipping Weight*
7010R	Micrometer	0 to 1 inch	6 oz.
32112	Case		4 oz.
7120R	Micrometer	1 to 2 inches	11 oz.
32120	Case		8 oz.
7230R	Micrometer	2 to 3 inches	14 oz.
32123	Case		11 oz.
7340R	Micrometer	3 to 4 inches	1⅛ lbs.
32134	Case		12 oz.

All above items packed 1 per box.

NO. 701R SERIES MICROMETER (1/1000)



LIFETIME GUARANTEE

Satin Chrome Finish Accuracy Guaranteed

Provided with positive spindle lock at any desired reading by the clamp ring set in the frame. The thimble is equipped with both a ratchet stop mechanism and a speeder for fast movement of spindle. Sleeve and spindle satin chrome finished, with 1/1000 increments numbered for quick, easy reading. Ribbed frame design affords greater rigidity. Standard steel anvil and spindle faces.

No.		*Capacity*	*Shipping Weight*
701R	Micrometer	0 to 1 inch	6 oz.
32112	Leatherette Case		4 oz.
712R	Micrometer	1 to 2 inches	11 oz.
32120	Leatherette Case		8 oz.
723R	Micrometer	2 to 3 inches	14 oz.
32123	Leatherette Case		11 oz.
734R	Micrometer	3 to 4 inches	1⅛ lbs.
32134	Leatherette Case		12 oz.
745R	Micrometer	4 to 5 inches	1⅝ lbs.
32145	Leatherette Case		1-1/16 lbs.
756R	Micrometer	5 to 6 inches	2⅛ lbs.
32156	Leatherette Case		1¼ lbs.

All above items packed 1 in a box.

ALL MICROMETERS WITH "R" IN NUMBER ARE EQUIPPED WITH RATCHET STOP AND LOCK

704R MICROMETER SET

LIFETIME GUARANTEE



Capacity 0" to 4" by 1/1000 inch
Satin Chrome Finish Accuracy Guaranteed

Four interchangeable anvils provide a range of 0 to 4 inches which covers the pistons and crank shafts in the great majority of automotive and aviation applications. Cut-away drop forged steel frame finished in black enamel. Precision ground lead screw. Spindle locking device in frame. Thimble equipped with ratchet stop mechanism and speeder. Set includes three precision standards. Packed in handsome walnut case.

Packed 1 set in a box. Shipping weight: 3⅛ lbs.

NO. 563 MICROMETER STANDARDS

LIFETIME GUARANTEE



Made of tool steel, hardened and ground with the ends lapped parallel to each other making precise setting easier and surer. One inch standard is a round disc, all others are 5/16" rods in hard rubber octagon holders to prevent rolling and elongation from hand heat.

No.	*Capacity*	*Ship. Wt.*	*No.*	*Quantity*	*Ship. Wt.*
563	1"	½ oz.	563	4"	2 oz.
563	2"	1 oz.	563	5"	2 oz.
563	3"	2 oz.	563	6"	3 oz.

Packed 1 in a box.

BEVEL PROTRACTORS

LIFETIME GUARANTEE



The blade is held in a revolving turret by a round-ended bolt. Turret is accurately fitted and engine graduated to 90 degrees either side of zero. It carries a level which is accurately set. Body is approximately 7 inches long. Blade graduated in 8th, 16th, 32nds and 64ths.

No.	*Blade*	*Shipping Weight*
180	Head only	11 oz.
181	9 inches	15 oz.
182	12 inches	1 lb.

Packed 1 in a box.

COMBINATION SETS

LIFETIME GUARANTEE



Tempered Steel Blades

Useful combinations for machinists or tool makers. Beams and center heads are made of hard gray iron. Finished in ebony enamel. The blades are tempered crucible steel, engine graduated, in 8th, 16th, 32nds and 64ths inch for Nos. 390 and 391; 32nds; 64ths, 50ths and 100ths for No. 3910. Protracto accurately graduated 90 degrees both sides of 0.

No.	*Blades*	*Grad.*	*Shipping Weight*
390	9 inches	⅛ 4	1⅝ lbs.
391	12 inches	⅛ 4	1¾ lbs.
3910	12 inches	⅛16	1¾ lbs.

Packed 1 in a box.

COMBINATION SQUARES



LIFETIME GUARANTEE

Tempered Steel Blades

These squares have hard gray iron beams and center heads that are finished in ebony enamel. No protractor provided. The blades are tempered crucible steel, engine graduated in 8ths, 16ths, 32nds and 64ths inch for Nos. 361, 362, 363; 32nds, 64ths, 50ths and 100ths for No. 3630.

No.	*Blade*	*Grad.*	*Shipping Weight*
361	6 inches	⅛ 4	13 oz.
362	9 inches	⅛ 4	1 lb.
363	12 inches	⅛ 4	1⅛ lbs.
3630	12 inches	⅛16	1⅛ lbs.

Packed 1 in a box.

BLADES ONLY FOR COMBINATION SQUARES AND PROTRACTORS

LIFETIME GUARANTEE

No.	*Blade*	*Grad.*	*Fits Square*	*Shipping Weight*
116	6 inches	⅛16	361, 371	8 oz.
116	12 inches	⅛16	3630, 3730, 3910, 180, 182	1⅛ oz.
116	18 inches	⅛16	3630, 3730, 3910	1¾ oz.
116	24 inches	⅛16	3630, 3730, 3910	2⅜ oz.
161	6 inches	⅛ 4	361, 371	8 oz.
162	9 inches	⅛ 4	372, 390, 180, 181	14 oz.
163	12 inches	⅛ 4	363, 373, 391, 180, 182	1⅛ oz.

Packed 4 in a box.

COMBINATION SQUARES

LIFETIME GUARANTEE



Tempered Steel Blades

These squares have hard gray iron beams that are finished in ebony enamel. No protractor or center head provided. The blades are tempered crucible steel, engine graduated in 8ths, 16ths, 32nds and 64ths inch for Nos. 371, 372, 373; 32nds, 64ths, 50ths and 100ths for No. 3730.

No.	*Blade*	*Grad.*	*Shipping Weight*
371	6 inches	⅛ 4	10 oz.
372	9 inches	⅛ 4	13 oz.
373	12 inches	⅛ 4	15 oz.
3730	12 inches	⅛16	15 oz.

Packed 1 in a box.

NO. 222 TOOLMAKERS DOUBLE STEEL SQUARE SET

LIFETIME GUARANTEE



Packed 1 in a box.
Shipping weight: 3 oz.

Toolmakers' square has three blades — one 2½ x ½ inch sliding blade graduated in 32nds and 64ths, adjustable right or left; one bevel blade, 45 degrees on one end and 30 degrees on the other; and one narrow blade ⅛ inch wide. All are interchangeable and lock securely by tightening the thumb nut in the beam, which is hardened, ground and lapped.

DOUBLE SQUARE SETS

LIFETIME GUARANTEE



Versatile, compact tools for accurate checking of inside squareness, outside squareness, parallelism and drill point angle or for laying out hexagons and octagons. Selected tool steel alloy blades grooved full length for easy attachment to square head. Four-inch graduated blades have quick-reading figures on face with finest graduations.

No.	*Blade*	*Shipping Weight*
304	4 inches — ⅛ 4 Grad.	5 oz.
316	4 inches — ⅛16 Grad.	5 oz.

Packed 1 in a box.

NO. 80 RULE DEPTH GAUGE

LIFETIME GUARANTEE



Has a milled and ground base 3″ long and a narrow tempered steel rule 6″ long. Blade can be turned parallel to the base for easy storing or carrying. Also makes a useful T-square. Rule graduated in 32nds and 64ths of an inch. Head is graduated with lines indicating 30, 45 and 60 degrees.

No.	*Length*	*Shipping Weight*
80	6″	2 oz.

Packed 1 in a box.

NO. 966 TEMPERED HOOK RULE

LIFETIME GUARANTEE



Numbered for Quick Reading

Hardened steel hook is locked onto rule by hardened eccentric bolt and is easily detachable. Graduated full length in 8ths, 16ths, 32nds and 64ths, with the 32nds and 64ths graduations numbered at each ⅛″. Length: 6″. Width: ¾″. Thickness: 1/20″.

Packed 1 in a box. Shipping weight: 1½ oz.

NO. 260 SATIN CHROME FINISH RULE

LIFETIME GUARANTEE

Same construction features as No. 106, but with Satin Chrome finish for non-glare reading. Dark, clearly etched graduations in 32nds and 64ths on one side, 10ths and 100ths on reverse. Individually mounted. Length: 6″. Width: ½″. Thickness: 1/100″.

Packed 6 in a box. Shipping weight: 4 oz.

NO. 771 NARROW HOOK RULE



LIFETIME GUARANTEE

Similar to the hook rule above, but with a narrow tempered rule and a smaller hook. Graduated full length in 32nds and 64ths of an inch. Length: 6". Width: 3/8". Thickness: 1/20".

Packed 1 in a box. Shipping weight: 1¼ oz.

NO. 306 SLIDE CALIPER RULE



LIFETIME GUARANTEE

For fast and accurate inside or outside measurements. Smooth acting spring tensioned slide has milled-groove thumb grip for positive one-hand "snap gauge" operation. Six-inch spring tempered high carbon steel blade carefully ground and lapped for precise parallelism. Graduated 8ths and 16ths one side, 32nds and 64ths other side. Quick-reading figures on 32nds and 64ths side. Zero line on slide for precise inside measurements. Depth of Jaws: 1½". Blade: 6".

Packed 1 in a box. Shipping weight: 3½ oz.

NO. 20 NARROW STEEL RULE LIFETIME GUARANTEE

6-inch precision steel rule ¼" wide with pocket clip which also acts as a base when rule is used as a depth gauge. Graduated in 32nds of an inch on one side, in 64ths on the other. Etched graduations and numerals mounted on a card. Width, ¼". Thickness, 1/20".

Packed 6 in a box.
Shipping weight: ¼ lb.

NO. 106 FLEXIBLE STEEL RULE LIFETIME GUARANTEE


MILLERS FALLS TOOLS
No. 106 FLEXIBLE
PRECISION STEEL RULE
PRICE
6 INCHES LONG — graduated in 16ths and 32nds
ETCHED GRADUATIONS — shaded for quick, easy reading
MILLERS FALLS COMPANY - Greenfield, Mass.
Made in U.S.A.
Printed in U.S.A.

Heat-treated 6-inch rule. Precision graduated on two edges in 16ths and 32nds of an inch, figures are deeply etched and shaped for easy reading. Each rule mounted on a card. Width, ½". Thickness, 1/100".

Packed 6 in a box. Shipping weight: ¼ lb.

SEMI-FLEXIBLE TEMPERED RULES LIFETIME GUARANTEE

A semi-flexible precision rule with a smoothly ground finish and clearly etched graduations and figures. Graduated on four edges in 8ths, 16ths, 32nds and 64ths. No. 253 is end graduated also.

No.	*Length*	*Width*	*Thickness*	*Shipping Weight*
253	6"	5/8"	1/50"	3½ oz.
255	12"	¾"	1/50"	7 oz.

Packed 6 in a box.

NO. 274 NARROW TEMPERED RULE LIFETIME GUARANTEE

Made in 6" length only. Smoothly ground finish, clearly etched graduations and figures. Graduated in 32nds on one edge one side and 64ths on the other side. Length: 6". Width: ¼". Thickness: 1/20".

Packed 6 in a box. Shipping weight: 2½ oz.

FLEXIBLE TEMPERED RULES LIFETIME GUARANTEE



Made of thin, flexible tempered steel, polished with clearly etched graduations and figures. Graduated on two edges, one side only, in 32nds and 64ths. Also end graduated.

No.	*Length*	*Width*	*Thickness*	*Shipping Weight*
264	6"	½"	1/100"	1½ oz.
264R	6"	½"	1/100"	1½ oz.

Same as No. 264 but numbered at each ⅛ graduation for quick reading, and not end graduated.

Packed 6 in a box.

NO. 2645 SATIN CHROME FINISH RULE

LIFETIME GUARANTEE

This is the same as No. 264 above but with a very fine satin chrome finish for non-glare reading.

No.	*Length*	*Width*	*Thickness*	*Shipping Weight*
2645	6"	½"	1/100"	2 oz.

Packed 6 in a box.

LIGHT TEMPERED RULES LIFETIME GUARANTEE

Numbered for Quick Reading

A light tempered rule with smoothly ground finish and clearly etched graduations and figures. Graduated on four edges in 8ths, 16ths, 32nds and 64ths with the 32nds and 64ths numbered at each ⅛" graduation line for quick reading.

No.	*Length*	*Width*	*Thickness*	*Shipping Weight*
866	6"	¾"	1/20"	6½ oz.
866	12"	1"	1/20"	1¼ lbs.
866	18"	1"	1/20"	2 lbs.

Packed 6 in a box.

NO. 8665 SATIN CHROME FINISH RULES LIFETIME GUARANTEE

This is the same as No. 866 above but with a very fine satin chrome finish for easier reading and to prevent tarnish.

No.	*Length*	*Width*	*Thickness*	*Shipping Weight*
8665	6"	¾"	1/20"	6½ oz.
8665	12"	1"	1/20"	1⅛ lbs.

Packed 6 in a box.

SCRIBERS

Made from fine steel with carefully tapered and tempered points. LIFETIME GUARANTEE

No.		*Length*	*Shipping Weight*
58	Single Point	4½"	2½ oz.
61	Double Point	6½"	7 oz.
62	Double Point	9"	10 oz.

Packed 6 in a box.

NO. 75 POCKET SCRIBER LIFETIME GUARANTEE

Body of fine knurled steel tubing and fitted with chuck holds the drawn and tempered scriber point. The point can be removed and reversed for protection. Overall length: 4⅞". Blade length: 2⅜".

Packed 6 in a box. Shipping weight: 3½ oz.

NO. 440 SPEED INDICATOR LIFETIME GUARANTEE



A well-built, low-priced indicator with fixed dial graduated in both directions so it can always be read direct. Rotating dial quickly set to 0 by loosening knurled thumb screw, turning to position and tightening thumb screw. Entire tool nickeled and buffed. Two rubber tips are provided, one for centered and one for pointed shafts. Length: 4¼".

Packed 1 in a box. Shipping weight: 6 oz.







The Finest in Tools . . .

. . . for Home and Industry



ELECTRIC TOOLS

MF

MILLERS FALLS TOOLS

SINCE 1868 ®



POWER PUMPS

DISTRIBUTION CENTERS

HOME OFFICE:
57 Wells Street
Greenfield, Massachusetts 01301

NEWARK:
414 West Elizabeth Avenve
Linden, New Jersey 07036

CLEVELAND:
1823 Brookpark Road
Cleveland, Ohio 44109

ATLANTA:
1232 Collier Road, N.W.
Atlanta, Georgia 30325

CHICAGO:
2427 Crescent Drive
Broadview, Illinois 60155

DALLAS:
1351 Crampton Street
Dallas, Texas 75207

LOS ANGELES:
5812 East Washington Boulevard
Los Angeles, California 90022

CANADA:
Millers Falls of Canada, Ltd.
38 Brydon Drive
Rexdale, Ontario, Canada



EIGHT DISTRIBUTION CENTERS . . .

. . . for Faster, More Complete Service

Printed in U. S. A.

50M-5-64B